### SAFETY DATA SHEET

### 1. Identification

**Product identifier** Lectra Clean® Heavy Duty Energized Electrical Parts Degreaser

Other means of identification

02021, 02023 Product code

Recommended use Energized electrical cleaner

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

CRC Industries, Inc. Company name

885 Louis Dr. **Address** 

Warminster, PA 18974 US

Telephone

**General Information** 215-674-4300 **Technical** 800-521-3168

**Assistance** 

**Customer Service** 800-272-4620 24-Hour Emergency 800-424-9300 (US)

(CHEMTREC) 703-527-3887 (International) Website www.crcindustries.com

### 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Carcinogenicity Category 1B

Specific target organ toxicity, single exposure Category 3 narcotic effects

**Environmental hazards** Hazardous to the aquatic environment, Category 2

long-term hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word

Causes skin irritation. May cause drowsiness or dizziness. May cause cancer. Toxic to aquatic life **Hazard statement** 

with long lasting effects.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after

handling. Avoid release to the environment.

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off Response

contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If exposed or concerned:

Get medical attention. Collect spillage.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up. Disposal Dispose of contents/container in accordance with local/regional/national regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Material name: Lectra Clean® Heavy Duty Energized Electrical Parts Degreaser 02021, 02023 Version #: 03 Revision date: 09-08-2015 Issue date: 02-20-2015

### Supplemental information

When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen fluoride, hydrogen chloride and possibly phosgene.

### 3. Composition/information on ingredients

	-			
n	л	ľ	 re	c

Chemical name	Common name and synonyms	CAS number	%
Tetrachloroethylene	Perchloroethylene	127-18-4	90 - 100
Decafluoropentane	HFC 43-10mee	138495-42-8	< 1

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Do not induce vomiting. Rinse mouth. Call a physician or poison control center immediately.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes and mucous membranes. Irritation of nose and throat. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen fluoride, hydrogen chloride and possibly phosgene.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
General fire hazards	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions,
protective equipment and
emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

# Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

### **Environmental precautions**

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains. For product usage instructions, please see the product label.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

ccupational exposu	ıre limits
--------------------	------------

0

US. OSHA Table Z-2 (	(29 CFR 1910.1000)
----------------------	--------------------

Components	Туре	Value	
Tetrachloroethylene (CAS 127-18-4)	Ceiling	200 ppm	
,	TWA	100 ppm	
US. ACGIH Threshold Limit Values			
Components	Type	Value	
Tetrachloroethylene (CAS 127-18-4)	STEL	100 ppm	
•	TWA	25 ppm	

### **Biological limit values**

### **ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Tetrachloroethylene (CAS 127-18-4)	0.5 mg/l	Tetrachloroethy lene	Blood	*
	3 ppm	Tetrachloroethy lene	End-exhaled air	*

<sup>\* -</sup> For sampling details, please see the source document.

### **Exposure guidelines**

### US - Minnesota Haz Subs: Skin designation applies

Tetrachloroethylene (CAS 127-18-4)

Skin designation applies.

## Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Respiratory protection

Hand protection Wear protective gloves such as: Polyvinyl alcohol (PVA). Ethyl vinyl alcohol laminate (EVAL).

Viton®.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

The state of the s

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. **Form** Liquid. Color Colorless. Odor Irritating. **Odor threshold** 50 ppm Not available. pН

Melting point/freezing point -8.1 °F (-22.3 °C) estimated

Initial boiling point and boiling

250.3 °F (121.3 °C) estimated

range

None (Tag Closed Cup) Flash point

**Evaporation rate** Very fast. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not applicable.

(%)

Flammability limit - upper

Not applicable.

Vapor pressure 18.8 hPa estimated

Vapor density 5.76 (air = 1)

1.62 Relative density

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Viscosity (kinematic) Not available. Percent volatile 100 % estimated

### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** 

Possibility of hazardous

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. When exposed to extreme heat or hot surfaces, vapors may decompose

to harmful or fatal corrosive gases such as hydrogen fluoride, hydrogen chloride and possibly

phosgene. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Metals. Powdered metal. Amines. Strong bases.

**Hazardous decomposition** 

products

Hydrogen chloride. Hydrogen fluoride. Trace amounts of chlorine and phosgene.

### 11. Toxicological information

### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. May cause drowsiness and dizziness. Headache. Nausea,

vomiting.

Causes skin irritation. Skin contact

Direct contact with eyes may cause temporary irritation. Eye contact

Ingestion Single dose oral toxicity is considered to be extremely low. Swallowing large amounts may cause

injury if aspirated into the lungs. This may be rapidly absorbed through the lungs and result in

injury to other body systems.

Symptoms related to the physical, chemical and toxicological characteristics May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat.

Irritation of eyes and mucous membranes. Skin irritation. May cause redness and pain.

### Information on toxicological effects

Acute toxicity Narcotic effects.

Product Species Test Results

Lectra Clean® Heavy Duty Energized Electrical Parts Degreaser

Acute Dermal

LD50 Rabbit 3234 mg/kg estimated

Inhalation

LC50 Rat 20 mg/l, 4 Hours estimated

Oral

LD50 Rat 2635 mg/kg estimated

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Tetrachloroethylene (CAS 127-18-4) 2A Probably carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

Tetrachloroethylene (CAS 127-18-4)

Reasonably Anticipated to be a Human Carcinogen.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** May be an aspiration hazard. Based on available data, the classification criteria are not met.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

### 12. Ecological information

otoxicity	Toxic to a	Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.		
Product		Species	Test Results	
Lectra Clean® Heavy	Duty Energized Ele	ctrical Parts Degreaser		
Aquatic				
Fish	LC50	Fish	18.827 mg/l, 96 hours estimated	
Acute				
Crustacea	EC50	Daphnia	2340 mg/l, 48 hours estimated	
Components		Species	Test Results	
Decafluoropentane (C	AS 138495-42-8)			
Aquatic				
Acute				
Crustacea	EC50	Water flea (Daphnia magna)	11.7 mg/l, 48 hours	
Fish	LC50	Zebra danio (Danio rerio)	13 mg/l, 96 hours	
Tetrachloroethylene (	CAS 127-18-4)			
Aquatic				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	4.73 - 5.27 mg/l, 96 hours	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability Not available. Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

2.7. Pow at 20 °C Decafluoropentane

Tetrachloroethylene 2.88

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Disposal of waste from residues / unused products

This material and its container must be disposed of as hazardous waste. Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical

or used container. Dispose in accordance with all applicable regulations.

Hazardous waste code D039: Waste Tetrachloroethylene

F001: Waste Tetrachloroethylene - Spent halogenated solvent used in degreasing

F002: Waste Tetrachloroethylene - Spent halogenated solvent

**US RCRA Hazardous Waste U List: Reference** 

Tetrachloroethylene (CAS 127-18-4) U210

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

DOT

UN1897 **UN number** 

**UN proper shipping name** 

Tetrachloroethylene mixture, MARINE POLLUTANT

Transport hazard class(es)

6.1(PGIII) Class

Subsidiary risk 6.1 Label(s) Packing group Ш

**Environmental hazards** 

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, N36, T4, TP1

Packaging exceptions 153 203 Packaging non bulk Packaging bulk 241

**IATA** 

**UN** number

**UN proper shipping name** 

Tetrachloroethylene mixture

Transport hazard class(es)

6.1(PGIII) Class

Subsidiary risk Ш Packing group **Environmental hazards** Yes **ERG Code** 6L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Allowed. Cargo aircraft only

**IMDG** 

LIN1897 **UN** number

**UN** proper shipping name

TETRACHLOROETHYLENE MIXTURE, MARINE POLLUTANT

Transport hazard class(es)

6.1(PGIII) Class

Subsidiary risk Ш Packing group

**Environmental hazards** 

Marine pollutant Yes EmS F-A, S-A

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

### 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Decafluoropentane (CAS 138495-42-8)

1.0 % One-Time Export Notification only.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Tetrachloroethylene (CAS 127-18-4)

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Tetrachloroethylene (CAS 127-18-4) Listed.

**CERCLA Hazardous Substances: Reportable quantity** 

Tetrachloroethylene (CAS 127-18-4) 100 LBS

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Tetrachloroethylene (CAS 127-18-4)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

Food and Drug Not regulated.

Administration (FDA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 311/312 Immediate Hazard - Yes
Hazard categories Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No

Reactivity Hazard - No SARA 302 Extremely No

hazardous substance

**US** state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Tetrachloroethylene (CAS 127-18-4)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

**US. New Jersey Worker and Community Right-to-Know Act** 

Tetrachloroethylene (CAS 127-18-4)

**US. Massachusetts RTK - Substance List** 

Tetrachloroethylene (CAS 127-18-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Tetrachloroethylene (CAS 127-18-4)

**US. Rhode Island RTK** 

Tetrachloroethylene (CAS 127-18-4)

**US. California Proposition 65** 

WARNING: This product contains a chemical known to the State of California to cause cancer.

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Tetrachloroethylene (CAS 127-18-4) Listed: April 1, 1988

### Volatile organic compounds (VOC) regulations

**EPA** 

VOC content (40 CFR

51.100(s))

Consumer products (40 CFR 59, Subpt. C)

Not regulated

0 %

**State** 

Consumer products This product is regulated as an Energized Electrical Cleaner for the following states: California,

Connecticut, Delaware, District of Columbia, Illinois, Indiana, Maine, Maryland, Massachusetts, Michigan, New Jersey, New York, Ohio, Pennsylvania, Rhode Island and Virginia. It is for energized equipment use only. It is not to be used for motorized vehicle maintenance or their

parts. This product is compliant for use in all 50 states.

VOC content (CA) 0 % VOC content (OTC) 0 %

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

EuropeEuropean List of Notified Chemical Substances (ELINCS)NoJapanInventory of Existing and New Chemical Substances (ENCS)YesKoreaExisting Chemicals List (ECL)Yes

New ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yea" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date02-20-2015Revision date09-08-2015Prepared byAllison Cho

Version # 03

Further information CRC # 863A

HMIS® ratings Health: 2\*
Flammability: 0
Physical bazard:

Physical hazard: 0 Personal protection: B

NFPA ratings Health: 2

Flammability: 0 Instability: 0

NFPA ratings



Yes

### Disclaimer

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.