



Food Grade Penetrating Oil, 11 Wt Oz

No. 03086 | Item# 1003355 | Case# 1003354

Product Description	An effective and efficient general purpose lubricant for use on food processing equipment. It penetrates and loosens rust, scale, corrosion and dirt to free corroded parts and fasteners. Contains no silicones.
Applications	Food processing equipment exposed to food products including scales, fans, carts, galleys, bottlers, chutes, conveyors, racks, ovens, stoves, fillers, mixers, freezers, rails and cooking appliances.
Unit Package Description	16 Ounce Aerosol
Brand	CRC
Generic Description 1	General Purpose Lubricant For Food Processing Equipment with Perma-Lock®
Net Fill	11 Wt Oz
UPC Code	078254030869
Unit Dimensions	7.75H x 2.63W x 2.63D in
Units Per Case	12
Case Dimensions	8.1H x 8.3W x 11.1D in
Cases Per Pallet	133
Case Weight	13 lbs
I 2 of 5 Code	30078254030860
Appearance	Clear Colorless Liquid
Base Type	Mineral Oil
Flash point (F)	200°F
Flash point (C)	93°C
Flammability Class - CPSC	None
Spec Gravity Concentrate	0.82
Plastic Safe	Safe on Most Plastics (Test small area)
Film Type	Thin, Oily, Non-Drying
Evaporation Rate	Very Slow
Dielectric Strength	Not Determined

Last revised: 1/21/2021

Page 1 of 2



Chemical Solutions to Keep You Moving™

f t y d in • 800-272-8963 • crcindustries.com

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



Working Temp (F)	32 to 300°F
Working Temp (C)	0 to 148.9°C
Propellant	Carbon Dioxide
NSF Category Code	H1
NSF Number	130546
Aerosol Flammability Level	III
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Consumer Product def)	0
VOC g/L (Consumer Product def)	0
VOC lbs/gal (Consumer Prod def)	0
VOC Category	Penetrant
Removal (How To)	Remove with Petroleum Distillates.



Food Grade Penetrating Oil, 11 Wt Oz

No. 03086 | Item# 1003355 | Case# 1003354

Product Description	An effective and efficient general purpose lubricant for use on food processing equipment. It penetrates and loosens rust, scale, corrosion and dirt to free corroded parts and fasteners. Contains no silicones.
Applications	Food processing equipment exposed to food products including scales, fans, carts, galleys, bottlers, chutes, conveyors, racks, ovens, stoves, fillers, mixers, freezers, rails and cooking appliances.
Unit Package Description	16 Ounce Aerosol
Brand	CRC
Generic Description 1	General Purpose Lubricant For Food Processing Equipment with Perma-Lock®
Net Fill	11 Wt Oz
UPC Code	078254030869
Unit Dimensions	7.75H x 2.63W x 2.63D in
Units Per Case	12
Case Dimensions	8.1H x 8.3W x 11.1D in
Cases Per Pallet	133
Case Weight	13 lbs
I 2 of 5 Code	30078254030860
Appearance	Clear Colorless Liquid
Base Type	Mineral Oil
Flash point (F)	200°F
Flash point (C)	93°C
Flammability Class - CPSC	None
Spec Gravity Concentrate	0.82
Plastic Safe	Safe on Most Plastics (Test small area)
Film Type	Thin, Oily, Non-Drying
Evaporation Rate	Very Slow
Dielectric Strength	Not Determined

Last revised: 1/21/2021

Page 1 of 2



Chemical Solutions to Keep You Moving™

f t i n • 800-272-8963 • crcindustries.com

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



Working Temp (F)	32 to 300°F
Working Temp (C)	0 to 148.9°C
Propellant	Carbon Dioxide
NSF Category Code	H1
NSF Number	130546
Aerosol Flammability Level	III
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Consumer Product def)	0
VOC g/L (Consumer Product def)	0
VOC lbs/gal (Consumer Prod def)	0
VOC Category	Penetrant
Removal (How To)	Remove with Petroleum Distillates.

Last revised: 1/21/2021
Page 2 of 2