



PRODUCT DATA SHEET

SP-400™ Corrosion Inhibitor, 10 Wt Oz
 No. 03282 | Item# 1003481 | Case# 1003480



| | |
|-------------------------------|---|
| Product Description | Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces & assemblies subjected to long periods of storage. Indoor/Outdoor protection up to 2 years. |
| Applications | Motors, shafts, equipment exposed to elements, outdoor storage of raw materials & finished stock. |
| Unit Package Description | 16 Ounce Aerosol |
| Brand | CRC |
| Generic Description 1 | Corrosion Inhibitor (Extreme Duty) |
| Net Fill | 10 Wt Oz |
| UPC Code | 078254032825 |
| Unit Dimensions | 7.75H x 2.63W x 2.63D in |
| Units Per Case | 12 |
| Case Dimensions | 8.1H x 8.3W x 11.1D in |
| Cases Per Pallet | 133 |
| Case Weight | 11 lbs |
| I 2 of 5 Code | 30078254032826 |
| Appearance | Dark Amber Viscous Liquid |
| Flash point (F) | <0°F |
| Flash point (C) | <-18°C |
| Flammability Class - CPSC | Extremely Flammable |
| Spec Gravity Concentrate | 0.787 |
| Film Type | Waxy, Dry, Transparent |
| Coverage | 1,000 Sq Ft per Gal |
| Plastic Safe | Not Determined |
| Propellant | Hydrocarbon |
| Military Specification Number | Meets requirements of Mil-C-16173 Grade 4 (Corrosion test only) |
| NSF Category Code | H2 |

Last revised: 11/9/2017
 Page 1 of 2



Customer Care: 800-556-5074
 Technical Assistance: 800-521-3168
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.




CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



PRODUCT DATA SHEET



| | |
|---------------------------------|--|
| NSF Number | 145049 |
| Federal Specification Number | Not Determined |
| Aerosol Flammability Level | III |
| DOT Proper Shipping Name | Aerosols, Flammable, Limited Quantity |
| VOC % (Consumer Product def) | 79.2 |
| VOC g/L (Consumer Product def) | 623.3 |
| VOC lbs/gal (Consumer Prod def) | 5.2 |
| VOC Category | Not Regulated |
| Removal (How To) | May be removed with mineral spirits, Stoddard solvents, or Alaphatic Petroleum solvents. |



Last revised: 11/9/2017
Page 2 of 2



Customer Care: 800-556-5074
Technical Assistance: 800-521-3168
www.crcindustries.com



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



PRODUCT DATA SHEET

SP-400™ Corrosion Inhibitor, 10 Wt Oz
 No. 03282 | Item# 1003481 | Case# 1003480



| | |
|-------------------------------|---|
| Product Description | Long-term indoor/outdoor corrosion inhibitor that provides protection of all equipment subject to heat, humidity, chemicals or severely corrosive atmospheres. Use on machined surfaces & assemblies subjected to long periods of storage. Indoor/Outdoor protection up to 2 years. |
| Applications | Motors, shafts, equipment exposed to elements, outdoor storage of raw materials & finished stock. |
| Unit Package Description | 16 Ounce Aerosol |
| Brand | CRC |
| Generic Description 1 | Corrosion Inhibitor (Extreme Duty) |
| Net Fill | 10 Wt Oz |
| UPC Code | 078254032825 |
| Unit Dimensions | 7.75H x 2.63W x 2.63D in |
| Units Per Case | 12 |
| Case Dimensions | 8.1H x 8.3W x 11.1D in |
| Cases Per Pallet | 133 |
| Case Weight | 11 lbs |
| I 2 of 5 Code | 30078254032826 |
| Appearance | Dark Amber Viscous Liquid |
| Flash point (F) | <0°F |
| Flash point (C) | <-18°C |
| Flammability Class - CPSC | Extremely Flammable |
| Spec Gravity Concentrate | 0.787 |
| Film Type | Waxy, Dry, Transparent |
| Coverage | 1,000 Sq Ft per Gal |
| Plastic Safe | Not Determined |
| Propellant | Hydrocarbon |
| Military Specification Number | Meets requirements of Mil-C-16173 Grade 4 (Corrosion test only) |
| NSF Category Code | H2 |

Last revised: 11/9/2017
 Page 1 of 2



Customer Care: 800-556-5074
 Technical Assistance: 800-521-3168
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.




CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



PRODUCT DATA SHEET



| | |
|---------------------------------|--|
| NSF Number | 145049 |
| Federal Specification Number | Not Determined |
| Aerosol Flammability Level | III |
| DOT Proper Shipping Name | Aerosols, Flammable, Limited Quantity |
| VOC % (Consumer Product def) | 79.2 |
| VOC g/L (Consumer Product def) | 623.3 |
| VOC lbs/gal (Consumer Prod def) | 5.2 |
| VOC Category | Not Regulated |
| Removal (How To) | May be removed with mineral spirits, Stoddard solvents, or Alaphatic Petroleum solvents. |



Last revised: 11/9/2017
Page 2 of 2



Customer Care: 800-556-5074
Technical Assistance: 800-521-3168
www.crcindustries.com



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.