



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## 250MSRT 1/2" Raintight Push EMT Connector

*Bridgeport Fittings*

Catalog Number	250MSRT
Manufacturer	Bridgeport Fittings
Description	Bridgeport Fittings Mighty-Seal 1/2 Inch EMT Connectors Are Used to Connect A 1/2 Inch EMT Raceway to A Box, Device or Enclosure. The 250MSRT 1/2 Inch Mighty-Seal« Connector Is UL Listed For Use In Wet Locations. Raintight. Patented
Weight per unit	0.1700 (lbs/each)
Product Category	Steel Uninsulated Straight Set

### Features

Connector Type	PUSH-EMT®
insulation	None
Material	Zinc Die Cast
media	Yes

### Material, Color, and Finish

Finish	Ball burnish
--------	--------------

### Dimensions and Weight

Size	1/2
------	-----

### Descriptions

Description	1/2" RAIN TIGHT PUSH EMT CONNECTOR
extra long description	BPT 250-MSRT 1/2" PUSH-EMT MSRT CON
Features	Time Saver: All it takes is a push! 75% quicker install. No tools required. Removable and Raintight!
Long Description	Bridgeport Fittings Mighty-Seal 1/2 inch EMT Connectors are used to connect a 1/2 inch EMT raceway to a box, device or enclosure. The 250MSRT 1/2 inch Mighty-Seal« connector is UL listed for use in wet locations. Raintight. Patented
Product Type	1/2" Push-Emt MSRT Conn
Special Features	Connectors assembled with knockout gasket, no separate pieces to buy and stock

### Manufacturer Information

Brand	Bridgeport Fittings
GTIN	00781747172501
Manufacturers Part Number	250MSRT
UPC	781747172501

### Taxonomies, Classifications, and Categories

Category Description	DIECAST EMT FITTINGS
Type	CONNECTOR



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Trade Size

Trade Size 1/2

## Packaging

Carton 25

Package 250

Weight Per each 0.17

## Uses, Certifications, and Standards

Application Used to join EMT to box or enclosure. Concrete tight/raintight

standard cULus