



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1510 Interstate 30  
75087-0000, TX Rockwall  
Phone: 469-913-1945  
Fax: 469-913-1946



## 257RTI2 3" Raintight Diecast Compression Connector

*Nsi Industries*

Catalog Number	257RTI2
Manufacturer	Nsi Industries
Description	3" Raintight Insulated Connector, NPT Thread
Weight per unit	1.7 (lbs/each)
Product Category	Liquid Tight Fittings

### Features

Connector Type	Compression
insulation	Insulated Throat
media	Yes

### Dimensions and Weight

Size	3
------	---

### Descriptions

Description	3" RAIN TIGHT DIECAST COMPRESSION CONNECTOR
extra long description	BPT 257-RTI2 3 IN Raintight Ins Con
Features	Think Orange: Quality In, Water Out. Listed for Damp or Wet Locations.
Long Description	3" Raintight Insulated Connector, NPT THREAD
Product Type	3 In Raintight Ins Connector, Box Of 12
Special Features	The Dual Internal sealing rings create a raintight seal.

### Manufacturer Information

Brand	Bridgeport
GTIN	00781747192578
Manufacturers Part Number	257-RTI2
UPC	781747192578

### Taxonomies, Classifications, and Categories

Category Description	METALLIC FITTINGS
Type	Raintight Compression

### Trade Size

Trade Size	3
------------	---

### Packaging

Carton	12
Weight Per each	1.725



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

1510 Interstate 30  
75087-0000, TX Rockwall  
Phone: 469-913-1945  
Fax: 469-913-1946

## Uses, Certifications, and Standards

Application

Compression style connector with internal sealing ring and knockout gasket to create a raintight seal when connecting EMT to box or enclosure. With Bridgeport's newly redesigned Raintight Compression Connectors, 256-RTI2 thru 259-RTI2, contractors can install just one wet location fitting for either thread less Rigid / IMC or EMT. These 3" dual Listed Zinc Alloy fittings come standard with a 105° C temperature rated insulated throat and the words "Rigid / EMT and RAIN TIGHT" clearly cast into the body. Thi

standard

cULus