



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



3120B Photo Ion Smoke Det/Ac

BRK Brands/Ademco/First Alert

Catalog Number	3120B
Manufacturer	BRK Brands/Ademco/First Alert
Description	Hardwired Smoke Alarm With Replaceable Battery Backup. Ac 120V Interconnectable With Silence and Latching Features. Includes Both Photoelectric & Ionization Smoke Sensing Technology and 2 AA Alkaline Batteries.
Weight per unit	0.7750 (lbs/each)
Product Category	Fire & Alarm Monitors & Systms

Features

alarm type	Audio
dimensions	5.0" diameter x 2.1" height
Operating Voltage	120V AC 60Hz w/ 9V battery backup
Output Current	0.07 Amps
Sensor Type	Photo/Ion
Temperature Range	40 Degree F (4 Degree C) to 100 Degree F (38 Degree C)

Material, Color, and Finish

Color	White
Enclosure Material	Plastic

Descriptions

Description	PHOTO ION SMOKE DET/AC
extra long description	BRK 3120B 120V AC Photo/Ion Smoke A
Features	Hardwired smoke alarm with replaceable battery backup. Includes both Photoelectric & Ionization smoke sensing technology and 2 AA Alkaline batteries.
Long Description	Hardwired smoke alarm with replaceable battery backup. AC 120V Interconnectable with Silence and Latching features. Includes both Photoelectric & Ionization smoke sensing technology and 2 AA Alkaline batteries.
Product Type	120V Ac Photo/Ion Smoke Alarm

Manufacturer Information

Brand	BRK
GTIN	00029054007100
Manufacturers Part Number	3120B
UPC	029054007100

Taxonomies, Classifications, and Categories

Category Description	SMOKE DETECTORS
Type	Dual Sensor Smoke Alarm



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Packaging

Carton	1
Weight Per each	0.775

Uses, Certifications, and Standards

Application	Single and or multiple station alarm specifically designed to detect smoke in residential and institutional applications including sleeping rooms of hospitals, hotels, motels, dormitories and other multi-family dwellings
environmental conditions	10 percent to 90 percent relative humidity (RH)
Mounting	Electrical junction box, wall or ceiling
standard	UL217