



Personal Protective Equipment and Safety Products

Klein Tools provides personal protective equipment and safety products to help guard against a wide variety of occupational hazards.

For Professionals...
Since 1857™

Protective Eyewear

Impact resistant polycarbonate lenses block greater than 99.9% of harmful UVA and UVB radiation up to 400 nanometers.

Permanently bonded **Uvextreme® anti-fog coating** with anti-scratch, anti-static and UV protection properties.

Adjustable spatulite temples provide a comfortable customized fit.

Temple-end holes for easy lanyard attachment.

Wrap-around lens with integrated side shields provides a clear, unobstructed field of vision and superior coverage.

Meets the traffic signal color recognition requirements of **ANSI Z80.3-1996**.



Lens Color



Uvextreme® and Spectrum Control Technology® (SCT®) are registered trademarks of Sperian Eye & Face Protection, Inc.

*SCT® = Spectrum Control Technology



Protective Eyewear - Standard

Additional Features:

- Meets military Vo ballistic test for impact
- Soft elastomer brow-guard absorbs, diffuses and deflects impact energy
- Soft flexible fingers adjust and conform to most nasal profiles reducing slippage
- Three position ratchet lens inclination adjusts for a custom fit and unsurpassed comfort
- Lens designed to follow the contour of the cheekbone and create a "zone of protection"
- Dual 9-base wrap-around lens provides uncompromised peripheral vision
- Unique ventilation channel delivers an outstanding level of moisture and fog control



60053

| Cat. No. | Frame Color | Lens Color | Environment | Light Intensity | True Color Recognition | Visual Light Transmitted | IR Absorption | Blue Light Transmittance | Accidental Arc Protection | Weight |
|----------|-------------|------------|----------------|------------------|------------------------|--------------------------|---------------|--------------------------|---------------------------|----------------|
| 60046 | Black | Dark Gray | Outdoor | Normal to Bright | Yes | 10% | 60% | — | No | 2.4 oz. (68 g) |
| 60047 | Black | SCT Gray | Outdoor | Normal to Bright | Yes | 15% | >85% | < 7% | Yes | 2.4 oz. (68 g) |
| 60049 | Black | Amber | Indoor/Outdoor | Normal to Low | No | 90% | — | — | No | 2.4 oz. (68 g) |
| 60053 | Black | Clear | Indoor | Normal to Low | Yes | 92% | — | — | No | 2.4 oz. (68 g) |
| 60054 | Royal Blue | Clear | Indoor | Normal to Low | Yes | 92% | — | — | No | 2.4 oz. (68 g) |
| 60055 | Black | Espresso | Outdoor | Normal to Bright | Yes | 15% | 60% | < 3% | No | 2.4 oz. (68 g) |

Protective Eyewear - Frameless

Additional Features:

- Meets military Vo ballistic test for impact (7x greater than ANSI)
- Secure wrap-around brow expands to fit a wide range of users
- Ultra lightweight design offers ultimate comfort at less than one ounce
- Proprietary Floating Lens offers increased flexibility in fit
- Soft temple tip pads provide a comfortable and secure fit
- Does not have lanyard holes



60056

| Cat. No. | Frame Color | Lens Color | Environment | Light Intensity | True Color Recognition | Visual Light Transmitted | IR Absorption | Blue Light Transmittance | Accidental Arc Protection | Weight |
|----------|-------------|------------|-------------|------------------|------------------------|--------------------------|---------------------|--------------------------|---------------------------|----------------|
| 60056 | Black | Clear | Indoor | Normal to Low | Yes | 92% | — | — | No | 2.6 oz. (73 g) |
| 60057 | Black | Espresso | Outdoor | Normal to Bright | Yes | 15% | 0.72 lbs. (0.33 kg) | < 3% | No | 2.6 oz. (73 g) |






Personal Protective Equipment

Knee Pads

NEW!

- Five layers of impact resistant material for protection and comfort
- For comfort: an inner fabric layer of neoprene, an over-sized impact-absorbing gel layer, a molded polyurethane foam layer
- For protection: a super-tough 600d outer fabric layer, a protective outer shell with stabilizing non-slip surface
- Single strap doesn't bunch behind your leg
- Quick-fasten buckle
- Knee pads are sold in pairs



55629

| Cat. No. | Height | Width | Depth | Weight |
|-------------------|-------------------|-------------------|------------------|--------------------|
| 55629 NEW! | 9-1/2" (241.3 mm) | 7-1/2" (190.5 mm) | 3-1/2" (88.9 mm) | 1.2 lbs. (0.54 kg) |

Full Face Shield

- Free-floating ratchet head gear with full-tension adjustment and sweat band for added comfort
- High-impact, full-front cap and chin guard for extra protection
- Anti-warp design resists dimensional distortion from heat and moisture
- Big window extends past ears, providing wide-angle protection
- Window is made of clear, tough acetate
- Meets ANSI Z87.1+ 2010 and CSA Z94.3-07 (R2014)

| Cat. No. | Description | Window Dimensions | Weight |
|----------|--------------------------------|--|--------------------|
| 60060 | Full Face Shield for Hard Caps | 19-1/2" W x 6-1/2" H (495.3 mm x 165.1 mm) | 1.5 lbs. (0.68 kg) |



60060

Disposable Dust Masks

- Comfortable, full-size mask keeps dust out, lets air in freely for dependable protection and easy breathing
- For use around grinding and sanding operations, drilling in plaster or cement, cleaning dusty areas, and similar applications
- Double-absorbent filter material is non-allergenic
- Elastic band and soft, flared edges make for a comfortable fit
- Metal nosepiece conforms to fit snugly around facial contours
- Mask stands out away from nose and mouth, and won't collapse when wet from use or humidity

| Cat. No. | Description | Weight |
|----------|----------------------|------------------|
| 60080 | Disposable Dust Mask | 0.16 oz. (4.5 g) |



60080

WARNING: These masks are NOT SUITABLE for use against toxic or hazardous air contaminants. If there is any doubt, consult an industrial hygienist.



Hard Hats and Accessories

Hard Caps and Accessories

- High-density polyethylene hard caps meet ANSI Z89.1-2003 specifications for Class E
- Unique nape strap holds hat firmly in place
- Washable, shrink-and stretch-proof straps and bands
- Porous brow pad promotes ventilation for comfort
- Standard size fits head sizes 6 - 8
- Full 6-point ratcheting suspension
- Headband clips help hold goggles in place over eyes or on front of cap
- Rain trough helps keep neck dry
- Slots at sides for attaching Cat. No. 60060 face shield and other protective gear require a universal slot adapter

Available in three colors



60010


| Cat. No. | Description | Weight |
|--------------------|-------------------------------------|--------------------|
| 60009 | Standard Hard Cap, White | 13.6 oz. (386 g) |
| 60010 | Standard Hard Cap, Yellow | 13.6 oz. (386 g) |
| 60011 | Standard Hard Cap, Blue | 13.6 oz. (386 g) |
| Hoodliner | | |
| 60015 | Winter Liner for Standard Hard Caps | 2.4 oz. (68 g) |
| Face Shield | | |
| 60060 | Full Face Shield for Hard Caps | 1.5 lbs. (0.68 kg) |

V-Gard® Hats

- Polyethylene shell with 4-point Fas-Trac® ratcheting suspension
- Standard size fits head sizes 6 - 8
- Two branding choices: plain front and Klein Tools Lineman Logo
- Type I helmet meets or exceeds ANSI Z89.1-2009 and CSA Z94.1-2005 specifications for Class E
- Third Party Certified by Safety Equipment Institute

V-Gard® and Fas-Trac® are registered trademarks of Mine Safety Appliances Company.

Available in two colors



60031

| Cat. No. | Color | Weight |
|----------|----------------------|------------------|
| 60028 | White | 15.2 oz. (431 g) |
| 60030 | Blue | 15.2 oz. (431 g) |
| 60031 | White w/Lineman Logo | 15.2 oz. (431 g) |

All V-Gard® helmet backs contain the Klein logo with American flag (shown on blue hard hat above). Logo color varies depending on shell color.

Advance® Cap

- Vented style provides cooling vents for improved air circulation and comfort
- Glaregard™ under the brim reduces reflective glare
- Lateral contours above the ear for easy integration of hearing protection
- Polyethylene shell with 4-point Fas-Trac® ratcheting suspension
- Lightweight design for added comfort
- Standard size fits head sizes 6 - 8
- Branding: Plain front with Klein Tools Logo and American Flag on the back of the cap
- Type I helmet meets or exceeds ANSI Z89.1-2003 and specifications for Class C
- Third Party Certified by Safety Equipment Institute

Available in two colors



60027

| Cat. No. | Color | Weight |
|----------|-------|------------------|
| 60025 | White | 13.4 oz. (381 g) |
| 60027 | Blue | 13.4 oz. (381 g) |

Glaregard™ is a trademark of, and Advance® is a registered trademark of Mine Safety Appliances Company.

Scope of Z89.1 - 2014 American National Standard for Head Protection

TYPE I (Top Impact) Helmets intended to reduce the force of an impact to the top of a wearer's head.

TYPE II (Top and Lateral Impact) Helmets intended to reduce the force of an impact resulting from a blow received off-center or to the top of a wearer's head.

Electrical Performance

CLASS E (Electrical) Helmets intended to reduce the danger of exposure to high-voltage electrical conductors, proof-tested at 20,000 volts.

CLASS G (General) Helmets intended to reduce the danger of exposure to low-voltage electrical conductors, proof-tested at 2,200 volts.

CLASS C (Conductive) Helmets not intended to provide protection from electrical conductors.



Safety Products

Lockouts with Interlocking Tabs

- Specifically designed for locking out power sources such as disconnects, switches, and panel boxes
- Double interlocking hasp of tempered steel with patented interlocking tabs for extra security
- Hasps are bright zinc-plated
- Riveted construction
- Six-hole locking bodies coated with red vinyl plastic
- Holes will accept up to 5/16" (8 mm) diameter shackles



45201

| Cat. No. | Closed Hasp I.D. | Weight |
|----------|------------------|-----------------|
| 45200 | 1" (25.4 mm) | 3.2 oz. (91 g) |
| 45201 | 1-1/2" (38.1 mm) | 4.0 oz. (113 g) |

WARNING: Use only in accordance with OSHA requirements.

Barricade and Warning Tapes

- Bold, black lettering on bright, long-lasting color backgrounds
- Yellow background for CAUTION/CAUTION tape
- Red background for CAUTION - BURIED ELECTRIC LINE Tape
- Made of tough, durable (2.5 mil) polyethylene
- Highly resistant to acids, alkalis, and other soil components
- Tapes are 3" (76 mm) wide, and are available in either 200' (61 m) or 1000' (305 m) rolls



58000

| Cat. No. | Description | Legend | Color | Width | Length | Weight |
|----------|---|------------------------------|------------------------|--------------|------------------|--------------------|
| 58000 | Caution Warning Tape Barricade 200 ft. | CAUTION | Black on Bright Yellow | 3" (76.2 mm) | 200 ft. (61.0 m) | 14.4 oz. (408 g) |
| 58001 | Caution Warning Tape Barricade 1000 ft. | CAUTION | Black on Bright Yellow | 3" (76.2 mm) | 1000 ft. (305 m) | 3.6 lbs. (1.63 kg) |
| 58002 | Caution Barricade Warning Tape 200 ft. | CAUTION-BURIED ELECTRIC LINE | Black on Bright Red | 3" (76.2 mm) | 200 ft. (61.0 m) | 12.8 oz. (363 g) |
| 58003 | Caution Barricade Warning Tape 1000 ft. | CAUTION-BURIED ELECTRIC LINE | Black on Bright Red | 3" (76.2 mm) | 1000 ft. (305 m) | 3.5 lbs. (1.59 kg) |

Cleaners

Klein Kleeners™ Hand Cleaning Towels

- Simple and convenient
- Pre-moistened towels
- No rinsing - no drying - no residue
- Powerful, yet gentle, pumice-like cleaning action
- Quickly loosens, dissolves, and absorbs dirt and grease
- Features a natural citrus solvent that's gentler than petroleum-based hand cleaners



51425

| Cat. No. | Towel Size | Package Quantity | Weight |
|----------|--------------------------------|------------------|--------------------|
| 51425 | 9" x 12" (228.6 mm x 304.8 mm) | 72 | 2.5 lbs. (1.13 kg) |

JOURNEYMAN

Gloves

Wire Pulling Gloves

- Great gripping ability
- Slim fit for better dexterity
- Touchscreen capability on index finger
- Neoprene wrist closure for comfort

NEW!



40233

| Cat. No. | Size | Weight |
|-------------------|-------------|-----------------|
| 40232 NEW! | Medium | 8.0 oz. (227 g) |
| 40233 NEW! | Large | 8.0 oz. (227 g) |
| 40234 NEW! | Extra Large | 8.0 oz. (227 g) |

High Dexterity Touchscreen Gloves

- Touchscreen capability on entire palm, all fingers, first knuckles
- Slim fit for extra dexterity
- Comfortable glove for light duty tasks

NEW!



40230

| Cat. No. | Size | Weight |
|-------------------|-------------|-----------------|
| 40229 NEW! | Medium | 6.4 oz. (181 g) |
| 40230 NEW! | Large | 6.4 oz. (181 g) |
| 40231 NEW! | Extra Large | 6.4 oz. (181 g) |

Cut 5 Resistant Gloves

- CE Cut Level 5
- CE Category II - For Intermediate Risk
- TPR on back of hand for extra protection
- Form fitted knit construction to better fit your hand
- Dipped for extra protection
- Neoprene wrist closure for extreme comfort

NEW!



40224

| Cat. No. | Size | Weight |
|-------------------|-------------|------------------|
| 40223 NEW! | Medium | 11.2 oz. (318 g) |
| 40224 NEW! | Large | 11.2 oz. (318 g) |
| 40225 NEW! | Extra Large | 11.2 oz. (318 g) |



JOURNEYMAN™

Gloves

Leather Utility Gloves

- Durable and comfortable
- Open cuff for quick on/off
- DuraHide™ palm and leather first fingers for durability
- Stretch back for extra comfort and flexibility

NEW!



40227

| Cat. No. | Size | Weight |
|-------------------|-------------|------------------|
| 40226 NEW! | Medium | 12.8 oz. (363 g) |
| 40227 NEW! | Large | 12.8 oz. (363 g) |
| 40228 NEW! | Extra Large | 12.8 oz. (363 g) |

DuraHide™ is a trademark of Mechanix Wear, Inc.

Utility Gloves

- Moisture wicking and breathable TrekDry™ stretch material on top with sponge foam and tricot lining for maximum comfort
- Durable synthetic leather palm
- Reinforced thumb and finger panels add protection and durability
- Wide opening elastic cuff for easy entry



40206

| Cat. No. | Size | Weight |
|----------|-------------|----------------|
| 40205 | Medium | 2.1 oz. (59 g) |
| 40206 | Large | 2.1 oz. (59 g) |
| 40207 | Extra-Large | 2.1 oz. (59 g) |

TrekDry™ is a trademark of Mechanix Wear, Inc.

Camouflage Gloves

- Mossy Oak® Break-Up Infinity™ pattern
- Moisture wicking and breathable TrekDry™ stretch material on top with sponge foam and tricot lining for maximum comfort
- Reinforced thumb and finger panels add protection and durability
- Single layer, seamless palm made of durable synthetic leather for improved fit and dexterity
- Soft molded rubber closure with hook and loop secures fit



40209

| Cat. No. | Size | Weight |
|----------|-------------|----------------|
| 40208 | Medium | 2.7 oz. (77 g) |
| 40209 | Large | 2.7 oz. (77 g) |
| 40210 | Extra-Large | 2.7 oz. (77 g) |

TrekDry™ is a trademark of Mechanix Wear, Inc.

Mossy Oak® is registered trademark of Haas Outdoors Inc.

See page 310 for additional information on warnings.

WARNING: Not flameproof or fire retardant. DO NOT expose to open flame or sparks.

JOURNEYMAN

Gloves

"Cold Weather Pro" Gloves

- Palm and fingers lined with Thinsulate™ C40 with fingertip designed for improved dexterity
- Water resistant nylon back lined with Thinsulate™ C100
- Durable rubberized palm provides water resistance and grip with 2mm EVA foam padding for impact protection
- 5 mm EVA foam knuckle for impact protection and comfort
- Neoprene thumb and cuff for comfort and water resistance
- Molded rubber closure with hook and loop secures fit

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40211 | Medium | 4.6 oz. (130 g) |
| 40212 | Large | 4.6 oz. (130 g) |
| 40213 | Extra-Large | 4.6 oz. (130 g) |

Thinsulate™ is trademark of 3M



40212

"Grip" Gloves

- Armortex® rubberized grip on the fingers with reinforced synthetic leather palms and thumb for ample grip in both wet and dry conditions
- D30® padding material in the palm to absorb impact and vibration
- Moisture wicking and breathable TrekDry™ stretch material on top with sponge foam and tricot lining for maximum comfort
- Machine washable
- Flexible yet impact absorbing thermo plastic rubber (TPR) protects the fingers and back of the hand
- Neoprene cuff and soft molded rubber closure with hook and loop secures fit

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40214 | Medium | 4.6 oz. (130 g) |
| 40215 | Large | 4.6 oz. (130 g) |
| 40216 | Extra-Large | 4.6 oz. (130 g) |

Trek Dry™ is a trademark of Mechanix Wear, Inc.

D30® is a registered trademark of Design Blue Limited.

Armortex® is a registered trademark of Nam Liong Enterprise Co. Ltd.



40215

"Extreme" Gloves

- Flexible yet impact absorbing thermo plastic rubber (TPR) and EVA foam protects the fingers, knuckles and back of the hand
- D30® padding material in the palm to absorb impact and vibration
- Palm and thumb reinforced with synthetic leather for extra durability
- Breathable two-way stretch materials on top with sponge foam and tricot lining for maximum comfort
- Rubberized fingertips for extra grip
- Wrist closure with hook and loop secures fit

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40217 | Medium | 5.4 oz. (153 g) |
| 40218 | Large | 5.4 oz. (153 g) |
| 40219 | Extra-Large | 5.4 oz. (153 g) |

D30® is a registered trademark of Design Blue Limited.



40218



JOURNEYMAN™

Gloves

Leather Gloves

- Genuine professional grade leather offers the finest in protection and comfort
- Flexible yet impact absorbing thermo plastic rubber (TPR) protects the fingers and back of the hand
- Reinforced palm with 2mm EVA foam padding for impact protection
- Moisture wicking and breathable TrekDry™ stretch material on top with sponge foam and tricot lining for maximum comfort
- Machine wash and dry
- Neoprene cuff and soft molded rubber closure with hook and loop secures fit

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40220 | Medium | 4.8 oz. (136 g) |
| 40221 | Large | 4.8 oz. (136 g) |
| 40222 | Extra-Large | 4.8 oz. (136 g) |

TrekDry™ is a trademark of Mechanix Wear, Inc.



40220

Gloves

Cowhide Work Gloves

- Premium cowhide, soft and form-fitting for maximum comfort
- Gunn cut with seams away from wear surfaces
- Inseam index finger
- Shirred-elastic wrist back
- Natural light-tan color

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40021 | Medium | 3.5 oz. (99 g) |
| 40022 | Large | 3.7 oz. (104 g) |
| 40023 | Extra-Large | 3.8 oz. (108 g) |

Lined – Pile Lining

| | | |
|-------|-------------|-----------------|
| 40016 | Medium | 5.8 oz. (164 g) |
| 40017 | Large | 6.1 oz. (173 g) |
| 40018 | Extra-Large | 6.6 oz. (187 g) |



40022

Cowhide Driver's Gloves

- Tough, durable, sueded cowhide leather
- Easy-action thumb - unique design allows leather to conform to your thumb and hand (Cat. Nos. 40003, 40004, 40006)
- Thermolite® lining for warmth (Cat. Nos. 40014 and 40015)
- Gunn cut with seams away from wear surfaces
- Lap-seam index finger and shirred-elastic wrist back
- Gray color

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40003 | Small | 4.8 oz. (136 g) |
| 40004 | Medium | 6.4 oz. (181 g) |
| 40006 | Large | 6.9 oz. (196 g) |
| 40014 | Large | 7.7 oz. (218 g) |
| 40015 | Extra-Large | 8.2 oz. (231 g) |

*Thermolite® is a registered trademark for INVISTA certified performance fabrics containing proprietary INVISTA fibers and, in some cases, other companion fibers.



40014

See page 310 for additional information on warnings.

WARNING: Not flameproof or fire retardant. DO NOT expose to open flame or sparks.

Gloves

Medium and Long-Cuff Gloves

- Heavy sueded leather (Cat No. 40008)
- Soft, flexible, top-grain cowhide leather (Cat. Nos. 40010 and 40012)
- Leather fingers, palm, pull, and knuckle strap (Cat. Nos. 40010 and 40012)
- Gunn cut with seams away from wear surfaces
- Wing thumb, seamless index finger, elastic wrist-back strap
- Lined palm and fingers
- Rubberized, waterproof, bell gauntlet cuff 5" (127 mm) long (Cat. Nos. 40010 and 40012)

| Cat. No. | Size | Cuff | Weight |
|----------|-------------|--------|-----------------|
| 40008 | Large | Medium | 7.7 oz. (218 g) |
| 40010 | Large | Long | 9.4 oz. (266 g) |
| 40012 | Extra-Large | Long | 10.9 oz (308 g) |



40008

Lineman Work Gloves

- 4" Neoprene cuff with side vents
- Soft grain leather construction with reinforced leather patches
- Double-row padded knuckle for durability
- Black spandex back with Klein lineman logo patch

| Cat. No. | Size | Weight |
|----------|-------------------|-----------------|
| 40080 | Medium | 7.4 oz. (210 g) |
| 40082 | Large | 8.2 oz. (231 g) |
| 40084 | Extra-Large | 8.8 oz. (249 g) |
| 40086 | Extra Extra-Large | 9.4 oz. (266 g) |



40080



Electrician's Gloves

- Durable construction allows flexibility
- Features slip resistant construction
- Spandex material is breathable and comfortable to wear all day
- Constructed with a reinforced area at the base of the thumb
- Elastic cuff for secure and comfortable fit
- Index fingers are wrapped with slip-resistant material
- Extended cuff for easy on/off

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40072 | Large | 7.4 oz. (210 g) |
| 40074 | Extra-Large | 7.7 oz. (218 g) |



40072



Heavyweight Jersey Gloves

- Soft, comfortable, general-purpose gloves
- Made of 100% cotton jersey
- Knit wrist
- Dark-brown color

| Cat. No. | Size | Weight |
|----------|----------------------|----------------|
| 40002 | Fits Most Hand Sizes | 2.4 oz. (68 g) |



40002



Personal Protective Equipment and Safety Products

Klein Tools provides personal protective equipment and safety products to help guard against a wide variety of occupational hazards.

For Professionals...
Since 1857™

Protective Eyewear

Impact resistant polycarbonate lenses block greater than 99.9% of harmful UVA and UVB radiation up to 400 nanometers.

Permanently bonded **Uvextreme® anti-fog coating** with anti-scratch, anti-static and UV protection properties.

Adjustable spatulite temples provide a comfortable customized fit.

Temple-end holes for easy lanyard attachment.

Wrap-around lens with integrated side shields provides a clear, unobstructed field of vision and superior coverage.

Meets the traffic signal color recognition requirements of **ANSI Z80.3-1996**.



Uvextreme® and Spectrum Control Technology® (SCT®) are registered trademarks of Sperian Eye & Face Protection, Inc.
*SCT® = Spectrum Control Technology



Lens Color



Protective Eyewear - Standard

Additional Features:

- Meets military Vo ballistic test for impact
- Soft elastomer brow-guard absorbs, diffuses and deflects impact energy
- Soft flexible fingers adjust and conform to most nasal profiles reducing slippage
- Three position ratchet lens inclination adjusts for a custom fit and unsurpassed comfort
- Lens designed to follow the contour of the cheekbone and create a "zone of protection"
- Dual 9-base wrap-around lens provides uncompromised peripheral vision
- Unique ventilation channel delivers an outstanding level of moisture and fog control



60053

| Cat. No. | Frame Color | Lens Color | Environment | Light Intensity | True Color Recognition | Visual Light Transmitted | IR Absorption | Blue Light Transmittance | Accidental Arc Protection | Weight |
|----------|-------------|------------|----------------|------------------|------------------------|--------------------------|---------------|--------------------------|---------------------------|----------------|
| 60046 | Black | Dark Gray | Outdoor | Normal to Bright | Yes | 10% | 60% | — | No | 2.4 oz. (68 g) |
| 60047 | Black | SCT Gray | Outdoor | Normal to Bright | Yes | 15% | >85% | < 7% | Yes | 2.4 oz. (68 g) |
| 60049 | Black | Amber | Indoor/Outdoor | Normal to Low | No | 90% | — | — | No | 2.4 oz. (68 g) |
| 60053 | Black | Clear | Indoor | Normal to Low | Yes | 92% | — | — | No | 2.4 oz. (68 g) |
| 60054 | Royal Blue | Clear | Indoor | Normal to Low | Yes | 92% | — | — | No | 2.4 oz. (68 g) |
| 60055 | Black | Espresso | Outdoor | Normal to Bright | Yes | 15% | 60% | < 3% | No | 2.4 oz. (68 g) |

Protective Eyewear - Frameless

Additional Features:

- Meets military Vo ballistic test for impact (7x greater than ANSI)
- Secure wrap-around brow expands to fit a wide range of users
- Ultra lightweight design offers ultimate comfort at less than one ounce
- Proprietary Floating Lens offers increased flexibility in fit
- Soft temple tip pads provide a comfortable and secure fit
- Does not have lanyard holes



60056

| Cat. No. | Frame Color | Lens Color | Environment | Light Intensity | True Color Recognition | Visual Light Transmitted | IR Absorption | Blue Light Transmittance | Accidental Arc Protection | Weight |
|----------|-------------|------------|-------------|------------------|------------------------|--------------------------|---------------------|--------------------------|---------------------------|----------------|
| 60056 | Black | Clear | Indoor | Normal to Low | Yes | 92% | — | — | No | 2.6 oz. (73 g) |
| 60057 | Black | Espresso | Outdoor | Normal to Bright | Yes | 15% | 0.72 lbs. (0.33 kg) | < 3% | No | 2.6 oz. (73 g) |






Personal Protective Equipment

Knee Pads

NEW!

- Five layers of impact resistant material for protection and comfort
- For comfort: an inner fabric layer of neoprene, an over-sized impact-absorbing gel layer, a molded polyurethane foam layer
- For protection: a super-tough 600d outer fabric layer, a protective outer shell with stabilizing non-slip surface
- Single strap doesn't bunch behind your leg
- Quick-fasten buckle
- Knee pads are sold in pairs



55629

| Cat. No. | Height | Width | Depth | Weight |
|-------------------|-------------------|-------------------|------------------|--------------------|
| 55629 NEW! | 9-1/2" (241.3 mm) | 7-1/2" (190.5 mm) | 3-1/2" (88.9 mm) | 1.2 lbs. (0.54 kg) |

Full Face Shield

- Free-floating ratchet head gear with full-tension adjustment and sweat band for added comfort
- High-impact, full-front cap and chin guard for extra protection
- Anti-warp design resists dimensional distortion from heat and moisture
- Big window extends past ears, providing wide-angle protection
- Window is made of clear, tough acetate
- Meets ANSI Z87.1+ 2010 and CSA Z94.3-07 (R2014)

| Cat. No. | Description | Window Dimensions | Weight |
|----------|--------------------------------|--|--------------------|
| 60060 | Full Face Shield for Hard Caps | 19-1/2" W x 6-1/2" H (495.3 mm x 165.1 mm) | 1.5 lbs. (0.68 kg) |



60060

Disposable Dust Masks

- Comfortable, full-size mask keeps dust out, lets air in freely for dependable protection and easy breathing
- For use around grinding and sanding operations, drilling in plaster or cement, cleaning dusty areas, and similar applications
- Double-absorbent filter material is non-allergenic
- Elastic band and soft, flared edges make for a comfortable fit
- Metal nosepiece conforms to fit snugly around facial contours
- Mask stands out away from nose and mouth, and won't collapse when wet from use or humidity

| Cat. No. | Description | Weight |
|----------|----------------------|------------------|
| 60080 | Disposable Dust Mask | 0.16 oz. (4.5 g) |



60080

WARNING: These masks are NOT SUITABLE for use against toxic or hazardous air contaminants. If there is any doubt, consult an industrial hygienist.



Hard Hats and Accessories

Hard Caps and Accessories

- High-density polyethylene hard caps meet ANSI Z89.1-2003 specifications for Class E
- Unique nape strap holds hat firmly in place
- Washable, shrink-and stretch-proof straps and bands
- Porous brow pad promotes ventilation for comfort
- Standard size fits head sizes 6 - 8
- Full 6-point ratcheting suspension
- Headband clips help hold goggles in place over eyes or on front of cap
- Rain trough helps keep neck dry
- Slots at sides for attaching Cat. No. 60060 face shield and other protective gear require a universal slot adapter

Available in three colors



60010


| Cat. No. | Description | Weight |
|--------------------|-------------------------------------|--------------------|
| 60009 | Standard Hard Cap, White | 13.6 oz. (386 g) |
| 60010 | Standard Hard Cap, Yellow | 13.6 oz. (386 g) |
| 60011 | Standard Hard Cap, Blue | 13.6 oz. (386 g) |
| Hoodliner | | |
| 60015 | Winter Liner for Standard Hard Caps | 2.4 oz. (68 g) |
| Face Shield | | |
| 60060 | Full Face Shield for Hard Caps | 1.5 lbs. (0.68 kg) |

V-Gard® Hats

- Polyethylene shell with 4-point Fas-Trac® ratcheting suspension
- Standard size fits head sizes 6 - 8
- Two branding choices: plain front and Klein Tools Lineman Logo
- Type I helmet meets or exceeds ANSI Z89.1-2009 and CSA Z94.1-2005 specifications for Class E
- Third Party Certified by Safety Equipment Institute

V-Gard® and Fas-Trac® are registered trademarks of Mine Safety Appliances Company.

Available in two colors



60031

| Cat. No. | Color | Weight |
|----------|----------------------|------------------|
| 60028 | White | 15.2 oz. (431 g) |
| 60030 | Blue | 15.2 oz. (431 g) |
| 60031 | White w/Lineman Logo | 15.2 oz. (431 g) |

All V-Gard® helmet backs contain the Klein logo with American flag (shown on blue hard hat above). Logo color varies depending on shell color.

Advance® Cap

- Vented style provides cooling vents for improved air circulation and comfort
- Glaregard™ under the brim reduces reflective glare
- Lateral contours above the ear for easy integration of hearing protection
- Polyethylene shell with 4-point Fas-Trac® ratcheting suspension
- Lightweight design for added comfort
- Standard size fits head sizes 6 - 8
- Branding: Plain front with Klein Tools Logo and American Flag on the back of the cap
- Type I helmet meets or exceeds ANSI Z89.1-2003 and specifications for Class C
- Third Party Certified by Safety Equipment Institute

Available in two colors



60027

| Cat. No. | Color | Weight |
|----------|-------|------------------|
| 60025 | White | 13.4 oz. (381 g) |
| 60027 | Blue | 13.4 oz. (381 g) |

Glaregard™ is a trademark of, and Advance® is a registered trademark of Mine Safety Appliances Company.

Scope of Z89.1 - 2014 American National Standard for Head Protection

TYPE I (Top Impact) Helmets intended to reduce the force of an impact to the top of a wearer's head.

TYPE II (Top and Lateral Impact) Helmets intended to reduce the force of an impact resulting from a blow received off-center or to the top of a wearer's head.

Electrical Performance

CLASS E (Electrical) Helmets intended to reduce the danger of exposure to high-voltage electrical conductors, proof-tested at 20,000 volts.

CLASS G (General) Helmets intended to reduce the danger of exposure to low-voltage electrical conductors, proof-tested at 2,200 volts.

CLASS C (Conductive) Helmets not intended to provide protection from electrical conductors.



Safety Products

Lockouts with Interlocking Tabs

- Specifically designed for locking out power sources such as disconnects, switches, and panel boxes
- Double interlocking hasp of tempered steel with patented interlocking tabs for extra security
- Hasps are bright zinc-plated
- Riveted construction
- Six-hole locking bodies coated with red vinyl plastic
- Holes will accept up to 5/16" (8 mm) diameter shackles



45201

| Cat. No. | Closed Hasp I.D. | Weight |
|----------|------------------|-----------------|
| 45200 | 1" (25.4 mm) | 3.2 oz. (91 g) |
| 45201 | 1-1/2" (38.1 mm) | 4.0 oz. (113 g) |

WARNING: Use only in accordance with OSHA requirements.

Barricade and Warning Tapes

- Bold, black lettering on bright, long-lasting color backgrounds
- Yellow background for CAUTION/CAUTION tape
- Red background for CAUTION - BURIED ELECTRIC LINE Tape
- Made of tough, durable (2.5 mil) polyethylene
- Highly resistant to acids, alkalis, and other soil components
- Tapes are 3" (76 mm) wide, and are available in either 200' (61 m) or 1000' (305 m) rolls



58000

| Cat. No. | Description | Legend | Color | Width | Length | Weight |
|----------|---|------------------------------|------------------------|--------------|------------------|--------------------|
| 58000 | Caution Warning Tape Barricade 200 ft. | CAUTION | Black on Bright Yellow | 3" (76.2 mm) | 200 ft. (61.0 m) | 14.4 oz. (408 g) |
| 58001 | Caution Warning Tape Barricade 1000 ft. | CAUTION | Black on Bright Yellow | 3" (76.2 mm) | 1000 ft. (305 m) | 3.6 lbs. (1.63 kg) |
| 58002 | Caution Barricade Warning Tape 200 ft. | CAUTION-BURIED ELECTRIC LINE | Black on Bright Red | 3" (76.2 mm) | 200 ft. (61.0 m) | 12.8 oz. (363 g) |
| 58003 | Caution Barricade Warning Tape 1000 ft. | CAUTION-BURIED ELECTRIC LINE | Black on Bright Red | 3" (76.2 mm) | 1000 ft. (305 m) | 3.5 lbs. (1.59 kg) |

Cleaners

Klein Kleeners™ Hand Cleaning Towels

- Simple and convenient
- Pre-moistened towels
- No rinsing - no drying - no residue
- Powerful, yet gentle, pumice-like cleaning action
- Quickly loosens, dissolves, and absorbs dirt and grease
- Features a natural citrus solvent that's gentler than petroleum-based hand cleaners



51425

| Cat. No. | Towel Size | Package Quantity | Weight |
|----------|--------------------------------|------------------|--------------------|
| 51425 | 9" x 12" (228.6 mm x 304.8 mm) | 72 | 2.5 lbs. (1.13 kg) |

JOURNEYMAN

Gloves

Wire Pulling Gloves

- Great gripping ability
- Slim fit for better dexterity
- Touchscreen capability on index finger
- Neoprene wrist closure for comfort

NEW!



40233

| Cat. No. | Size | Weight |
|-------------------|-------------|-----------------|
| 40232 NEW! | Medium | 8.0 oz. (227 g) |
| 40233 NEW! | Large | 8.0 oz. (227 g) |
| 40234 NEW! | Extra Large | 8.0 oz. (227 g) |

High Dexterity Touchscreen Gloves

- Touchscreen capability on entire palm, all fingers, first knuckles
- Slim fit for extra dexterity
- Comfortable glove for light duty tasks

NEW!



40230

| Cat. No. | Size | Weight |
|-------------------|-------------|-----------------|
| 40229 NEW! | Medium | 6.4 oz. (181 g) |
| 40230 NEW! | Large | 6.4 oz. (181 g) |
| 40231 NEW! | Extra Large | 6.4 oz. (181 g) |

Cut 5 Resistant Gloves

- CE Cut Level 5
- CE Category II - For Intermediate Risk
- TPR on back of hand for extra protection
- Form fitted knit construction to better fit your hand
- Dipped for extra protection
- Neoprene wrist closure for extreme comfort

NEW!



40224

| Cat. No. | Size | Weight |
|-------------------|-------------|------------------|
| 40223 NEW! | Medium | 11.2 oz. (318 g) |
| 40224 NEW! | Large | 11.2 oz. (318 g) |
| 40225 NEW! | Extra Large | 11.2 oz. (318 g) |



JOURNEYMAN™

Gloves

Leather Utility Gloves

- Durable and comfortable
- Open cuff for quick on/off
- DuraHide™ palm and leather first fingers for durability
- Stretch back for extra comfort and flexibility

NEW!



40227

| Cat. No. | Size | Weight |
|-------------------|-------------|------------------|
| 40226 NEW! | Medium | 12.8 oz. (363 g) |
| 40227 NEW! | Large | 12.8 oz. (363 g) |
| 40228 NEW! | Extra Large | 12.8 oz. (363 g) |

DuraHide™ is a trademark of Mechanix Wear, Inc.

Utility Gloves

- Moisture wicking and breathable TrekDry™ stretch material on top with sponge foam and tricot lining for maximum comfort
- Durable synthetic leather palm
- Reinforced thumb and finger panels add protection and durability
- Wide opening elastic cuff for easy entry



40206

| Cat. No. | Size | Weight |
|----------|-------------|----------------|
| 40205 | Medium | 2.1 oz. (59 g) |
| 40206 | Large | 2.1 oz. (59 g) |
| 40207 | Extra-Large | 2.1 oz. (59 g) |

TrekDry™ is a trademark of Mechanix Wear, Inc.

Camouflage Gloves

- Mossy Oak® Break-Up Infinity™ pattern
- Moisture wicking and breathable TrekDry™ stretch material on top with sponge foam and tricot lining for maximum comfort
- Reinforced thumb and finger panels add protection and durability
- Single layer, seamless palm made of durable synthetic leather for improved fit and dexterity
- Soft molded rubber closure with hook and loop secures fit



40209

| Cat. No. | Size | Weight |
|----------|-------------|----------------|
| 40208 | Medium | 2.7 oz. (77 g) |
| 40209 | Large | 2.7 oz. (77 g) |
| 40210 | Extra-Large | 2.7 oz. (77 g) |

TrekDry™ is a trademark of Mechanix Wear, Inc.

Mossy Oak® is registered trademark of Haas Outdoors Inc.

See page 310 for additional information on warnings.

WARNING: Not flameproof or fire retardant. DO NOT expose to open flame or sparks.

JOURNEYMAN

Gloves

"Cold Weather Pro" Gloves

- Palm and fingers lined with Thinsulate™ C40 with fingertip designed for improved dexterity
- Water resistant nylon back lined with Thinsulate™ C100
- Durable rubberized palm provides water resistance and grip with 2mm EVA foam padding for impact protection
- 5 mm EVA foam knuckle for impact protection and comfort
- Neoprene thumb and cuff for comfort and water resistance
- Molded rubber closure with hook and loop secures fit

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40211 | Medium | 4.6 oz. (130 g) |
| 40212 | Large | 4.6 oz. (130 g) |
| 40213 | Extra-Large | 4.6 oz. (130 g) |

Thinsulate™ is trademark of 3M



40212

"Grip" Gloves

- Armortex® rubberized grip on the fingers with reinforced synthetic leather palms and thumb for ample grip in both wet and dry conditions
- D30® padding material in the palm to absorb impact and vibration
- Moisture wicking and breathable TrekDry™ stretch material on top with sponge foam and tricot lining for maximum comfort
- Machine washable
- Flexible yet impact absorbing thermo plastic rubber (TPR) protects the fingers and back of the hand
- Neoprene cuff and soft molded rubber closure with hook and loop secures fit

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40214 | Medium | 4.6 oz. (130 g) |
| 40215 | Large | 4.6 oz. (130 g) |
| 40216 | Extra-Large | 4.6 oz. (130 g) |

Trek Dry™ is a trademark of Mechanix Wear, Inc.

D30® is a registered trademark of Design Blue Limited.

Armortex® is a registered trademark of Nam Liong Enterprise Co. Ltd.



40215

"Extreme" Gloves

- Flexible yet impact absorbing thermo plastic rubber (TPR) and EVA foam protects the fingers, knuckles and back of the hand
- D30® padding material in the palm to absorb impact and vibration
- Palm and thumb reinforced with synthetic leather for extra durability
- Breathable two-way stretch materials on top with sponge foam and tricot lining for maximum comfort
- Rubberized fingertips for extra grip
- Wrist closure with hook and loop secures fit

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40217 | Medium | 5.4 oz. (153 g) |
| 40218 | Large | 5.4 oz. (153 g) |
| 40219 | Extra-Large | 5.4 oz. (153 g) |

D30® is a registered trademark of Design Blue Limited.



40218



JOURNEYMAN™

Gloves

Leather Gloves

- Genuine professional grade leather offers the finest in protection and comfort
- Flexible yet impact absorbing thermo plastic rubber (TPR) protects the fingers and back of the hand
- Reinforced palm with 2mm EVA foam padding for impact protection
- Moisture wicking and breathable TrekDry™ stretch material on top with sponge foam and tricot lining for maximum comfort
- Machine wash and dry
- Neoprene cuff and soft molded rubber closure with hook and loop secures fit

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40220 | Medium | 4.8 oz. (136 g) |
| 40221 | Large | 4.8 oz. (136 g) |
| 40222 | Extra-Large | 4.8 oz. (136 g) |

TrekDry™ is a trademark of Mechanix Wear, Inc.



40220

Gloves

Cowhide Work Gloves

- Premium cowhide, soft and form-fitting for maximum comfort
- Gunn cut with seams away from wear surfaces
- Inseam index finger
- Shirred-elastic wrist back
- Natural light-tan color

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40021 | Medium | 3.5 oz. (99 g) |
| 40022 | Large | 3.7 oz. (104 g) |
| 40023 | Extra-Large | 3.8 oz. (108 g) |

Lined – Pile Lining

| | | |
|-------|-------------|-----------------|
| 40016 | Medium | 5.8 oz. (164 g) |
| 40017 | Large | 6.1 oz. (173 g) |
| 40018 | Extra-Large | 6.6 oz. (187 g) |



40022

Cowhide Driver's Gloves

- Tough, durable, sueded cowhide leather
- Easy-action thumb - unique design allows leather to conform to your thumb and hand (Cat. Nos. 40003, 40004, 40006)
- Thermolite® lining for warmth (Cat. Nos. 40014 and 40015)
- Gunn cut with seams away from wear surfaces
- Lap-seam index finger and shirred-elastic wrist back
- Gray color

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40003 | Small | 4.8 oz. (136 g) |
| 40004 | Medium | 6.4 oz. (181 g) |
| 40006 | Large | 6.9 oz. (196 g) |
| 40014 | Large | 7.7 oz. (218 g) |
| 40015 | Extra-Large | 8.2 oz. (231 g) |

*Thermolite® is a registered trademark for INVISTA certified performance fabrics containing proprietary INVISTA fibers and, in some cases, other companion fibers.



40014

See page 310 for additional information on warnings.

WARNING: Not flameproof or fire retardant. DO NOT expose to open flame or sparks.

Gloves

Medium and Long-Cuff Gloves

- Heavy sueded leather (Cat No. 40008)
- Soft, flexible, top-grain cowhide leather (Cat. Nos. 40010 and 40012)
- Leather fingers, palm, pull, and knuckle strap (Cat. Nos. 40010 and 40012)
- Gunn cut with seams away from wear surfaces
- Wing thumb, seamless index finger, elastic wrist-back strap
- Lined palm and fingers
- Rubberized, waterproof, bell gauntlet cuff 5" (127 mm) long (Cat. Nos. 40010 and 40012)

| Cat. No. | Size | Cuff | Weight |
|----------|-------------|--------|-----------------|
| 40008 | Large | Medium | 7.7 oz. (218 g) |
| 40010 | Large | Long | 9.4 oz. (266 g) |
| 40012 | Extra-Large | Long | 10.9 oz (308 g) |



40008

Lineman Work Gloves

- 4" Neoprene cuff with side vents
- Soft grain leather construction with reinforced leather patches
- Double-row padded knuckle for durability
- Black spandex back with Klein lineman logo patch

| Cat. No. | Size | Weight |
|----------|-------------------|-----------------|
| 40080 | Medium | 7.4 oz. (210 g) |
| 40082 | Large | 8.2 oz. (231 g) |
| 40084 | Extra-Large | 8.8 oz. (249 g) |
| 40086 | Extra Extra-Large | 9.4 oz. (266 g) |



40080



Electrician's Gloves

- Durable construction allows flexibility
- Features slip resistant construction
- Spandex material is breathable and comfortable to wear all day
- Constructed with a reinforced area at the base of the thumb
- Elastic cuff for secure and comfortable fit
- Index fingers are wrapped with slip-resistant material
- Extended cuff for easy on/off

| Cat. No. | Size | Weight |
|----------|-------------|-----------------|
| 40072 | Large | 7.4 oz. (210 g) |
| 40074 | Extra-Large | 7.7 oz. (218 g) |



40072



Heavyweight Jersey Gloves

- Soft, comfortable, general-purpose gloves
- Made of 100% cotton jersey
- Knit wrist
- Dark-brown color

| Cat. No. | Size | Weight |
|----------|----------------------|----------------|
| 40002 | Fits Most Hand Sizes | 2.4 oz. (68 g) |



40002