

# ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



# **5P2200RT Eaton 5P Rackmount 2U Ups** *Eaton Power Quality*

5P2200RT
Eaton Power Quality
Eaton 5P Ups, 1950 Va, 1920 W, 5-20P Input, Outputs: (8) 5-20R, 120V
72.7 (lbs/each)
20200113113049

#### **Features**

accessories	Tower pedestals, Quick Start Guide, Phillips head screw driver
battery	Sealed, lead-acid
Battery Type	VRLA
dimensions	20.6000 IN X 17.4000 IN X 3.4000 IN
Voltage Rating	151/153 V
Wattage	1,920 W

#### **Dimensions and Weight**

Height	3.4 in
Length	20.6 MM
Width	3010-2

### **Descriptions**

Description	EATON 5P RACKMOUNT 2U UPS
extra long description	ETN 5P2200RT EATON 5P RACKMOUNT 2U
Features	The Eaton 5P UPS delivers reliable backup power in tower and various rackmount form factors for enterprise and distributed IT applications. As the first in the UPS industry to comply with the UL 2900-2-2 cybersecurity standard, Eaton's optional gigabit network card (NETWORK-M2) provides remote monitoring and management for the 5P family of products. When paired with Eaton Intelligent Power Manager (IPM) software, IT professionals can seamlessly manage their connected equipment install base, even in virtual
Long Description	Eaton 5P UPS, 1950 VA, 1920 W, 5-20P input, Outputs: (8) 5-20R, 120V
Product Type	Eaton 5P Rackmount 2U Ups

#### **Manufacturer Information**

Brand	Eaton
GTIN	00743172039651
Manufacturers Part Number	5P2200RT
UPC	743172039651



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Ta	axonomi	ies, Cla	assification	ns, and Ca	itegories
	• •	_			

Category Description	UPS UNITS
Type	UPS

## **Packaging**

onaging	
Carton	1
Weight Per each	72.68

## Uses, Certifications, and Standards

Application	Backup Power and Electronic Power Conversion
Frequency Rating	40/50/60
standard	UL 1778; UL497A; cUL Listed; FCC Part 15 subpart B Class A