



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



60407 Hard Hat, Vented, Full Brim With Headlamp, White

Klein Tools

Catalog Number	60407
Manufacturer	Klein Tools
Description	Klein Tools Hard Hats Were Designed and Engineered For Optimal Safety, Comfort and Fit. Unique Features Allow The User to Comfortably Work In A Wide Variety Of Applications and Demanding Environments. Patent-Pending Accessory Mounts On Front and Back Ensure Klein Headlamps Attach Securely -- No Straps Needed
Weight per unit	0.9000 (lbs/each)
Product Category	Safety Equipment

Features

battery life	Up to 10 hr
bulb type	LED
included	Hard Hat, Headlamp, Batteries, User Guide and Reflective Stickers
lumens	150 (High); 50 (Low)
Material	PC/ABS
media	Yes
Overall Height	6.5" (16.5 cm)
Overall Width	10.7" (27.2 cm)

Material, Color, and Finish

Shell Material	PC/ABS
----------------	--------

Dimensions and Weight

Overall Length	12.5" (31.8 cm)
----------------	-----------------

Descriptions

Description	HARD HAT, VENTED, FULL BRIM WITH HEADLAMP, WHITE
extra long description	KLEIN 60407 Hard Hat, Vented Brim w
Long Description	Klein Tools Hard Hats were designed and engineered for optimal safety, comfort and fit. Unique features allow the user to comfortably work in a wide variety of applications and demanding environments. Patent-pending accessory mounts on front and back ensure Klein Headlamps attach securely -- no straps needed
Product Type	Hard Hat, Vented Brim W/Headlamp
Special Features	Adjustable Vents



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Manufacturer Information

Brand	Klein Tools
GTIN	00092644600845
Manufacturers Part Number	60407
UPC	092644600845

Taxonomies, Classifications, and Categories

Category Description	SAFETY PRODUCTS
Type	Type 1

Packaging

Carton	1
Weight	1.3 lb (0.6 kg)
Weight Per each	0.9

Uses, Certifications, and Standards

Application	Class C
standard	ANSI Z89.1-2014, CSA Z94.1-15, EN397:2012+A1:2012-Lateral Deformation (LD)