



CONDUIT NIPPLES



E223147



GALVANIZED STEEL

| TOPAZ CAT # | UPC# | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/ 100 |
|-------------|-------|--------------|---------------|-----------|---------|
| 6451 | 31130 | 1/2" | CLOSE | 25 | 6 |
| 6451112 | 31140 | 1/2" | 1 1/2 | 25 | 8 |
| 64512 | 31150 | 1/2" | 2 | 25 | 12 |
| 6451212 | 31160 | 1/2" | 2 1/2 | 25 | 15 |
| 64513 | 31170 | 1/2" | 3 | 25 | 26 |
| 6451312 | 31180 | 1/2" | 3 1/2 | 25 | 6 |
| 64514 | 31190 | 1/2" | 4 | 25 | 26 |
| 64515 | 31200 | 1/2" | 5 | 25 | 33 |
| 64516 | 31210 | 1/2" | 6 | 25 | 40 |
| 64518 | 31220 | 1/2" | 8 | 1 | 54 |
| 645110 | 31230 | 1/2" | 10 | 1 | 68 |
| 645112 | 31240 | 1/2" | 12 | 1 | 82 |
| 6452 | 31250 | 3/4" | CLOSE | 25 | 9 |
| 6452112 | 31251 | 3/4" | 1 1/2 | 25 | 10 |
| 64522 | 31260 | 3/4" | 2 | 25 | 14 |
| 6452212 | 31270 | 3/4" | 2 1/2 | 25 | 19 |
| 64523 | 31280 | 3/4" | 3 | 25 | 26 |
| 6452312 | 31290 | 3/4" | 3 1/2 | 25 | 28 |
| 64524 | 31300 | 3/4" | 4 | 25 | 34 |
| 64525 | 31310 | 3/4" | 5 | 25 | 43 |
| 64526 | 31320 | 3/4" | 6 | 25 | 52 |
| 64528 | 31330 | 3/4" | 8 | 1 | 73 |
| 645210 | 31340 | 3/4" | 10 | 1 | 89 |
| 645212 | 31350 | 3/4" | 12 | 1 | 109 |
| 6453 | 31360 | 1" | CLOSE | 25 | 16 |
| 64532 | 31370 | 1" | 2 | 25 | 22 |
| 6453212 | 31380 | 1" | 2 1/2 | 25 | 28 |
| 64533 | 31390 | 1" | 3 | 25 | 26 |
| 6453312 | 31400 | 1" | 3 1/2 | 25 | 43 |
| 64534 | 31410 | 1" | 4 | 25 | 49 |
| 64535 | 31420 | 1" | 5 | 25 | 64 |
| 64536 | 31430 | 1" | 6 | 25 | 20 |
| 64538 | 31440 | 1" | 8 | 1 | 1 |
| 645310 | 31450 | 1" | 10 | 1 | 1 |
| 645312 | 31460 | 1" | 12 | 1 | 2 |

| TOPAZ CAT # | UPC# | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/ 100 |
|-------------|-------|--------------|---------------|-----------|---------|
| 6454 | 31470 | 1 1/4" | CLOSE | 25 | 22 |
| 64542 | 31480 | 1 1/4" | 2 | 25 | 28 |
| 6454212 | 31490 | 1 1/4" | 2 1/2 | 25 | 37 |
| 64543 | 31500 | 1 1/4" | 3 | 25 | 25 |
| 6454312 | 31510 | 1 1/4" | 3 1/2 | 25 | 55 |
| 64544 | 31520 | 1 1/4" | 4 | 25 | 66 |
| 64545 | 31530 | 1 1/4" | 5 | 25 | 84 |
| 64546 | 31540 | 1 1/4" | 6 | 25 | 25 |
| 64548 | 31550 | 1 1/4" | 8 | 1 | 1 |
| 645410 | 31560 | 1 1/4" | 10 | 1 | 2 |
| 645412 | 31570 | 1 1/4" | 12 | 1 | 2 |
| 6455 | 31580 | 1 1/2" | CLOSE | 25 | 28 |
| 64552 | 31590 | 1 1/2" | 2 | 25 | 34 |
| 6455212 | 31600 | 1 1/2" | 2 1/2 | 25 | 44 |
| 64553 | 31610 | 1 1/2" | 3 | 25 | 25 |
| 6455312 | 31620 | 1 1/2" | 3 1/2 | 25 | 68 |
| 64554 | 31630 | 1 1/2" | 4 | 25 | 80 |
| 64555 | 31640 | 1 1/2" | 5 | 25 | 103 |
| 64556 | 31650 | 1 1/2" | 6 | 25 | 31 |
| 64558 | 31660 | 1 1/2" | 8 | 1 | 2 |
| 645510 | 31670 | 1 1/2" | 10 | 1 | 2 |
| 645512 | 31680 | 1 1/2" | 12 | 1 | 3 |
| 6456 | 31690 | 2" | CLOSE | 25 | 44 |
| 6456212 | 31700 | 2" | 2 1/2 | 25 | 15 |
| 64563 | 31710 | 2" | 3 | 25 | 25 |
| 6456312 | 31720 | 2" | 3 1/2 | 25 | 88 |
| 64564 | 31730 | 2" | 4 | 25 | 103 |
| 64565 | 31740 | 2" | 5 | 25 | 132 |
| 64566 | 31750 | 2" | 6 | 25 | 25 |
| 64568 | 31760 | 2" | 8 | 1 | 2 |
| 645610 | 31770 | 2" | 10 | 1 | 3 |
| 645612 | 31780 | 2" | 12 | 1 | 3 |

Continued on next page



CONDUIT NIPPLES

GALVANIZED STEEL

| TOPAZ CAT # | UPC# | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/100 |
|-------------|-------|--------------|---------------|-----------|--------|
| 6457 | 31790 | 2 1/2" | CLOSE | 1 | 84 |
| 64573 | 31800 | 2 1/2" | 3 | 1 | 1 |
| 6457312 | 31810 | 2 1/2" | 3 1/2 | 1 | 12 |
| 64574 | 31820 | 2 1/2" | 4 | 1 | 150 |
| 64575 | 31830 | 2 1/2" | 5 | 1 | 197 |
| 64576 | 31840 | 2 1/2" | 6 | 1 | 3 |
| 64578 | 31850 | 2 1/2" | 8 | 1 | 3 |
| 645710 | 31860 | 2 1/2" | 10 | 1 | 4 |
| 645712 | 31870 | 2 1/2" | 12 | 1 | 5 |
| 6458 | 31880 | 3" | CLOSE | 1 | 1 |
| 64583 | 31890 | 3" | 3 | 1 | 1 |
| 6458312 | 31900 | 3" | 3 1/2 | 1 | 2 |
| 64584 | 31910 | 3" | 4 | 1 | 2 |
| 64585 | 31920 | 3" | 5 | 1 | 3 |
| 64586 | 31930 | 3" | 6 | 1 | 3 |
| 64588 | 31940 | 3" | 8 | 1 | 4 |
| 645810 | 31950 | 3" | 10 | 1 | 5 |
| 645812 | 31960 | 3" | 12 | 1 | 6 |

| TOPAZ CAT # | UPC# | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/CASE |
|-------------|-------|--------------|---------------|-----------|---------|
| 6459 | 31970 | 3 1/2" | CLOSE | 1 | 2 |
| 64594 | 31980 | 3 1/2" | 4 | 1 | 2 |
| 64595 | 31990 | 3 1/2" | 5 | 1 | 3 |
| 64596 | 32000 | 3 1/2" | 6 | 1 | 4 |
| 64598 | 32010 | 3 1/2" | 8 | 1 | 5 |
| 645910 | 32020 | 3 1/2" | 10 | 1 | 7 |
| 645912 | 32030 | 3 1/2" | 12 | 1 | 8 |
| 6410 | 32040 | 4" | CLOSE | 1 | 2 |
| 64104 | 32050 | 4" | 4 | 1 | 3 |
| 64105 | 32060 | 4" | 5 | 1 | 4 |
| 64106 | 32070 | 4" | 6 | 1 | 4 |
| 64108 | 32080 | 4" | 8 | 1 | 6 |
| 641010 | 32090 | 4" | 10 | 1 | 8 |
| 641012 | 32100 | 4" | 12 | 1 | 9 |



RIGID COUPLINGS TUBULAR THREADED TYPE

GALVANIZED STEEL

| CAT# | A | B |
|------|-------|-------|
| 51 | 1.010 | 1.563 |
| 52 | 1.250 | 1.625 |
| 53 | 1.525 | 2.000 |
| 54 | 1.869 | 2.063 |
| 55 | 2.155 | 2.063 |
| 56 | 2.650 | 2.125 |
| 57 | 3.250 | 3.125 |
| 58 | 3.870 | 3.250 |
| 59 | 4.500 | 3.375 |
| 60 | 4.875 | 3.500 |
| 60A | 6.000 | 3.750 |
| 60B | 7.200 | 4.000 |

| TOPAZ CAT # | UPC# | SIZE | THREADS PER INCH | UNIT CTN | SHIP CASE | WT/CASE |
|-------------|-------|--------|------------------|----------|-----------|---------|
| 51 | 10130 | 1/2" | 14 | — | 100 | 13 |
| 52 | 10140 | 3/4" | 14 | — | 50 | 10 |
| 53 | 10150 | 1" | 11 1/2 | — | 30 | 11 |
| 54 | 10160 | 1 1/4" | 11 1/2 | — | 25 | 11 |
| 55 | 10170 | 1 1/2" | 11 1/2 | — | 25 | 14 |
| 56 | 10180 | 2" | 11 1/2 | — | 20 | 15 |
| 57 | 10190 | 2 1/2" | 8 | — | 12 | 22 |
| 58 | 10200 | 3" | 8 | — | 8 | 18 |
| 59 | 10210 | 3 1/2" | 8 | — | 4 | 15 |
| 60 | 10220 | 4" | 8 | — | 4 | 12 |
| 60A | 10230 | 5" | 8 | — | 2 | 10 |
| 60B | 10240 | 6" | 8 | — | 1 | 8 |



E223147



CONDUIT NIPPLES



E223147



GALVANIZED STEEL

| TOPAZ CAT # | UPC# | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/100 |
|-------------|-------|--------------|---------------|-----------|--------|
| 6451 | 31130 | 1/2" | CLOSE | 25 | 6 |
| 6451112 | 31140 | 1/2" | 1 1/2 | 25 | 8 |
| 64512 | 31150 | 1/2" | 2 | 25 | 12 |
| 6451212 | 31160 | 1/2" | 2 1/2 | 25 | 15 |
| 64513 | 31170 | 1/2" | 3 | 25 | 26 |
| 6451312 | 31180 | 1/2" | 3 1/2 | 25 | 6 |
| 64514 | 31190 | 1/2" | 4 | 25 | 26 |
| 64515 | 31200 | 1/2" | 5 | 25 | 33 |
| 64516 | 31210 | 1/2" | 6 | 25 | 40 |
| 64518 | 31220 | 1/2" | 8 | 1 | 54 |
| 645110 | 31230 | 1/2" | 10 | 1 | 68 |
| 645112 | 31240 | 1/2" | 12 | 1 | 82 |
| 6452 | 31250 | 3/4" | CLOSE | 25 | 9 |
| 6452112 | 31251 | 3/4" | 1 1/2 | 25 | 10 |
| 64522 | 31260 | 3/4" | 2 | 25 | 14 |
| 6452212 | 31270 | 3/4" | 2 1/2 | 25 | 19 |
| 64523 | 31280 | 3/4" | 3 | 25 | 26 |
| 6452312 | 31290 | 3/4" | 3 1/2 | 25 | 28 |
| 64524 | 31300 | 3/4" | 4 | 25 | 34 |
| 64525 | 31310 | 3/4" | 5 | 25 | 43 |
| 64526 | 31320 | 3/4" | 6 | 25 | 52 |
| 64528 | 31330 | 3/4" | 8 | 1 | 73 |
| 645210 | 31340 | 3/4" | 10 | 1 | 89 |
| 645212 | 31350 | 3/4" | 12 | 1 | 109 |
| 6453 | 31360 | 1" | CLOSE | 25 | 16 |
| 64532 | 31370 | 1" | 2 | 25 | 22 |
| 6453212 | 31380 | 1" | 2 1/2 | 25 | 28 |
| 64533 | 31390 | 1" | 3 | 25 | 26 |
| 6453312 | 31400 | 1" | 3 1/2 | 25 | 43 |
| 64534 | 31410 | 1" | 4 | 25 | 49 |
| 64535 | 31420 | 1" | 5 | 25 | 64 |
| 64536 | 31430 | 1" | 6 | 25 | 20 |
| 64538 | 31440 | 1" | 8 | 1 | 1 |
| 645310 | 31450 | 1" | 10 | 1 | 1 |
| 645312 | 31460 | 1" | 12 | 1 | 2 |

| TOPAZ CAT # | UPC# | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/100 |
|-------------|-------|--------------|---------------|-----------|--------|
| 6454 | 31470 | 1 1/4" | CLOSE | 25 | 22 |
| 64542 | 31480 | 1 1/4" | 2 | 25 | 28 |
| 6454212 | 31490 | 1 1/4" | 2 1/2 | 25 | 37 |
| 64543 | 31500 | 1 1/4" | 3 | 25 | 25 |
| 6454312 | 31510 | 1 1/4" | 3 1/2 | 25 | 55 |
| 64544 | 31520 | 1 1/4" | 4 | 25 | 66 |
| 64545 | 31530 | 1 1/4" | 5 | 25 | 84 |
| 64546 | 31540 | 1 1/4" | 6 | 25 | 25 |
| 64548 | 31550 | 1 1/4" | 8 | 1 | 1 |
| 645410 | 31560 | 1 1/4" | 10 | 1 | 2 |
| 645412 | 31570 | 1 1/4" | 12 | 1 | 2 |
| 6455 | 31580 | 1 1/2" | CLOSE | 25 | 28 |
| 64552 | 31590 | 1 1/2" | 2 | 25 | 34 |
| 6455212 | 31600 | 1 1/2" | 2 1/2 | 25 | 44 |
| 64553 | 31610 | 1 1/2" | 3 | 25 | 25 |
| 6455312 | 31620 | 1 1/2" | 3 1/2 | 25 | 68 |
| 64554 | 31630 | 1 1/2" | 4 | 25 | 80 |
| 64555 | 31640 | 1 1/2" | 5 | 25 | 103 |
| 64556 | 31650 | 1 1/2" | 6 | 25 | 31 |
| 64558 | 31660 | 1 1/2" | 8 | 1 | 2 |
| 645510 | 31670 | 1 1/2" | 10 | 1 | 2 |
| 645512 | 31680 | 1 1/2" | 12 | 1 | 3 |
| 6456 | 31690 | 2" | CLOSE | 25 | 44 |
| 6456212 | 31700 | 2" | 2 1/2 | 25 | 15 |
| 64563 | 31710 | 2" | 3 | 25 | 25 |
| 6456312 | 31720 | 2" | 3 1/2 | 25 | 88 |
| 64564 | 31730 | 2" | 4 | 25 | 103 |
| 64565 | 31740 | 2" | 5 | 25 | 132 |
| 64566 | 31750 | 2" | 6 | 25 | 25 |
| 64568 | 31760 | 2" | 8 | 1 | 2 |
| 645610 | 31770 | 2" | 10 | 1 | 3 |
| 645612 | 31780 | 2" | 12 | 1 | 3 |

Continued on next page



CONDUIT NIPPLES

GALVANIZED STEEL

| TOPAZ CAT # | UPC# | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/100 |
|-------------|-------|--------------|---------------|-----------|--------|
| 6457 | 31790 | 2 1/2" | CLOSE | 1 | 84 |
| 64573 | 31800 | 2 1/2" | 3 | 1 | 1 |
| 6457312 | 31810 | 2 1/2" | 3 1/2 | 1 | 12 |
| 64574 | 31820 | 2 1/2" | 4 | 1 | 150 |
| 64575 | 31830 | 2 1/2" | 5 | 1 | 197 |
| 64576 | 31840 | 2 1/2" | 6 | 1 | 3 |
| 64578 | 31850 | 2 1/2" | 8 | 1 | 3 |
| 645710 | 31860 | 2 1/2" | 10 | 1 | 4 |
| 645712 | 31870 | 2 1/2" | 12 | 1 | 5 |
| 6458 | 31880 | 3" | CLOSE | 1 | 1 |
| 64583 | 31890 | 3" | 3 | 1 | 1 |
| 6458312 | 31900 | 3" | 3 1/2 | 1 | 2 |
| 64584 | 31910 | 3" | 4 | 1 | 2 |
| 64585 | 31920 | 3" | 5 | 1 | 3 |
| 64586 | 31930 | 3" | 6 | 1 | 3 |
| 64588 | 31940 | 3" | 8 | 1 | 4 |
| 645810 | 31950 | 3" | 10 | 1 | 5 |
| 645812 | 31960 | 3" | 12 | 1 | 6 |

| TOPAZ CAT # | UPC# | CONDUIT SIZE | LENGTH INCHES | SHIP CASE | WT/CASE |
|-------------|-------|--------------|---------------|-----------|---------|
| 6459 | 31970 | 3 1/2" | CLOSE | 1 | 2 |
| 64594 | 31980 | 3 1/2" | 4 | 1 | 2 |
| 64595 | 31990 | 3 1/2" | 5 | 1 | 3 |
| 64596 | 32000 | 3 1/2" | 6 | 1 | 4 |
| 64598 | 32010 | 3 1/2" | 8 | 1 | 5 |
| 645910 | 32020 | 3 1/2" | 10 | 1 | 7 |
| 645912 | 32030 | 3 1/2" | 12 | 1 | 8 |
| 6410 | 32040 | 4" | CLOSE | 1 | 2 |
| 64104 | 32050 | 4" | 4 | 1 | 3 |
| 64105 | 32060 | 4" | 5 | 1 | 4 |
| 64106 | 32070 | 4" | 6 | 1 | 4 |
| 64108 | 32080 | 4" | 8 | 1 | 6 |
| 641010 | 32090 | 4" | 10 | 1 | 8 |
| 641012 | 32100 | 4" | 12 | 1 | 9 |



RIGID COUPLINGS TUBULAR THREADED TYPE

GALVANIZED STEEL

| CAT# | A | B |
|------|-------|-------|
| 51 | 1.010 | 1.563 |
| 52 | 1.250 | 1.625 |
| 53 | 1.525 | 2.000 |
| 54 | 1.869 | 2.063 |
| 55 | 2.155 | 2.063 |
| 56 | 2.650 | 2.125 |
| 57 | 3.250 | 3.125 |
| 58 | 3.870 | 3.250 |
| 59 | 4.500 | 3.375 |
| 60 | 4.875 | 3.500 |
| 60A | 6.000 | 3.750 |
| 60B | 7.200 | 4.000 |

| TOPAZ CAT # | UPC# | SIZE | THREADS PER INCH | UNIT CTN | SHIP CASE | WT/CASE |
|-------------|-------|--------|------------------|----------|-----------|---------|
| 51 | 10130 | 1/2" | 14 | — | 100 | 13 |
| 52 | 10140 | 3/4" | 14 | — | 50 | 10 |
| 53 | 10150 | 1" | 11 1/2 | — | 30 | 11 |
| 54 | 10160 | 1 1/4" | 11 1/2 | — | 25 | 11 |
| 55 | 10170 | 1 1/2" | 11 1/2 | — | 25 | 14 |
| 56 | 10180 | 2" | 11 1/2 | — | 20 | 15 |
| 57 | 10190 | 2 1/2" | 8 | — | 12 | 22 |
| 58 | 10200 | 3" | 8 | — | 8 | 18 |
| 59 | 10210 | 3 1/2" | 8 | — | 4 | 15 |
| 60 | 10220 | 4" | 8 | — | 4 | 12 |
| 60A | 10230 | 5" | 8 | — | 2 | 10 |
| 60B | 10240 | 6" | 8 | — | 1 | 8 |

