



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



7010B Photo Eye Smoke Detect. Battery Back Up

BRK Brands/Ademco/First Alert

Catalog Number	7010B
Manufacturer	BRK Brands/Ademco/First Alert
Description	Discontinued, Replaced By: Model SM100V-Ac/1046721 Hardwired Smoke Alarm With Replaceable Battery Backup. Ac 120V Interconnectable With Silence and Latching Features. Includes Photoelectric Smoke Sensing Technology and A 9V Carbon Zinc Battery.
Weight per unit	0.5890 (lbs/each)
Product Category	Fire & Alarm Monitors & Systms

Features

alarm type	Audio
dimensions	5.0" diameter x 2.1" height
Operating Voltage	120V AC 60Hz w/ 9V battery backup
Output Current	0.05 Amps
Sensor Type	Photo
Temperature Range	40 Degree F (4 Degree C) to 100 Degree F (38 Degree C)

Material, Color, and Finish

Color	White
Enclosure Material	Plastic

Descriptions

Description	PHOTO EYE SMOKE DETECT. BATTERY BACK UP
extra long description	BRK 7010B 120V AC/DC Photo Smoke Al
Features	Hardwired smoke alarm with replaceable battery backup. AC 120V Interconnectable with Silence and Latching features.
Long Description	Discontinued, replaced by: Model SM100V-AC/1046721 Hardwired smoke alarm with replaceable battery backup. AC 120V Interconnectable with Silence and Latching features. Includes Photoelectric smoke sensing technology and a 9V Carbon Zinc battery.
Product Type	120V Ac/DC Photo Smoke Alarm

Manufacturer Information

Brand	BRK
GTIN	00029054112019
Manufacturers Part Number	7010B
UPC	029054112019



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	SMOKE DETECTORS
Type	SMOKE ALARM

Packaging

Carton	1
Weight Per each	0.589

Uses, Certifications, and Standards

Application	Single and or multiple station alarm specifically designed to detect smoke in residential and institutional applications including sleeping rooms of hospitals, hotels, motels, dormitories and other multi-family dwellings
environmental conditions	10 percent to 90 percent relative humidity (RH)
Mounting standard	Electrical junction box, wall or ceiling UL217