

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



72C5581NP001 1-175W 120/277 Bal Advance By Signify

Advance By Signify			
Catalog Number	72C5581NP001		
Manufacturer	Advance By Signify		
Description	Versatility In Commercial Applications Low Noise For Indoor Use; Two Dual Voltage Configurations Available: 120V/277V For The U.S Market and 120V/347V For The Canadian Market The Philips Advance Line Of F-Can Hid Ballasts Comes In Two Dual-Voltage Configurations For The Us and Canadian Market. Ballasts For These Luminaires Are Most Often Encased and Potted In Fluorescent Ballast Type Cans. Utilizes UI Class A (90°C) Insulation; Has Built-In, Automatically Resetting, Thermal Protector Which Disconnects The Ba		
Weight per unit	11.3 (lbs/each)		
Product Category	Pulse Start Hid Ballasts		
Features			
amperage rating	0.85/0.36		
ANSI Code	M57/107		
Ballast Factor	1		
Circuit Type	CWA		
Lamp Type	METAL HALIDE		
Number of Lamps	1		
Power Factor	0.90		
Power Rating	175/150		
start type	Probe		
Voltage Rating	120/277		
Wattage	175		
Wire Length	12		
Wire Type	STRANDED		
Material, Color, and Finish Housing Material	Metal		
G	Motal		
Dimensions and Weight Height	1.02		
Length	0.47		
Width	1.54		



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

-			
Des	^rı	nti	INNO
レしょ	UI I	\sim \sim	UI I
	-		

Frequency Rating

standard

Description	1-175W 120/277 BAL		
extra long description	ADV 494245 MH BAL 175W M57 120/277V		
Long Description	Versatility in commercial applications Low noise for indoor use; Two dual voltage configurations available: 120V/277V for the U.S market and 120V/347V for the Canadian market The Philips Advance line of F-can HID ballasts comes in two dual-voltage configurations for the US and Canadian market. Ballasts for these luminaires are most often encased and potted in fluorescent ballast type cans. Utilizes UL Class A (90°C) insulation; Has built-in, automatically resetting, thermal protector which disconnects the ba		
Product Type	MH Bal 175W M57 120/277V Fcan		
Special Features	Suitable for Outdoor; UL, CSA, RoHS		
Manufacturer Information			
Brand	Signify Electronics		
GTIN	00781087025307		
Manufacturers Part Number	494245		
UPC	781087025307		
Taxonomies, Classifications, and Ca	ategories		
Category Description	HID BALLASTS		
Туре	Magnetic HID		
Packaging			
Carton	1		
Weight Per each	11.34		
Uses, Certifications, and Standards			

60

CSA certificate; UL certificate; RoHS Compliant