



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



85039 RG-6 F Twist-On Connector, 50/Card

Ideal

| | |
|------------------|---|
| Catalog Number | 85039 |
| Manufacturer | Ideal |
| Description | Ideal, Coaxial Connector, F-Type, Connection: Twist-On, Coaxial Cable Type: RG-6 |
| Weight per unit | 0.0150 (lbs/each) |
| Product Category | Coaxial & Twinaxial Connectors |

Features

| | |
|------------|----------|
| connection | Twist-On |
|------------|----------|

Descriptions

| | |
|------------------------|--|
| Description | RG-6 F TWIST-ON CONNECTOR, 50/CARD |
| extra long description | IDEAL 85-039 F-CONN,TWIST-ON RG-6 |
| Features | Twist-on F connectors are an economical solution that requires no termination tool. Twist-on connectors are designed for indoor coax terminations for standard video and other RF applications. For outdoor or high performance F connectors see the RTQ series of compression connectors. |
| Long Description | IDEAL, Coaxial Connector, F-Type, Connection: Twist-On, Coaxial Cable Type: RG-6 |
| Product Type | F-Conn, Twist-On RG-6 |
| Special Features | Features: F Connectors Utilize Threaded Couplings And Cable Conductors As Contacts For CATV And Other UHF Applications; After Cable Is Stripped, Simply Twist On Connector; No Termination Tool Required; Available In Two Styles, RG-6 And 59; Coaxial Cable Type: RG-6 |

Manufacturer Information

| | |
|---------------------------|----------------|
| Brand | Ideal |
| GTIN | 00783250850396 |
| Manufacturers Part Number | 85-039 |
| UPC | 783250850396 |

Taxonomies, Classifications, and Categories

| | |
|----------------------|--|
| Category Description | Datacom Wiring Devices and Accessories |
| Type | F-Type |

Packaging

| | |
|-----------------|-------|
| Carton | 50 |
| Weight Per each | 0.015 |

Uses, Certifications, and Standards

| | |
|-------------|---|
| Application | For Threaded Couplings And Cable Conductors As Contacts For CATV And Other UHF Applications |
|-------------|---|