


ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





A6K60R 600V 60A RK1 Fuse

Mersen Fuses

Catalog Number	A6K60R
Manufacturer	Mersen Fuses
Description	Fuse A6K-R - Class RK1 - Fast-Acting 600VAC 300VDC 60A Ferrule
	Amp-Trap®
Weight per unit	0.3200 (lbs/each)
Product Category	Current Limiting
Features	
AC Voltage Rating	600
amperage rating	
class	Class RK1
connection	Ferrule
DC Voltage Rating	300
interrupt rating	200
Voltage Rating	600
Material, Color, and Finish	DolyTubo
Body Material	PolyTube
Dimensions and Weight	
Size	5.5 x 1.06
Descriptions	
Description	600V 60A RK1 FUSE
extra long description	Mersen A6K60R Fuse A6K-R - Class RK
Features	Current-limiting Amp-Trap A6K-R fuses provide excellent protection where high available short-circuit currents exist. These fast-acting fuses are particularly good for branch/feeder
Long Description	circuits and back-up protection. Fuse A6K-R - Class RK1 - Fast-Acting 600VAC 300VDC 60A Ferrule Amp-Trap®
Product Type	
Short Description	600V 60A RK1 FUSE
Special Features	Rejection style design prevents replacement by other fuse classes Fiberglass body provides dimensional stability in harsh industrial environments Easy-to-read imprint label for quick recognition and replacement High degree of current limitation for low peak

let-thru current



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Manufacturer	Information
--------------	-------------

Brand	Mersen	
GTIN	00782001915674	
Manufacturers Part Number	A6K60R	
UPC	782001915674	

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Туре	CLASS RK1

Packaging

magnig	
Carton	1
Package	10
Weight Per each	

Uses, Certifications, and Standards

Application	Load centers Panelboards Switchboards Bus duct Feeder circuits
	Non-inductive loads Lighting circuits
Mounting	Clip
standard	UL listed to standard 248-12 File E2137 CSA certified to standard
	C22.2 No. 248.12 Self-certified for DC per UL248