



Brite®Zinc®, 12.5 Wt Oz

No. B-100 | Item# 1008302 | Case# 1008223



Product Description	One step color matches the shiny look of hot dip galvanizing. 69% zinc metal. Special no clog nozzle. Covers up to 32 square feet. Meets requirements of ASTM-A780 for corrosion protection.
Color	Gray
Applications	For parts and assemblies to be top-coated.
Unit Package Description	16 Ounce Aerosol
Brand	Weld-Aid
Generic Description 1	Corrosion Inhibitor
Net Fill	12.5 Wt Oz
UPC Code	731592100013
Unit Dimensions	8.00H x 2.50W x 2.50D in
Units Per Case	12
Case Dimensions	8.75H x 8.25W x 11.00D in
Cases Per Pallet	76
Case Weight	14.25 lbs
I 2 of 5 Code	30731592100014
Appearance	Gray Liquid
Flash point (F)	-4°F
Flash point (C)	-20°C
Flammability Class - CPSC	Extremely Flammable Aerosol
Plastic Safe	Not Determined
Evaporation Rate	Moderate
pH	Not Applicable
Dry Time - Fully Dry	24 Hours
Dry Time - Tack Free	15 Minutes
Recoat	15 Minutes
Coverage	Not Determined
Dielectric Strength	Not Determined

Last revised: 5/1/2020

Page 1 of 2




Chemical Solutions to Keep You Moving™

f t i n • 800-272-8963 • crcindustries.com

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



Working Temp (F)	Not Determined
Working Temp (C)	Not Determined
Propellant	Propane, Butane
Aerosol Flammability Level	II
VOC % (Consumer Product def)	46.6
VOC g/L (Consumer Product def)	382.1
VOC lbs/gal (Consumer Prod def)	3.2
VOC Category	Aerosol Coating: Metallic Coating
MIR Limit (EPA)	1.9
MIR Limit (CA)	1.25
MIR Value	1.11
Removal (How To)	Remove with paint stripper or other solvent.