

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



BD3030 Type BD Duplex BRKR 2-30A/1 Pole 120/240V 10K Eaton Corp

Catalog Number	BD3030
Catalog Number Manufacturer	Eaton Corp
Description	Eaton BR Thermal Magnetic Circuit Breaker, Type BD 1-Inch CTL Plug-On Breaker, Includes Rejection Tab Feature, 30-30 A, 10 Kaic, Single-Pole, 120V, BD, #14-4 Awg Cu/Al, BD, Type BR Loadcenters
Weight per unit	0.4000 (lbs/each)
Product Category	Duplex Standard Trip Plug-In
eatures	
dimensions	2.9000 IN X 1.0000 IN X 2.5000 IN
interrupt rating	10 kAIC
Poles	1
Voltage Rating	120 V
escriptions	
Description	TYPE BD DUPLEX BRKR 2-30A/1 POLE 120/240V 10K
extra long description	ETN BD3030 BD Duplex 2-30A/1 Pole 1
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR loadcenters, spa panels, meter breakers and sub panels. They all designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstrean main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.
Long Description	Eaton BR thermal magnetic circuit breaker, Type BD 1-Inch CTL plug-on breaker, Includes rejection tab feature, 30-30 A, 10 kAIC, Single-pole, 120V, BD, #14-4 AWG Cu/AI, BD, Type BR Loadcenters
Product Type	BD Duplex 2-30A/1 Pole 120/240V 10K
Special Features	Includes Rejection Tab feature
lanufacturer Information	
Brand	Eaton
GTIN	00786676369503
Manufacturers Part Number	BD3030
UPC	786676369503

Tax

Category Description	Loadcenter Plug In Breakers and Accessories
Туре	Thermal magnetic circuit breakers



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	1
Weight Per each	0.4
Uses, Certifications, and Standards	
Application	OtherMarine Vessels and Equipment - Marine Vessels and
	Equipment - OtherGeneration - Renewable Energy - Alternative
	EnergyGeneration - Conventional Energy - Conventional
	EnergyDatacenters - IT Space: CI and Hyper Converged
standard	UL 489, Federal Specifications Classification W-C375