


ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





BG98 3-1/2" to 4" Body CVR&GSKT Crouse-Hinds

Catalog Number	BG98
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet B Mogul Blank Cover, Feraloy Iron Alloy, Round Neoprene Gasket, 3-1/2" or 4"
Weight per unit	21.7 (lbs/each)
Product Category	Bodies & Covers

Features

Material FERALOY IRON ALLOY

Material, Color, and Finish

Electrogalvanized With Aluminum Acrylic Painted Finish

Dimensions and Weight

Height	1.6
Lenath	22
Width	6.5

3-1/2" TO 4" BODY CVR&GSKT

Descriptions

Description

B 0001.181.101.1	V 1/2 1 0 1 2 0 2 1 V 11 10 0 0 1 11
extra long description	CRS-H BG98 3 1/2 OR 4 IRON MOGUL CV
Features	Crouse-Hinds series mogul bodies are installed in conduit systems to act as pull outlets for conductors that are stiff due to large size or type of insulation. Mogul bodies provide longer openings needed when pulling large conductors and prevent sharp bends and kinks during installation. Mogul conduit bodies are manufactured in trade sizes 1/2" to 6" and are available in Feraloy iron alloy and copper-free aluminum. Our iron alloy bodies are available with a hot dip galvanized finish for added corrosion
Long Description	Eaton Crouse-Hinds series Condulet B mogul blank cover, Feraloy iron alloy, Round neoprene gasket, 3-1/2" or 4"

Special Features **Manufacturer Information**

Brand	EATON CROUSE-HINDS SERIES
GTIN	00782274102306
Manufacturers Part Number	BG98
UPC	782274102306

Round neoprene gasket

3 1/2 or 4 Iron Mogul CVR/Gask

Taxonomies, Classifications, and Categories

Product Type

Category Description	FORM 7, 8, CONDULETS, COVERS, & GASKETS
Туре	Mogul blank cover



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Pa	CK	aq	IIN	q
		•	,	•

Carton	1	
Package	2	
Weight Per each	21.7	

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
standard	UL 514B, CSA C22.2, FEDERAL SPECIFICATION W-C-586D