



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



BHLW2 Handle Lockdog For 2, 3 Pole BR BRKR Locks Handle O

Eaton Corp

Catalog Number	BHLW2
Manufacturer	Eaton Corp
Description	Eaton Handle Lockdog, Suitable For BR Circuit Breakers, Handle Lockdog For Two- and Three-Pole Type BR Circuit Breakers (Handle Mounted), 1 In, For BR Circuit Breakers
Weight per unit	0.0100 (lbs/each)
Product Category	Circuit Breaker Accessories

Features

dimensions	7.0000 IN X 5.0000 IN X 0.5000 IN
------------	-----------------------------------

Dimensions and Weight

Size	1 in
------	------

Descriptions

Description	HANDLE LOCKDOG FOR 2,3 POLE BR BRKR LOCKS HANDLE O
extra long description	ETN BHLW2 Hnd Lock,2,3P BR Brkr Loc
Features	Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring required to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuits to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets.
Long Description	Eaton Handle Lockdog,Suitable for BR circuit breakers,Handle Lockdog for two- and three-pole Type BR circuit breakers (handle mounted),1 in,For BR circuit breakers
Product Type	HND Lock, 2, 3P BR BRKR Locks Hndle On/Off
Special Features	Suitable for BR circuit breakers

Manufacturer Information

Brand	Eaton
GTIN	00786676375689
Manufacturers Part Number	BHLW2
UPC	786676375689

Taxonomies, Classifications, and Categories

Category Description	LOADCENTER ACCESSORIES
Type	Accessory



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Packaging

Carton	1
Package	5
Weight Per each	0.01

Uses, Certifications, and Standards

Application	Other
standard	Contact Manufacturer