

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## BJ2200 Type BJ BRKR 200A/2 Pole 120/240V 10K Req 4 Spaces Eaton Corp

| -                               |   |
|---------------------------------|---|
| Catalog Number                  | BJ2200  |
| Manufacturer                    | Eaton Corp  |
| Description                     | Standard Trip Circuit Breaker, 200 A, Common Tripping<br>Mechanism, Plug-On, 120/240 V Ac, 2.5 In Overall Height, 6.5 In<br>Overall Length, 3.5 In Overall Width  |
| Weight per unit                 | 1.8 (lbs/each)  |
| Product Category                | 2 Pole Standard Trip Plug-In  |
| Features                        |   |
| connection                      | Plug-on   |
| dimensions                      | 6.5000 IN X 3.5000 IN X 2.5000 IN   |
| Poles                           | Two-pole  |
| Trip Type                       | Common  |
| Descriptions                    |   |
| Description                     | Type bj brkr 200a/2 pole 120/240V 10K req 4 spaces  |
| extra long description          | ETN BJ2200 BJ 200A/2 Pole 120/240V  |
| Manufacturer Information        |   |
| GTIN                            | 00786676367202  |
| UPC                             | 786676367202  |
| Taxonomies, Classifications, ar | nd Categories   |
| Category Description            | MAIN BREAKERS   |
| Туре                            | Sub feed main breaker   |
| Packaging                       |   |
| Carton                          | 1   |
| Package                         | 10  |
| Weight Per each                 | 1.8   |
| Uses, Certifications, and Stand | ards  |
| Application                     | Generation - Renewable Energy - Alternative EnergyMarine<br>Vessels and Equipment - Marine Vessels and Equipment -<br>OtherGeneration - Conventional Energy - Conventional<br>EnergyOtherDatacenters - IT Space: CI and Hyper Converged |
| standard                        | UL 489, Federal Specifications Classification W-C375  |
|                                 | •   |