

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



BR430 BR Quad BRKR 2-30A/2P 120/240V 10K Non-CTL Repl On Eaton Corp

Catalog Number	BR430
Manufacturer	Eaton Corp
Description	Eaton BR Thermal Magnetic Circuit Breaker, Type BR 1-Inch Plug-On Circuit Breaker, 30 A, 10 Kaic, Four-Pole, 120/240V, BR, Independent, #14-4 Awg Cu/Al, Q28, BR, Type BR Loadcenters
Weight per unit	0.5000 (lbs/each)
Product Category	Quadplex Standard Trip Plug-In
Features	
dimensions	3.0000 IN X 2.0000 IN X 3.0000 IN
interrupt rating	10 kAIC
Poles	Four-pole
Тгір Туре	Independent
Voltage Rating	120/240 V
Descriptions	
Description	BR QUAD BRKR 2-30A/2P 120/240V 10K NON-CTL REPL ON
extra long description	ETN BR430 BR Quad 2-30A/2P 120/240V
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR loadcenters, spa panels, meter breakers and sub panels. They are designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstream main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.
Long Description	Eaton BR thermal magnetic circuit breaker, Type BR 1-Inch
	plug-on circuit breaker,30 A,10
	kAIC,Four-pole,120/240V,BR,Independent,#14-4 AWG
Duo di vot Tivo o	Cu/Al,Q28,BR,Type BR Loadcenters
Product Type	BR Quad 2-30A/2P 120/240V 10K
Special Features	Used with Type BR Loadcenters
Manufacturer Information	_
Brand	Eaton
GTIN	00786676372206
Manufacturers Part Number	BR430
UPC	786676372206

Taxonomies, Classifications, and Categories

Category Description	Specialty Breakers (Quad, Dupl, Shunt Trip)
Type	Thermal magnetic circuit breakers



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging Carton	1
Weight Per each	0.5
Uses, Certifications, and Standards	
Application	Generation - Renewable Energy - Alternative EnergyMarine
	Vessels and Equipment - Marine Vessels and Equipment -
	OtherOtherGeneration - Conventional Energy - Conventional
	EnergyDatacenters - IT Space: CI and Hyper Converged
standard	UL 489, Federal Specifications Classification W-C375