

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Type

BRDC220230 BRDC BRKR 30A 40A/2P Com. Trip 120/240V 10K Non-CT Eaton Corp

Catalog Number	BRDC220230
Manufacturer	Eaton Corp
Description	Eaton BR Thermal Magnetic Circuit Breaker, Type BR 1-Inch Qua Circuit Breaker, (2) 20 A, (2) 30 A, 10 Kaic, Four-Pole, 120/240V, BRD, Common Breaker Trip, #14-4 Awg Cu/AI, BRD, Type BR Loadcenters
Weight per unit	0.8000 (lbs/each)
Product Category	Quadplex Standard Trip Plug-In
eatures	
dimensions	2.9000 IN X 2.0000 IN X 2.9000 IN
interrupt rating	10 kAIC
Poles	Four-pole
Trip Type	Common breaker trip
Voltage Rating	120/240 V
escriptions	
- Description	BRDC BRKR 30A 40A/2P COM. TRIP 120/240V 10K NON-CT
extra long description	ETN BRDC220230 BRDC 30A 40A/2P 120/
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR loadcenters, spa panels, meter breakers and sub panels. They ar designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstream main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.
Long Description	Eaton BR thermal magnetic circuit breaker, Type BR 1-Inch quad
	circuit breaker,(2) 20 A, (2) 30 A,10
	kAIC,Four-pole,120/240V,BRD,Common breaker trip,#14-4 AWC
	Cu/AI,BRD,Type BR Loadcenters
Product Type	BRDC 30A 40A/2P 120/240V 10K
Nanufacturer Information	
Brand	Eaton
GTIN	00786676007801
Manufacturers Part Number	BRDC220230
UPC	786676007801

Category Description Specialty Breakers (Quad, Dupl, Shunt Trip) Thermal magnetic circuit breakers



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging Carton	1
Weight Per each	0.8
Uses, Certifications, and Standards	
Application	OtherMarine Vessels and Equipment - Marine Vessels and
	Equipment - OtherGeneration - Renewable Energy - Alternative
	EnergyGeneration - Conventional Energy - Conventional
	EnergyDatacenters - IT Space: CI and Hyper Converged
standard	UL 489, Federal Specifications Classification W-C375