

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



BRN260GF BR 2 Pole 60A GFST 120/240V 10 Kaic Eaton Corp

(m)	
Catalog Number	BRN260GF
Manufacturer	Eaton Corp
Description	Eaton BR Gfci Circuit Breaker, Ground Fault Personnel Protection Circuit Breakers, Pigtail Neutral, 60 A, 10 Kaic, Two-Pole, 120/240 V, GFTCB, Common, #14-4 Awg, Ground Fault Circuit Interrupter, GFI
Weight per unit	1.0 (lbs/each)
Product Category	Distribution Equipment
Features	
dimensions	4.2500 IN X 3.0000 IN X 2.0000 IN
Descriptions	
Description	BR 2 POLE 60A GFST 120/240V 10 KAIC
extra long description	ETN BRN260GF BR 2 POLE 60A GFST, 12
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR loadcenters, spa panels, meter breakers and sub panels. They are designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstream main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.
Long Description	EATON BR GFCI CIRCUIT BREAKER, GROUND FAULT PERSONNEL PROTECTION CIRCUIT BREAKERS, PIGTAIL NEUTRAL, 60 A, 10 KAIC, TWO-POLE, 120/240 V, GFTCB, COMMON, #14-4 AWG, GROUND FAULT CIRCUIT INTERRUPTER, GFI
Product Type	BR 2 Pole 60A GFST, 120/240V, 10 Kaic
Manufacturer Information	
Brand	Eaton
GTIN	00786676043816
Manufacturers Part Number	BRN260GF
UPC	786676043816
Taxonomies, Classifications, and C	•
	Fault Sensing Breakers (AFCI/GFCI)
Туре	GFCI circuit breakers
Packaging	
Carton	1
Weight Per each	1

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

os, ooi tiiridatioris, aria otariaa	11 43
Application	Generation - Renewable Energy - Alternative EnergyDatacenters -
	IT Space: CI and Hyper ConvergedGeneration - Conventional
	Energy - Conventional EnergyMarine Vessels and Equipment -
	Marine Vessels and Equipment - OtherOther
standard	UL 943,UL 489