

## Concrete/Masonry Boxes and Accessories

### Bars for Hanging Ceiling Boxes

CAT. NO.	LENGTH (IN.)	STD. CTN.
HBB 18	18	40
HBB-24	24	40
HBB-30	30	40




Two bars required for each box.

### Concrete Box Covers

CAT. NO.	DESCRIPTION	STD. CTN.
911	Flat — 4" octagon Two 1/2" KOs and two 3/4" KOs with 3/8" fixture stud*	25


Fits any Steel City® concrete box.



911

### Concrete Box Cover Plate

- Thread size: 3/8"-18 NPS



CBP

CBP 3/8

CAT. NO.	DESCRIPTION	STD. CTN.
CBP	No Stud; 3/2" and 2 3/4" KOs	25
CBP 3/8	With 3/8" fixture stud; 2 1/2" and 3/4" KOs	25

### Concrete Box Adapter




CBA

CAT. NO.	DESCRIPTION	STD. CTN.
CBA	For quick mounting and alignment of 4" octagon extension ring on concrete box or hung ceiling box	25


### 4" Octagon Concrete Boxes

CAT. NO.	DEPTH (IN.)	CU. IN. CAPACITY	KNOCKOUTS	STD. CTN.
<i>With Conduit KOs</i>				
54531 1/2 3/4	2	23.0	1/2" & 3/4" single row	25
54541 1/2 3/4	2 1/2	29.0	1/2" & 3/4" single row	25
54551 1/2 & 3/4	3	35.0	1/2" & 3/4" single row	20
54551-3/4 & 1	3	35.0	3/4" & 1" single row	20
54561 1/2	3 1/2	41.0	1/2" double row	20
54561-1/2 & 3/4	3 1/2	41.0	1/2" & 3/4" double row	20
54561-3/4 & 1	3 1/2	41.0	3/4" & 1" double row	20
54571 1/2 3/4	4	47.0	1/2" & 3/4" double row	10
54571-3/4 & 1	4	47.0	3/4" & 1" double row	10
54581 1/2 & 3/4	5	58.0	1/2" & 3/4" double row	10
54591 1/2 & 3/4	6	70.0	1/2" & 3/4" three rows	10



### 4" Octagon Hanging Ceiling Boxes

CAT. NO.	DEPTH (IN.)	CU. IN. CAPACITY	KNOCKOUTS	STD. CTN.
<i>With Conduit KOs</i>				
H-54561-1/2 & 3/4	3 1/2	41.0	1/2" & 3/4" double row	20
H-54561-3/4	3 1/2	41.0	3/4" double row	20



H-54561-1/2 & 3/4

## Concrete/Masonry Boxes and Accessories

### Gangable Masonry Boxes




#### ECCENTRIC KNOCKOUTS 1/2" & 3/4"


CAT. NO.	DEPTH (IN.)	HEIGHT (IN.)	LENGTH (IN.)	CU. IN. CAPACITY	EA. SIDE	EA. END	STD. BOTTOM	CTN.
<b>With Eccentric Conduit KOs</b>								
GW 125 G*	2 1/2	3 3/4	1 1/4	15.0	2	2	2	20
GW 225 G*	2 1/2	3 3/4	3 3/4	31.6	2	4	4	10
GW 325 G*	2 1/2	3 3/4	5 1/4	47.4	2	6	6	5
GW 425 G	2 1/2	3 3/4	7 1/4	64.0	2	8	8	5
GW 525 G	2 1/2	3 3/4	9 1/4	79.0	2	10	10	5
GW-625-G*	2 1/2	3 3/4	11	94.8	2	12	12	1
GW 135 G*	3 1/2	3 3/4	1 1/4	22.0	4	2	2	20
GW 235 G*	3 1/2	3 3/4	3 3/4	46.9	4	4	4	10
GW 335 G	3 1/2	3 3/4	5 1/4	71.0	4	6	6	10
GW 435 G*	3 1/2	3 3/4	7 1/4	93.5	4	8	8	5
GW-535-G	3 1/2	3 3/4	9 1/4	111.7	4	10	10	5
GW-635-G	3 1/2	3 3/4	11	134.0	4	12	12	1

\* Per NEC®, suitable for use without a bonding jumper in circuits above or below 250 volts.

† 4-, 5- and 6-gang supplied with partitions.



GW 135 G



GW 235 G


### Masonry Box Partitions



CAT. NO.	DESCRIPTION	STD. CTN.
PGW-25-G	Non-metallic partition for 2 1/2"-deep steel tile wall boxes	25
PGW-35-G	Non-metallic partition for 3 1/2"-deep steel tile wall boxes	25




PGW-25-G




PGW-35-G


### Shallow Masonry Boxes




1-MBS




2-MBS



3-MBS



4-MBS




MBPS


CAT. NO.	DEPTH (IN.)	CU. IN. CAPACITY	DESCRIPTION	STD. CTN.
1-MBS	2 1/2	16.5	<b>A one-gang masonry box, 2 1/2" deep x 3 3/4" long x 1 1/4" wide</b> Six 1/2" and two 3/4" concentric KOs. Two in each side and one in each end. Uses Steel City® 100 cover	10
2-MBS	2 1/2	33.0	<b>A two-gang masonry box, 2 1/2" deep x 3 3/4" long x 3 3/4" wide</b> Eight 1/2" and two 3/4" concentric KOs. Two in each side and two in each end. Uses Steel City® SB-2 cover	10
3-MBS	2 1/2	49.0	<b>A three-gang masonry box, 2 1/2" deep x 3 3/4" long x 5 1/2" wide</b> Ten 1/2" and 3/4" concentric KOs. Three in each side and two in each end. Uses Steel City® SB-3 cover	5
4-MBS	2 1/2	67.0	<b>A four-gang masonry box, 2 1/2" deep x 3 3/4" long x 7 3/4" wide</b> Twelve 1/2" and 3/4" concentric KOs. Four in each side and two in each end. Uses Steel City® SB-4 cover	5
MBPS	2 1/2	—	<b>Masonry Box Partition, 2 1/2" deep x 3 3/4" wide</b> A low-voltage partition drilled and tapped for mounting. Furnished with two 8/32 screws. For use with 2-MBS, 3-MBS or 4-MBS boxes	50

## Concrete/Masonry Boxes and Accessories


### Deep Masonry Boxes




1-MB




2-MB



3-MB



4-MB



MBP

CAT. NO.	DEPTH (IN.)	CU. IN. CAPACITY	DESCRIPTION	STD. CTN.
1-MB	3½	23.3	<b>One-Gang Masonry Box, 3½" deep x 3¼" long x 1½" wide</b> Eight ½" and ¾" concentric KOs. Two in each side and two in each end. Uses Steel City® 100 series covers	10
2-MB	3½	46.8	<b>Two-Gang Masonry Box, 3½" deep x 3¼" long x 3¼" wide</b> Twelve ½" and ¾" concentric KOs. Four in each of two sides and two in each end. Uses Steel City® SB-2 cover	10
3-MB	3½	69.5	<b>Three-Gang Box, 3½" deep x 3¼" long x 5½" wide</b> Sixteen ½" and ¾" concentric KOs. Six in each of two sides and two in each end. Uses Steel City® SB-3 cover	5
4-MB	3½	92.0	<b>Four-Gang Masonry Box, 3½" deep x 3¼" long x 7½" wide</b> Twenty ½" and ¾" concentric KOs. Eight in each of two sides and two in each end. Uses Steel City® SB-4 cover	5
MBP	3½	—	<b>Masonry Box Partition, 3½" deep x 3¼" wide</b> A low-voltage partition drilled and tapped for mounting. Furnished with two 8/32 screws. For use with 2-MB, 3-MB or 4-MB boxes	50

### 1" KO Masonry Box


CAT. NO.	LENGTH (IN.)	CU. IN. CAPACITY	1" KNOCKOUTS			STD. CTN.
			EA. SIDE	EA. END	BOTTOM	
<i>Non-Gangable Single Gang</i>						
GW 135 NG-1	1½	22	2	1	2	10

GW 135 NG-1



### Thru-Wall Boxes for Concrete Block


CAT. NO.	WIDTH (IN.)	HEIGHT (IN.)	DEPTH (IN.)	CU. IN. CAPACITY	KNOCKOUTS (IN.)		STD. CTN.
					EA. SIDE CONDUIT	EA. END CONDUIT	
<i>With Concentric Conduit KOs</i>							
CBTW 4	2½	3½	3½	24.0	(2) ½-¾	(1) ½-¾	10
CBTW 6	2½	3½	5½	38.0	(4) ½-¾	(2) ½-¾	10
CBTW 8	2½	3½	7½	52.3	(6) ½-¾	(3) ½-¾	10



CBTW 4



CBTW 6




CBTW 8

### Welded Thru Boxes

CAT. NO.	CU. IN. CAPACITY	DESCRIPTION	STD. CTN.
4-DWS	25.5	<b>3½" deep x 4" long x 2½" wide</b> One ½" KO and one ¾" KO both on top, one ½" KO bottom side and one ½" KO on side opposite two flat brackets*	25

\*Uses Steel City® and 100 series covers.



4-DWS

## Concrete/Masonry Boxes and Accessories

### Bars for Hanging Ceiling Boxes

CAT. NO.	LENGTH (IN.)	STD. CTN.
HBB 18	18	40
HBB-24	24	40
HBB-30	30	40




Two bars required for each box.

### Concrete Box Covers

CAT. NO.	DESCRIPTION	STD. CTN.
911	Flat — 4" octagon Two 1/2" KOs and two 3/4" KOs with 3/8" fixture stud*	25


*Fits any Steel City® concrete box.*



911

### Concrete Box Cover Plate

- Thread size: 3/8"-18 NPS



CBP

CBP 3/8

CAT. NO.	DESCRIPTION	STD. CTN.
CBP	No Stud; 3/2" and 2 3/4" KOs	25
CBP 3/8	With 3/8" fixture stud; 2 1/2" and 3/4" KOs	25

### Concrete Box Adapter




CBA

CAT. NO.	DESCRIPTION	STD. CTN.
CBA	For quick mounting and alignment of 4" octagon extension ring on concrete box or hung ceiling box	25


### 4" Octagon Concrete Boxes

CAT. NO.	DEPTH (IN.)	CU. IN. CAPACITY	KNOCKOUTS	STD. CTN.
<i>With Conduit KOs</i>				
54531 1/2 3/4	2	23.0	1/2" & 3/4" single row	25
54541 1/2 3/4	2 1/2	29.0	1/2" & 3/4" single row	25
54551 1/2 & 3/4	3	35.0	1/2" & 3/4" single row	20
54551-3/4 & 1	3	35.0	3/4" & 1" single row	20
54561 1/2	3 1/2	41.0	1/2" double row	20
54561-1/2 & 3/4	3 1/2	41.0	1/2" & 3/4" double row	20
54561-3/4 & 1	3 1/2	41.0	3/4" & 1" double row	20
54571 1/2 3/4	4	47.0	1/2" & 3/4" double row	10
54571-3/4 & 1	4	47.0	3/4" & 1" double row	10
54581 1/2 & 3/4	5	58.0	1/2" & 3/4" double row	10
54591 1/2 & 3/4	6	70.0	1/2" & 3/4" three rows	10



### 4" Octagon Hanging Ceiling Boxes

CAT. NO.	DEPTH (IN.)	CU. IN. CAPACITY	KNOCKOUTS	STD. CTN.
<i>With Conduit KOs</i>				
H-54561-1/2 & 3/4	3 1/2	41.0	1/2" & 3/4" double row	20
H-54561-3/4	3 1/2	41.0	3/4" double row	20



## Concrete/Masonry Boxes and Accessories

### Gangable Masonry Boxes




#### ECCENTRIC KNOCKOUTS 1/2" & 3/4"


CAT. NO.	DEPTH (IN.)	HEIGHT (IN.)	LENGTH (IN.)	CU. IN. CAPACITY	EA. SIDE	EA. END	STD. BOTTOM	STD. CTN.
<b>With Eccentric Conduit KOs</b>								
GW 125 G*	2 1/2	3 3/4	1 1/4	15.0	2	2	2	20
GW 225 G*	2 1/2	3 3/4	3 3/4	31.6	2	4	4	10
GW 325 G*	2 1/2	3 3/4	5 1/4	47.4	2	6	6	5
GW 425 G	2 1/2	3 3/4	7 1/4	64.0	2	8	8	5
GW 525 G	2 1/2	3 3/4	9 1/4	79.0	2	10	10	5
GW-625-G*	2 1/2	3 3/4	11	94.8	2	12	12	1
GW 135 G*	3 1/2	3 3/4	1 1/4	22.0	4	2	2	20
GW 235 G*	3 1/2	3 3/4	3 3/4	46.9	4	4	4	10
GW 335 G	3 1/2	3 3/4	5 1/4	71.0	4	6	6	10
GW 435 G*	3 1/2	3 3/4	7 1/4	93.5	4	8	8	5
GW-535-G	3 1/2	3 3/4	9 1/4	111.7	4	10	10	5
GW-635-G	3 1/2	3 3/4	11	134.0	4	12	12	1

\* Per NEC®, suitable for use without a bonding jumper in circuits above or below 250 volts.

† 4-, 5- and 6-gang supplied with partitions.



GW 135 G



GW 235 G


### Masonry Box Partitions



CAT. NO.	DESCRIPTION	STD. CTN.
PGW-25-G	Non-metallic partition for 2 1/2"-deep steel tile wall boxes	25
PGW-35-G	Non-metallic partition for 3 1/2"-deep steel tile wall boxes	25




PGW-25-G




PGW-35-G


### Shallow Masonry Boxes




1-MBS




2-MBS



3-MBS



4-MBS




MBPS

CAT. NO.	DEPTH (IN.)	CU. IN. CAPACITY	DESCRIPTION	STD. CTN.
1-MBS	2 1/2	16.5	<b>A one-gang masonry box, 2 1/2" deep x 3 3/4" long x 1 1/4" wide</b> Six 1/2" and two 3/4" concentric KOs. Two in each side and one in each end. Uses Steel City® 100 cover	10
2-MBS	2 1/2	33.0	<b>A two-gang masonry box, 2 1/2" deep x 3 3/4" long x 3 3/4" wide</b> Eight 1/2" and two 3/4" concentric KOs. Two in each side and two in each end. Uses Steel City® SB-2 cover	10
3-MBS	2 1/2	49.0	<b>A three-gang masonry box, 2 1/2" deep x 3 3/4" long x 5 1/2" wide</b> Ten 1/2" and 3/4" concentric KOs. Three in each side and two in each end. Uses Steel City® SB-3 cover	5
4-MBS	2 1/2	67.0	<b>A four-gang masonry box, 2 1/2" deep x 3 3/4" long x 7 3/4" wide</b> Twelve 1/2" and 3/4" concentric KOs. Four in each side and two in each end. Uses Steel City® SB-4 cover	5
MBPS	2 1/2	—	<b>Masonry Box Partition, 2 1/2" deep x 3 3/4" wide</b> A low-voltage partition drilled and tapped for mounting. Furnished with two 8/32 screws. For use with 2-MBS, 3-MBS or 4-MBS boxes	50

## Concrete/Masonry Boxes and Accessories

### Deep Masonry Boxes



CAT. NO.	DEPTH (IN.)	CU. IN. CAPACITY	DESCRIPTION	STD. CTN.
1-MB	3½	23.3	<b>One-Gang Masonry Box, 3½" deep x 3¼" long x 1½" wide</b> Eight ½" and ¾" concentric KOs. Two in each side and two in each end. Uses Steel City® 100 series covers	10
2-MB	3½	46.8	<b>Two-Gang Masonry Box, 3½" deep x 3¼" long x 3¼" wide</b> Twelve ½" and ¾" concentric KOs. Four in each of two sides and two in each end. Uses Steel City® SB-2 cover	10
3-MB	3½	69.5	<b>Three-Gang Box, 3½" deep x 3¼" long x 5½" wide</b> Sixteen ½" and ¾" concentric KOs. Six in each of two sides and two in each end. Uses Steel City® SB-3 cover	5
4-MB	3½	92.0	<b>Four-Gang Masonry Box, 3½" deep x 3¼" long x 7½" wide</b> Twenty ½" and ¾" concentric KOs. Eight in each of two sides and two in each end. Uses Steel City® SB-4 cover	5
MBP	3½	—	<b>Masonry Box Partition, 3½" deep x 3¼" wide</b> A low-voltage partition drilled and tapped for mounting. Furnished with two 8/32 screws. For use with 2-MB, 3-MB or 4-MB boxes	50

### 1" KO Masonry Box


CAT. NO.	LENGTH (IN.)	CU. IN. CAPACITY	1" KNOCKOUTS			STD. CTN.
			EA. SIDE	EA. END	BOTTOM	
<i>Non-Gangable Single Gang</i>						
GW 135 NG-1	1½	22	2	1	2	10

GW 135 NG-1



### Thru-Wall Boxes for Concrete Block

CAT. NO.	WIDTH (IN.)	HEIGHT (IN.)	DEPTH (IN.)	CU. IN. CAPACITY	KNOCKOUTS (IN.)		STD. CTN.
					EA. SIDE CONDUIT	EA. END CONDUIT	
<i>With Concentric Conduit KOs</i>							
CBTW 4	2½	3½	3½	24.0	(2) ½-¾	(1) ½-¾	10
CBTW 6	2½	3½	5½	38.0	(4) ½-¾	(2) ½-¾	10
CBTW 8	2½	3½	7½	52.3	(6) ½-¾	(3) ½-¾	10



### Welded Thru Boxes

CAT. NO.	CU. IN. CAPACITY	DESCRIPTION	STD. CTN.
4-DWS	25.5	<b>3½" deep x 4" long x 2½" wide</b> One ½" KO and one ¾" KO both on top, one ½" KO bottom side and one ½" KO on side opposite two flat brackets*	25

\*Uses Steel City® and 100 series covers.

