Eaton CDR3033

Catalog Number: CDR3033

Eaton Crouse-Hinds series PowerMate CDR receptacle, 30A, Three-wire, three-pole, Style 1, Copper-free aluminum, 600 Vac/250 Vdc



General specifications

Product Name	Catalog Number
i ioduct ivallic	Catalog Number

Eaton Crouse-Hinds series PowerMate CDR3033

CDR receptacle

UPC

662276277038

Product Length/Depth Product Height

2.88 in 3.38 in

Product Width Product Weight

3.38 in 2.2 lb

Photo is representative



Certifications and compliances

Area classification

Ordinary/Non-Hazardous Locations

Standards type

NEC/CEC

NEMA Rating

4X

Product specifications

Amperage Rating

30A

Grounding type

Style 1

Configuration

Three-wire, three-pole

Voltage rating

600 Vac/250 Vdc

Material

Copper-free aluminum

Resources

3D CAD drawing package

Eaton Crouse-Hinds CDR3033 3D drawing

Brochures

PowerMate Drilling Pin and Sleeve Devices brochure

Catalogs

PowerMate Drilling Pin and Sleeve Devices catalog page

Certification reports

PowerMate Drilling Pin and Sleeve Devices UL certification (Receptacles)

Installation instructions

IF 1834 - PowerMate Pin and Sleeve Devices with Nested Bushing

IF 1632 - 30, 60, 100 and 150A PowerMate Pin and Sleeve Devices

Specifications and datasheets

Eaton Specification Sheet - CDR3033

PowerMate Connectors



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia

Eaton CDR3033

Catalog Number: CDR3033

Eaton Crouse-Hinds series PowerMate CDR receptacle, 30A, Three-wire, three-pole, Style 1, Copper-free aluminum, 600 Vac/250 Vdc



General specifications

Product Name	Catalog Number
i ioduct ivallic	Catalog Number

Eaton Crouse-Hinds series PowerMate CDR3033

CDR receptacle

UPC

662276277038

Product Length/Depth Product Height

2.88 in 3.38 in

Product Width Product Weight

3.38 in 2.2 lb

Photo is representative



Certifications and compliances

Area classification

Ordinary/Non-Hazardous Locations

Standards type

NEC/CEC

NEMA Rating

4X

Product specifications

Amperage Rating

30A

Grounding type

Style 1

Configuration

Three-wire, three-pole

Voltage rating

600 Vac/250 Vdc

Material

Copper-free aluminum

Resources

3D CAD drawing package

Eaton Crouse-Hinds CDR3033 3D drawing

Brochures

PowerMate Drilling Pin and Sleeve Devices brochure

Catalogs

PowerMate Drilling Pin and Sleeve Devices catalog page

Certification reports

PowerMate Drilling Pin and Sleeve Devices UL certification (Receptacles)

Installation instructions

IF 1834 - PowerMate Pin and Sleeve Devices with Nested Bushing

IF 1632 - 30, 60, 100 and 150A PowerMate Pin and Sleeve Devices

Specifications and datasheets

Eaton Specification Sheet - CDR3033

PowerMate Connectors



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia