Eaton CH30B100R

Catalog Number: CH30B100R

Eaton CH main breaker loadcenters, Standard, Main breaker, 100 A,D,Copper, NEMA 3R, Metallic, 10 kAIC, CH, 30, 30, Three-wire, Single-phase, #6-1/0 AWG, Overhead, 120/240 V

General specifications



Eaton CH main breaker loadcenter

UPC

782113097824

Product Height

5.19 in

Product Weight

15 lb

Certifications

UL 67

UL 50

Catalog Number

CH30B100R

Product Length/Depth

29.13 in

Product Width

14.31 in

Warranty

Limited lifetime


Catalog Notes

Furnished with tub hub closure plates for

rainproof hubs, refer to page 3-22.

Loadcenter contains single

insulated/bondable neutral.





Product specifications

Special features

Standard

Type

Main breaker

Amperage Rating

100 A

Bus material

Copper

Main circuit breaker

СН

Number of circuits

30

Number of spaces

30

Phase

Single-phase

Wire size

#6-1/0 AWG

Feed type

Overhead

Voltage rating

120/240 V

Box size

D

Enclosure

NEMA 3R

Enclosure material

Metallic

Interrupt rating

10 kAIC

Number of wires

3

Resources

Catalogs

Residential and Light Commercial, Load centers and Circuit Breakers,

Volume 1 Tab 1

Multimedia

AFCI Educational Video

Specifications and datasheets

Eaton Specification Sheet - CH30B100R

Warranty guides

Eaton type CH circuit breaker limited warranty June 2024



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia

Eaton CH30B100R

Catalog Number: CH30B100R

Eaton CH main breaker loadcenters, Standard, Main breaker, 100 A,D,Copper, NEMA 3R, Metallic, 10 kAIC, CH, 30, 30, Three-wire, Single-phase, #6-1/0 AWG, Overhead, 120/240 V

General specifications



Eaton CH main breaker loadcenter

UPC

782113097824

Product Height

5.19 in

Product Weight

15 lb

Certifications

UL 67

UL 50

Catalog Number

CH30B100R

Product Length/Depth

29.13 in

Product Width

14.31 in

Warranty

Limited lifetime


Catalog Notes

Furnished with tub hub closure plates for

rainproof hubs, refer to page 3-22.

Loadcenter contains single

insulated/bondable neutral.





Product specifications

Special features

Standard

Type

Main breaker

Amperage Rating

100 A

Bus material

Copper

Main circuit breaker

СН

Number of circuits

30

Number of spaces

30

Phase

Single-phase

Wire size

#6-1/0 AWG

Feed type

Overhead

Voltage rating

120/240 V

Box size

D

Enclosure

NEMA 3R

Enclosure material

Metallic

Interrupt rating

10 kAIC

Number of wires

3

Resources

Catalogs

Residential and Light Commercial, Load centers and Circuit Breakers,

Volume 1 Tab 1

Multimedia

AFCI Educational Video

Specifications and datasheets

Eaton Specification Sheet - CH30B100R

Warranty guides

Eaton type CH circuit breaker limited warranty June 2024



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2025 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia