


ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





Product Type

CHP32B150X6 CH Pon Loadcntr 150A Main BRKR 32 Spaces

Soon Eaton Corp	
Catalog Number	CHP32B150X6
Manufacturer	Eaton Corp
Description	Eaton CH Main Breaker Loadcenters, Main Breaker, 150 A, X6, Copper, X6, Nema 1, Metallic, 25 Kaic, CSR, 64, Single-Pole, 32, Two Hots, A Neutral and A Ground, Single-Phase, #2-300 Kcmil, 120/240 V
Weight per unit	20.9 (lbs/each)
Product Category	Single Phase Main Breaker Load
Features	
amperage rating	150
Cover Type	V/
dimensions	34.1300 IN X 14.3100 IN X 3.8800 IN
interrupt rating	25
media	Yes
number of spaces	32
Phase	1
Voltage Rating	120/240 V
Wattage	Single-pole
Dimensions and Weight	
Depth	34.13
Height	3.88
Size	X6
Width	14.31
Descriptions	
Description	CH PON LOADCNTR 150A MAIN BRKR 32 SPACES
extra long description	ETN CHP32B150X6 CH PON LC, 150A, MB
Features	Eaton's CH 3/4-inch loadcenters enclose CH circuit breakers for power distribution and circuit protection in residential and light commercial applications. Also called a breaker box, electrical box or even a fuse box, the main function is to take electricity supplied by the utility and distribute it throughout the home to feed lights and receptacles. Covers are typically packaged separately and available as surface or flush mount.
Long Description	Eaton CH main breaker loadcenters, Main breaker, 150 A, X6, Copper, X6, NEMA 1, Metallic, 25 kAIC, CSR, 64, Single-pole, 32, Two hots, a neutral and a

ground, Single-phase, #2-300 kcmil, 120/240 V

CH Pon LC, 150A, MB, 32SP



ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Brand	Eaton	
GTIN	00786689055165	
Manufacturers Part Number	CHP32B150X6	
UPC	786689055165	

Taxonomies, Classifications, and Categories

Category Description	LOADCENTERS & COVERS
Туре	Main breaker loadcenter

Packaging

onagnig	
Carton	1
Weight Per each	20.9

Uses, Certifications, and Standards

Application	Residential Bldgs & Facilities - Residential Bldgs & Facilities -
	Other
standard	UL 50,UL 67