

## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



## DG325NGK 400A/3P GD Fusible Safety Switch W/Neut 240V Nema1 Eaton Corp

Catalog Number	DG325NGK
Manufacturer	Eaton Corp
Description	Eaton General Duty Cartridge Fuse Safety Switch, 400 A, Nema
	Painted Steel, Class H Fuses, Fusible With Neutral, Three-Pole,
	Four-Wire, Category: General Duty Safety Switch, 240 V
Weight per unit	110.0 (lbs/each)
Product Category	Fusible General Duty Safety SW
eatures	
120/208/240v	400A
amperage rating	400
dimensions	7.2700 IN X 23.0800 IN X 44.7400 IN
Material	Painted Steel
media	Yes
Poles	
Voltage Rating	240V
Dimensions and Weight	
Depth	7.27
Height	44.74
Width	23.08
Descriptions	
Description	400A/3P GD FUSIBLE SAFETY SWITCH W/NEUT 240V NEMA1
extra long description	ETN DG325NGK 400A/3P GD FSBL Sfty S
Features	General duty safety switches are used in residential and
	commercial applications. They are suitable for light duty motor
	circuits and service entrance applications. Fusible (plug or
	cartidge) and non-fusible switches are available.
Long Description	Eaton General duty cartridge fuse safety switch, 400 A, NEMA 1
	Painted steel, Class H fuses, Fusible with neutral, Three-pole,
	Four-wire, Category: general duty safety switch, 240 V
Product Type	400A/3P GD FSBL Sfty SW W/Neut 240V N1
lanufacturer Information	
Brand	EATON CUTLER-HAMMER
GTIN	00782113639208
Manufacturers Part Number	DG325NGK
UPC	782113639208
axonomies, Classifications, and (	
ç ç	
Туре	Califiuge fuse safety switch



## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging Carton	
Weight Per each	110
Uses, Certifications, and Standards	
Application	Elec Assemblies, Panels & EOEM - Electrical Assemblies, Panels and EOEMsCommercial / Institutional Buildings / Structures - Power Distribution and Controls
standard	UL Listed, NEC 230.62 (C) Compliant Barrier