

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



DH261UGK 30A/2P HD NF Safety Switch 600V Nema 1 *Eaton Corp*

Catalog Number	DH261UGK
Manufacturer	Eaton Corp
Description	Eaton Heavy Duty Single-Throw Non-Fused Safety Switch, Single-Throw, 30 A, Nema 1, Painted Steel, Non-Fusible, Two-Pole, Two-Wire, 3 At 240 Vac TD 1 PH, 7.5 At 480 Vac TD 1 PH, 10 At 600 Vac TD 1 PH, 15 At 600 VDC
Weight per unit	17.0 (lbs/each)
Product Category	Non-Fusible Heavy Duty Safety
eatures	
amperage rating	30A
dimensions	9.8900 IN X 8.8100 IN X 15.8100 IN
Material	Painted Steel
media	Yes
Poles	Two-pole
Voltage Rating	600 V
imensions and Weight	
Depth	9.8900
Height	15.8100
Width	8.8100
escriptions	
Description	30A/2P HD NF SAFETY SWITCH 600V NEMA 1
extra long description	ETN DH261UGK 30A/2P HD NF Sfty Sw 6
Features	Eaton's heavy-duty safety switches provide a highly visible mea
	of disconnect to help improve personnel safety and equipment
	protection. Additionally, they're Ideal for applications where
	reliable performance, safety, and service continuity are critical.
Long Description	Eaton Heavy duty single-throw non-fused safety switch,
	Single-throw, 30 A, NEMA 1, Painted steel, Non-Fusible,
	Two-pole, Two-wire, 3 at 240 Vac TD 1 Ph, 7.5 at 480 Vac TD 1
Product Type	Ph, 10 at 600 Vac TD 1 Ph, 15 at 600 Vdc 30A/2P HD NF Sfty SW 600V N1
Product Type	SOM/ ZF FID INF SITY SW DOOV IN I
lanufacturer Information	FATONI CLITLED HANANAED
Brand	EATON CUTLER-HAMMER
GTIN Manufacturara Dart Number	00782113205472
Manufacturers Part Number	DH261UGK
UPC	782113205472



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, ar	nd Categories
Category Description	DISCONNECTS
Туре	Non-Fusible Safety Switch
Packaging	
Carton	1
Weight Per each	17
Uses, Certifications, and Stand	ards
Application	Commercial / Institutional Buildings / Structures - Power
	Distribution and Controls
nema rating	NEMA 1

UL Listed,NEC 230.62 (C) Compliant Barrier