

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



DH321NGK 30A/3P HD Fusible Safety Switch W/Neut 240V Nema 1 *Eaton Corp*

Catalog Number	DH321NGK	
Manufacturer	Eaton Corp	
Description	Eaton Heavy Duty Single-Throw Fused Safety Switch, 30 A, Nema 1, Painted Steel, Class H, Fusible, Neutral, Three-Pole, Four-Wire, 240 V, Max HP: 1.5, 3/3, 7.5/5 HP (1, 3PH @STD/TD, 250 VDC), #14-#2 Cu/Al	
Weight per unit	17.0 (lbs/each)	
Product Category	Fusible Heavy Duty Safety Swit	
Features		
amperage rating	30	
dimensions	16.5000 IN X 9.5000 IN X 16.0000 IN	
Material	Painted Steel	
media	Yes	
Poles	3	
Voltage Rating	240V	
Dimensions and Weight		
Depth	16.5	
Height	16	
Width	9.5	
Descriptions		
Description	30A/3P HD FUSIBLE SAFETY SWITCH W/NEUT 240V NEMA 1	
extra long description	ETN DH321NGK 30A/3P HD Fusible Sfty	
Features	Eaton's heavy-duty safety switches provide a highly visible means of disconnect to help improve personnel safety and equipment protection. Additionally, they're Ideal for applications where reliable performance, safety, and service continuity are critical.	
Long Description	Eaton Heavy duty single-throw fused safety switch, 30 A, NEMA 1, Painted steel, Class H, Fusible, Neutral, Three-pole, Four-wire, 240 V, Max Hp: 1.5, 3/3, 7.5/5 hp (1,3PH @Std/TD, 250 Vdc), #14-#2 Cu/Al	
Product Type	30A/3P HD Fusible Sfty SW W/Neut 240V N1	
Manufacturer Information		
Brand	EATON CUTLER-HAMMER	
GTIN	00782113208503	
Manufacturers Part Number	DH321NGK	
UPC	782113208503	



standard

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies,	Classifications,	and Categories
-------------	------------------	----------------

Category Description	DISCONNECTS
Туре	Fusible safety switch
Packaging	
Carton	1
Weight Per each	17
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Power
	Distribution and Controls
nema rating	1

UL Listed, NEC 230.62 (C) Compliant Barrier