

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

700 Industry Way Suite 10 75078-0000, TX Prosper Phone: 469-899-3981 Fax: 469-899-3982



DSD918 PB CNTRL Sta 1 CKT Crouse-Hinds

Catalog Number	DSD918
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series DSD Front Operated Pushbutton Cove and Device Sub-Assembly, 10A, Black, Feraloy Iron Alloy, 1 Circui Universal, 1 Button, 600 Vac
Weight per unit	
Product Category	
atures	
amperage rating	10
dimensions	
Voltage Rating	600 VAC
scriptions	
Description	PB CNTRL STA 1 CKT
extra long description	CRS-H DSD918 DSD COVER AND DEVICE S
Features	New DSDX series available with NEMA 4X protection for Class I, Division 2 hazardous areas.Crouse-Hinds series DSD and DSDX explosionproof cover and device sub-assemblies are for use with our EDS/EDSC back boxes and EDSCM modular multi-gang device bodies. DSD/DSDX covers are available with a wide variety of devices and configurations, including manual motor starters, front operated pushbuttons, general use snap switches, side operated pushbuttons, selector switches and pilot lights. Certified for use in Cl
Long Description	Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly, 10A, Black, Feraloy iron alloy, 1 circuit universal, 1 button, 600 Vac
Product Type	DSD Cover and Device Sub Assemblies
Special Features	Number of Cover Button 1, Normal Position (1) Circuit Universal, Contact Configuration 1 No-1 Nc, Material Feraloy Iron Alloy
anufacturer Information	
Brand	Eaton
GTIN	00782274776057
Manufacturers Part Number	DSD918
Model	Front operated pushbutton cover and device sub-assembly
UPC	782274776057

Taxonomies, Classifications, and Categories

	-	
	STANDARD DUTY PUSHBUTTONS (10250H-)	
Category Description		
h h h h h h h h h h h h h h h h h h h	······································	



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

700 Industry Way Suite 10 75078-0000, TX Prosper Phone: 469-899-3981 Fax: 469-899-3982

D	
Pack	aging
I UCK	uyiniy

гаскаушу	
Carton	1
Weight Per each	3.55
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Facility: Power Distribution and Control
Enclosure	Class I Div 1 2 Group B C D, Class II Div 1 Group E F G, Class II Div 2
	Group F G, Class III, NEMA 3/7B/7C/7D/9E/9F/9G
standard	UL 1203, CSA C22,2