



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

800 Old Boston Road
75501-0000, TX Texarkana
Phone: 903-223-6400
Fax: 903-223-6700



EBMBB 10-150A Ebmb AI CKT BRKR Encl *Crouse-Hinds*

Catalog Number	EBMBB
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Ebmb Circuit Breaker Enclosure, 10A Through 150A, Without Circuit Breaker, Bolted/Ground Joint/Gasketed Cover Construction, Copper-Free Aluminum
Weight per unit	154.0 (lbs/each)
Product Category	3 Pole Circuit Breaker Enclosure

Features

dimensions	10.2500 IN X 14.7800 IN X 26.9000 IN
Material	Copper-Free Aluminum

Descriptions

Construction	Explosionproof, Dust-Ignitionproof, Raintight, Watertight
Description	10-150A EBMB AL CKT BRKR ENCL
extra long description	CRS-H EBMBB CKT-BKR ENCL 100A FRM 2
Features	Crouse-Hinds series EBMB hinged cover motor control enclosures are used in damp, wet, dirty, dusty hazardous locations without the need for a protective shelter. EBMBs provide line disconnect means and short circuit protection. Used for service entrance, feeder or branch circuit protection for lighting, heating, appliance and motor circuits.
Long Description	Eaton Crouse-Hinds series EBMB circuit breaker enclosure, 10A through 150A, Without circuit breaker, Bolted/ground joint/gasketed cover construction, Copper-free aluminum
Product Type	CKT-BKR Encl 100A FRM 240V W/Out CKT-BKR
Special Features	Current Rating 10 To 150 Amp, Voltage Rating 240 To 600 Vac, 125 To 250 Vdc

Manufacturer Information

Brand	Eaton
GTIN	00782274778266
Manufacturers Part Number	EBMBB
UPC	782274778266

Taxonomies, Classifications, and Categories

Category Description	Loadcenter Plug In Breakers and Accessories
Type	Circuit Breaker Enclosure

Packaging

Carton	1
Weight Per each	154



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

800 Old Boston Road
75501-0000, TX Texarkana
Phone: 903-223-6400
Fax: 903-223-6700

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Facility: Power Distribution and Control
standard	UL 1203, CSA C22.2