

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

-	2	1000	3	ė.	-
	8	12.1		я.	
	-	-	-	~	

ECLK312 1 X 12 Div 1 Flex CPLG Male-Female Crouse-Hinds

Catalog Number	ECLK312	
Manufacturer	Crouse-Hinds	
Description	Eaton Crouse-Hinds Series Eclk Coupling, 12" Flexible Length, Male Connection One End, Female Connection One End, Forged Brass, 1" Trade Size	
Weight per unit	4.1 (lbs/each)	
Product Category	Rigid Conduit Fittings - Steel	
atures		
connection	Female Union X Male Threaded	
dimensions	17.0000 IN X 2.1300 IN X 2.1300 IN	
outside diameter	2-1/8	
mensions and Weight		
Length	12	
escriptions		
Description	1 X 12 DIV 1 FLEX CPLG MALE-FEMALE	
extra long description	CRS-H ECLK312 1 X 12 DIV 1 FLEX CPL	
Features	Crouse-Hinds series EC explosionproof couplings are used in hazardous areas where a flexible member is required in a condu system to accomplish difficult bends, or to allow for movement or vibration of connected equipment or units.	
Long Description	Eaton Crouse-Hinds series ECLK coupling, 12" flexible length, Male connection one end, female connection one end, Forged brass, 1" trade size	
Product Type	1 X 12 Div 1 Flex CPLG Male-Female	
Special Features	Liquidtight	
anufacturer Information		
Brand	Eaton	
GTIN	00782274261607	
Manufacturers Part Number	ECLK312	
UPC	782274261607	
axonomies, Classifications, and (Categories	
	COUPLINGS, ADAPTERS, REDUCERS, BUSHINGS, & CAPS	
Туре		
ade Size		
Trade Size	1 in	



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

D I		· · · · · ·
Dack	nev	ind
гаск	۱au	II IU
Pack		

i ackaying	
Carton	1
Weight Per each	4.05
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Enclosure	Class I Div 1 Group A B C D, Class II Div I Group E F G, Class III
standard	UL 1203