

May 1, 2000  
Supersedes all previous



**E.M.T. Standard and Special Radius Elbows\***

**Galvanized E.M.T. 90°-45° Elbows**

NOTE: Weights shown are approximate for 90° elbows. To arrive at weights for 60° elbows deduct 10%, for 45° elbows deduct 15% and for 30° elbows deduct 20%.

| Size | List Price per 100 Pieces | 90°    | 45°    | 60°    | 30°    | Carton Quantity | Approx. Weight per 100 Pieces (lbs) |
|------|---------------------------|--------|--------|--------|--------|-----------------|-------------------------------------|
| ½"   | 198.84                    | 02021▲ | 02031■ | 02041■ | 02051■ | 50              | 28                                  |
| ¾"   | 200.13                    | 02022▲ | 02032■ | 02042■ | 02052■ | 50              | 46                                  |
| 1"   | 261.47                    | 02023▲ | 02033▲ | 02043■ | 02053■ | 25              | 86                                  |
| 1½"  | 378.10                    | 02024▲ | 02034▲ | 02044■ | 02054■ | 25              | 148                                 |
| 1½"  | 493.17                    | 02025▲ | 02035▲ | 02045■ | 02055■ | 20              | 198                                 |
| 2"   | 752.53                    | 02026▲ | 02036▲ | 02046■ | 02056■ | 10              | 286                                 |
| 2½"  | 1832.22                   | 02027▲ | 02037▲ | 02047■ | 02057■ | Bulk            | 536                                 |
| 3"   | 2731.81                   | 02028▲ | 02038▲ | 02048■ | 02058■ | Bulk            | 720                                 |
| 3½"  | 3661.51                   | 02029▲ | 02039■ | 02049■ | 02059■ | Bulk            | 1080                                |
| 4"   | 4307.69                   | 02030▲ | 02040▲ | 02050■ | 02060■ | Bulk            | 1333                                |

PREFIX: EMTELB (SIZE) (DEGREE)

**E.M.T. Special Radius Elbows\***

All E.M.T. Special Radius Elbows are NON-CANCELABLE and NON-RETURNABLE

| Size | List Price Each | 15" Radius |        |     |     | App. Wt. (lbs.) | Size               | List Price Each | 18" Radius  |        |     |     | App. Wt. (lbs.) |
|------|-----------------|------------|--------|-----|-----|-----------------|--------------------|-----------------|-------------|--------|-----|-----|-----------------|
|      |                 | 90°        | 45°    | 60° | 30° |                 |                    |                 | 90°         | 45°    | 60° | 30° |                 |
| 1½"  | 31.55           | 02206●     | ●      |     |     | 4               | 1½"                | 33.99           | 02131●      | ●      | ●   | ●   | 4               |
| 2"   | 52.60           | 02207●     | ●      |     |     |                 | 2"                 | 40.09           | 02132●      | ●      | ●   | ●   | 6               |
| 2½"  |                 |            |        |     |     |                 | 2½"                | 61.21           | 02133●      | ●      | ●   | ●   |                 |
|      |                 |            |        |     |     |                 | 3"                 |                 |             |        |     |     |                 |
|      |                 |            |        |     |     |                 | 3½"                | 96.58           | 02134●      | ●      | ●   | ●   |                 |
| Size | List Price Each | 24" Radius |        |     |     | App. Wt. (lbs.) | Size               | List Price Each | 30" Radius  |        |     |     | App. Wt. (lbs.) |
|      |                 | 90°        | 45°    | 60° | 30° |                 |                    |                 | 90°         | 45°    | 60° | 30° |                 |
| 1½"  | 34.06           | 02092●     | ●      | ●   | ●   | 5               | 1½"                |                 |             |        |     |     |                 |
| 1½"  | 44.83           | 02093●     | ●      | ●   | ●   | 5               | 1½"                |                 |             |        |     |     |                 |
| 2"   | 49.13           | 02094●     | 02209● | ●   | ●   | 7               | 2"                 | 57.74           | 02102●      | 02210● | ●   | ●   | 8               |
| 2½"  | 72.74           | 02095●     | 02095● | ●   | ●   | 11              | 2½"                |                 |             |        |     |     |                 |
| 3"   | 86.73           | 02096●     | ●      | ●   | ●   | 13              | 3"                 | 102.03          | 02104●      | ●      | ●   | ●   | 14              |
| 3½"  | 127.15          | 02097●     | ●      | ●   | ●   |                 | 3½"                | 158.95          | 02105●      | ●      | ●   | ●   | 19              |
| 4"   | 135.10          | 02098●     | ●      | ●   | ●   | 17              | 4"                 | 152.75          | 02106●      | ●      | ●   | ●   | 21              |
| Size | List Price Each | 36" Radius |        |     |     | App. Wt. (lbs.) | Size               | List Price Each | 42" Radius  |        |     |     | App. Wt. (lbs.) |
|      |                 | 90°        | 45°    | 60° | 30° |                 |                    |                 | 90°         | 45°    | 60° | 30° |                 |
| 1½"  |                 |            |        |     |     |                 | 1½"                |                 |             |        |     |     |                 |
| 1½"  | 55.64           | 02109●     | ●      | ●   | ●   | 7               | 1½"                |                 |             |        |     |     |                 |
| 2"   | 66.42           | 02110▲     | ●      | ●   | ●   | 9               | 2"                 |                 |             |        |     |     |                 |
| 2½"  | 90.93           | 02111■     | ●      | ●   | ●   | 13              | 2½"                |                 |             |        |     |     |                 |
| 3"   | 119.73          | 02112●     | ●      | ●   | ●   | 16              | 3"                 |                 |             |        |     |     |                 |
| 3½"  | 166.09          | 02113●     | ●      | ●   | ●   | 22              | 3½"                |                 |             |        |     |     |                 |
| 4"   | 166.74          | 02114▲     | 02212● | ●   | ●   | 24              | 4"                 | 203.87          | 02122●      | 02213● | ●   | ●   | 28              |
| Size | List Price Each | 48" Radius |        |     |     | App. Wt. (lbs.) | Availability Codes |                 |             |        |     |     |                 |
|      |                 | 90°        | 45°    | 60° | 30° |                 | Stock = ▲          | 5 Days = ■      | 10 Days = ● |        |     |     |                 |
| 1½"  |                 |            |        |     |     |                 |                    |                 |             |        |     |     |                 |
| 1½"  | 68.80           | 23222●     | ●      | ●   | ●   | 9               |                    |                 |             |        |     |     |                 |
| 2"   | 83.43           | 02126●     | ●      | ●   | ●   | 12              |                    |                 |             |        |     |     |                 |
| 2½"  |                 |            |        |     |     |                 |                    |                 |             |        |     |     |                 |
| 3"   | 150.21          | 02128●     | ●      | ●   | ●   | 21              |                    |                 |             |        |     |     |                 |
| 3½"  | 209.20          | 02129●     | ●      | ●   | ●   | 28              |                    |                 |             |        |     |     |                 |
| 4"   | 232.49          | 02130▲     | 02214● | ●   | ●   | 31              |                    |                 |             |        |     |     |                 |

PREFIX: EMTELB (SIZE)(DEGREE)(RADIUS)

\*UL Listed & Labeled  
Reference page 14 for approximate dimensions.

\*Note: All EMT can be made to the same dimensions as Rigid - Call the factory

Products on this page without UPC codes are currently being assigned UPC identification by NEMA. Information was not available at this time for printing.



# ECN KORN'S

## ROBROY INDUSTRIES

---

### ELBOWS

- Galvanized
- EMT
- IMC
- Aluminum

### COUPLINGS

- Galvanized
- Aluminum

### CLAMPS

The Original  
"KORN'S CLAMP"

- Right Angle (RA)  
Conduit Supports
- Edge Type (ET)  
Conduit Supports
- J-Clamps
- One Hole Straps
- Clampback Spacers
- U-Bolts
- SS Hardware
- Parallels (PAR)
- Beam Clamps

### NIPPLES

- Galvanized
- Aluminum

**MANUFACTURERS UPC #784011**

Price List  
Catalog F-162

Effective May 1, 2000  
Supercedes all previous

Revised: 3-22-2001

Dimensional and Material Specifications where applicable:  
Underwriters' Laboratories No. 6 A.N.S.I. C80.1, Fed. Specs. WW-C-581e

May 1, 2000  
Supersedes all previous



**E.M.T. Standard and Special Radius Elbows\***

**Galvanized E.M.T. 90°-45° Elbows**

NOTE: Weights shown are approximate for 90° elbows. To arrive at weights for 60° elbows deduct 10%, for 45° elbows deduct 15% and for 30° elbows deduct 20%.

| Size | List Price per 100 Pieces | 90°    | 45°    | 60°    | 30°    | Carton Quantity | Approx. Weight per 100 Pieces (lbs) |
|------|---------------------------|--------|--------|--------|--------|-----------------|-------------------------------------|
| ½"   | 198.84                    | 02021▲ | 02031■ | 02041■ | 02051■ | 50              | 28                                  |
| ¾"   | 200.13                    | 02022▲ | 02032■ | 02042■ | 02052■ | 50              | 46                                  |
| 1"   | 261.47                    | 02023▲ | 02033▲ | 02043■ | 02053■ | 25              | 86                                  |
| 1½"  | 378.10                    | 02024▲ | 02034▲ | 02044■ | 02054■ | 25              | 148                                 |
| 1½"  | 493.17                    | 02025▲ | 02035▲ | 02045■ | 02055■ | 20              | 198                                 |
| 2"   | 752.53                    | 02026▲ | 02036▲ | 02046■ | 02056■ | 10              | 286                                 |
| 2½"  | 1832.22                   | 02027▲ | 02037▲ | 02047■ | 02057■ | Bulk            | 536                                 |
| 3"   | 2731.81                   | 02028▲ | 02038▲ | 02048■ | 02058■ | Bulk            | 720                                 |
| 3½"  | 3661.51                   | 02029▲ | 02039■ | 02049■ | 02059■ | Bulk            | 1080                                |
| 4"   | 4307.69                   | 02030▲ | 02040▲ | 02050■ | 02060■ | Bulk            | 1333                                |

PREFIX: EMTELB (SIZE) (DEGREE)

**E.M.T. Special Radius Elbows\***

All E.M.T. Special Radius Elbows are **NON-CANCELABLE** and **NON-RETURNABLE**

| Size | List Price Each | 15" Radius |        |     |     | App. Wt. (lbs.) | Size                                  | List Price Each | 18" Radius |        |     |     | App. Wt. (lbs.) |
|------|-----------------|------------|--------|-----|-----|-----------------|---------------------------------------|-----------------|------------|--------|-----|-----|-----------------|
|      |                 | 90°        | 45°    | 60° | 30° |                 |                                       |                 | 90°        | 45°    | 60° | 30° |                 |
| 1½"  |                 |            |        |     |     | 1½"             |                                       |                 |            |        |     |     |                 |
| 1½"  | 31.55           | 02206●     | ●      |     |     | 4               | 1½"                                   | 33.99           | 02131●     | ●      | ●   | ●   | 4               |
| 2"   |                 |            |        |     |     |                 | 2"                                    | 40.09           | 02132●     | ●      | ●   | ●   | 6               |
| 2½"  | 52.60           | 02207●     | ●      |     |     |                 | 2½"                                   | 61.21           | 02133●     | ●      | ●   | ●   |                 |
|      |                 |            |        |     |     |                 | 3"                                    |                 |            |        |     |     |                 |
|      |                 |            |        |     |     |                 | 3½"                                   | 96.58           | 02134●     | ●      | ●   | ●   |                 |
| Size | List Price Each | 24" Radius |        |     |     | App. Wt. (lbs.) | Size                                  | List Price Each | 30" Radius |        |     |     | App. Wt. (lbs.) |
|      |                 | 90°        | 45°    | 60° | 30° |                 |                                       |                 | 90°        | 45°    | 60° | 30° |                 |
| 1½"  | 34.06           | 02092●     | ●      | ●   | ●   | 5               | 1½"                                   |                 |            |        |     |     |                 |
| 1½"  | 44.83           | 02093●     | ●      | ●   | ●   | 5               | 1½"                                   |                 |            |        |     |     |                 |
| 2"   | 49.13           | 02094●     | 02209● | ●   | ●   | 7               | 2"                                    | 57.74           | 02102●     | 02210● | ●   | ●   | 8               |
| 2½"  | 72.74           | 02095●     | 02095● | ●   | ●   | 11              | 2½"                                   |                 |            |        |     |     |                 |
| 3"   | 86.73           | 02096●     | ●      | ●   | ●   | 13              | 3"                                    | 102.03          | 02104●     | ●      | ●   | ●   | 14              |
| 3½"  | 127.15          | 02097●     | ●      | ●   | ●   |                 | 3½"                                   | 158.95          | 02105●     | ●      | ●   | ●   | 19              |
| 4"   | 135.10          | 02098●     | ●      | ●   | ●   | 17              | 4"                                    | 152.75          | 02106●     | ●      | ●   | ●   | 21              |
| Size | List Price Each | 36" Radius |        |     |     | App. Wt. (lbs.) | Size                                  | List Price Each | 42" Radius |        |     |     | App. Wt. (lbs.) |
|      |                 | 90°        | 45°    | 60° | 30° |                 |                                       |                 | 90°        | 45°    | 60° | 30° |                 |
| 1½"  |                 |            |        |     |     |                 | 1½"                                   |                 |            |        |     |     |                 |
| 1½"  | 55.64           | 02109●     | ●      | ●   | ●   | 7               | 1½"                                   |                 |            |        |     |     |                 |
| 2"   | 66.42           | 02110▲     | ●      | ●   | ●   | 9               | 2"                                    |                 |            |        |     |     |                 |
| 2½"  | 90.93           | 02111■     | ●      | ●   | ●   | 13              | 2½"                                   |                 |            |        |     |     |                 |
| 3"   | 119.73          | 02112●     | ●      | ●   | ●   | 16              | 3"                                    |                 |            |        |     |     |                 |
| 3½"  | 166.09          | 02113●     | ●      | ●   | ●   | 22              | 3½"                                   |                 |            |        |     |     |                 |
| 4"   | 166.74          | 02114▲     | 02212● | ●   | ●   | 24              | 4"                                    | 203.87          | 02122●     | 02213● | ●   | ●   | 28              |
| Size | List Price Each | 48" Radius |        |     |     | App. Wt. (lbs.) | PREFIX: EMTELB (SIZE)(DEGREE)(RADIUS) |                 |            |        |     |     |                 |
|      |                 | 90°        | 45°    | 60° | 30° |                 | Availability Codes                    |                 |            |        |     |     |                 |
| 1½"  |                 |            |        |     |     |                 | Stock = ▲                             |                 |            |        |     |     |                 |
| 1½"  | 68.80           | 23222●     | ●      | ●   | ●   | 9               | 5 Days = ■                            |                 |            |        |     |     |                 |
| 2"   | 83.43           | 02126●     | ●      | ●   | ●   | 12              | 10 Days = ●                           |                 |            |        |     |     |                 |
| 2½"  |                 |            |        |     |     |                 |                                       |                 |            |        |     |     |                 |
| 3"   | 150.21          | 02128●     | ●      | ●   | ●   | 21              |                                       |                 |            |        |     |     |                 |
| 3½"  | 209.20          | 02129●     | ●      | ●   | ●   | 28              |                                       |                 |            |        |     |     |                 |
| 4"   | 232.49          | 02130▲     | 02214● | ●   | ●   | 31              |                                       |                 |            |        |     |     |                 |

\*UL Listed & Labeled  
Reference page 14 for approximate dimensions.

\*Note: All EMT can be made to the same dimensions as Rigid - Call the factory

Products on this page without UPC codes are currently being assigned UPC identification by NEMA. Information was not available at this time for printing.



# ECN KORN'S

## ROBROY INDUSTRIES

---

### ELBOWS

- Galvanized
- EMT
- IMC
- Aluminum

### COUPLINGS

- Galvanized
- Aluminum

### CLAMPS

The Original  
"KORN'S CLAMP"

- Right Angle (RA)  
Conduit Supports
- Edge Type (ET)  
Conduit Supports
- J-Clamps
- One Hole Straps
- Clampback Spacers
- U-Bolts
- SS Hardware
- Parallels (PAR)
- Beam Clamps

### NIPPLES

- Galvanized
- Aluminum

**MANUFACTURERS UPC #784011**

Price List  
Catalog F-162

Effective May 1, 2000  
Supercedes all previous

Revised: 3-22-2001

Dimensional and Material Specifications where applicable:  
Underwriters' Laboratories No. 6 A.N.S.I. C80.1, Fed. Specs. WW-C-581e