

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



HBL2611 LKG Plug, 30A 125V, L5-30P, B/W Hubbell Wiring Devices

Catalog Number	HBL2611
Manufacturer	Hubbell Wiring Devices
Description	30 Amp Twist-Lock Male Plug - 30A 125V, 2-Pole 3-Wire Grounding, L5-30P
Weight per unit	0.3000 (lbs/each)
Product Category	Plugs, Connectors, Inlets, Out
Features	
amperage rating	30
connection	Screwed Terminal
Cord Type	All Listed Portables
Current Rating	30
Material	Nylon
Number of Wires	3-Wire
pallet quantity	3060
Phase	1
Poles	2-Pole
Voltage Rating	125
Wattage	3
Wire Size	#16 AWG to #8 AWG
Dimensions and Weight	
Size	2.26 in x 2.26 in x 2.75 in



ELLIOTT **E**LECTRIC **S**UPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Descriptions	
Description	LKG PLUG, 30A 125V, L5-30P, B/W
extra long description	HWDK HBL2611 LKG PLUG, 30A 125V, L5
Features	The 30 Amp Twist-Lock Male Plug is an industrial-grade locking device designed for secure and reliable electrical connections. With a 30A 125V rating, this plug is ideal for heavy-duty applications. It features a 2-pole, 3-wire grounding system (L5-30P) and a screw terminal for easy and secure wiring. The Twist-Lock [®] mechanism ensures a firm connection, preventing accidental disconnections and enhancing safety. The plug comes in a durable black and white design, making it suitable for various industrial en
Long Description	30 Amp Twist-Lock Male Plug - 30A 125V, 2-Pole 3-Wire Grounding, L5-30P
Product Type	LKG Plug, 30A 125V, L5-30P, B/W
Special Features	The 30 Amp Twist-Lock Male Plug features a robust Twist-Lock [®] mechanism that ensures a secure and stable connection, preventing accidental disconnections and enhancing safety.
Manufacturer Information	
Brand	WIRING DEVICE-KELLEMS
GTIN	00783585038735
Manufacturers Part Number UPC	HBL2611 783585038735
Taxonomies, Classifications, and Ca	•
Category Description	NEMA RATED TURNLOK PLUGS, CONNECTORS, & RECEPTICLES
Туре	Plugs
Packaging	
Carton	1
Package	
Weight Per each	0.3
Uses, Certifications, and Standards	Š
Application	Extra Heavy Duty Industrial
environmental conditions	Indoor Dry unless protected by additional means
Mounting	Cord
nema rating	L5-30P
standard	Certified to CSA C22.2 No.42;Fed.Spec. W-C-596;Listed to UL 498