



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## HBLDS30AC NM Sloped Disc, 30A Unfused, 4X, Hblac1 Hubbell Wiring Devices

Catalog Number	HBLDS30AC
Manufacturer	Hubbell Wiring Devices
Description	Industrial Grade, Motor Disconnect, Unfused, 3 Pole, 30A 600V Ac, Screw Terminals, IP69K, Nema Type 4X, 12 Non-Metallic Sloped Top Enclosure, AC1 Aux Contact, Culus, NSF, Ce, UI 508 / UI 60947-4-1a
Weight per unit	2.9 (lbs/each)
Product Category	20240715141915

### Features

Shape	Rounded Top
-------	-------------

### Material, Color, and Finish

Color	Gray
-------	------

### Descriptions

Description	NM SLOPED DISC, 30A UNFUSED, 4X, HBLAC1
extra long description	HWDK HBLDS30AC NM SLOPED DISC, 30A
Features	NEC section 430.102(B) requires each motor controller to have a disconnect within line of sight from the motor and driven equipment. Hubbell's Circuit-Lock® Unfused Disconnect Switches are UL listed as a manual motor controller and also "suitable as a motor disconnect" and meet these code requirements.
Long Description	Industrial Grade, Motor Disconnect, Unfused, 3 Pole, 30A 600V AC, Screw Terminals, IP69k, NEMA Type 4X, 12 Non-Metallic Sloped Top Enclosure, AC1 Aux Contact, cULus, NSF, CE, UL 508 / UL 60947-4-1A
Product Type	NM Sloped Disc, 30A Unfused, 4X, Hblac1

### Manufacturer Information

Brand	WIRING DEVICE-KELLEMS
GTIN	00783585763033
Manufacturers Part Number	HBLDS30AC
series	Non-Fused
UPC	783585763033

### Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Type	Disconnect Switches



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Packaging

Carton	1
Package	0
Weight Per each	2.89

## Uses, Certifications, and Standards

Application	Heavy Duty Industrial and/or Washdown
standard	cULus Listed