



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



HBLDS30P NM Sloped Disc, 30A Unfused, 4X, Led Lights

Hubbell Wiring Devices

Catalog Number	HBLDS30P
Manufacturer	Hubbell Wiring Devices
Description	Industrial Grade, Motor Disconnect, Unfused, 3 Pole, 30A 600V Ac, Screw Terminals, IP69K, Nema Type 4X, 12 Non-Metallic Sloped Top Enclosure, Intouch Installation Free Led Phase Indication, Culus, NSF, Ce, UI 508 / UI 60947-4-1a
Weight per unit	3.0 (lbs/each)
Product Category	20240715141207

Features

Enclosure Type	IP69k and UL Type 4X, 12
----------------	--------------------------

Descriptions

Description	NM SLOPED DISC,30A UNFUSED,4X,LED LIGHTS
extra long description	HWDK HBLDS30P NM SLOPED DISC,30A UN
Features	NEC section 430.102(B) requires each motor controller to have a disconnect within line of sight from the motor and driven equipment. Hubbell's Circuit-Lock® Unfused Disconnect Switches are UL listed as a manual motor controller and also "suitable as a motor disconnect" and meet these code requirements.
Long Description	Industrial Grade, Motor Disconnect, Unfused, 3 Pole, 30A 600V AC, Screw Terminals, IP69k, NEMA Type 4X,12 Non-Metallic Sloped Top Enclosure, inTOUCH Installation Free LED Phase Indication, cULus, NSF, CE, UL 508 / UL 60947-4-1A
Product Type	NM Sloped Disc, 30A Unfused, 4X, Led Lights
Special Features	LED Power Indicators

Manufacturer Information

Brand	WIRING DEVICE-KELLEMS
GTIN	00783585763026
Manufacturers Part Number	HBLDS30P
series	Non-Fused
UPC	783585763026

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Type	Disconnect Switches

Packaging

Carton	1
Weight Per each	2.98



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Heavy Duty Industrial and/or Washdown
standard	cULus Listed