

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



ITB3012 30A 12CKT Insltd TRML Block

Nsi Industries

BUNCH	
Catalog Number	ITB3012
Manufacturer	Nsi Industries
Description	12 Circuit Insulated Terminal Block For Wire Range 22-12, Rated Ru, 30AMPS. "Touchproof" Saety With Recessed Screws and Tubular Contacts. Cut Into Smaller Sections or Stack End to End. Nylon 66 Housing, Brass Metal Alloy With Nickel Plated Termina Insert.
Weight per unit	0.0900 (lbs/each)
Product Category	
eatures	
amperage rating	30 Amps (22-10 AWG) - 20 Amps (18-14 AWG)
Material	Nylon 44
Number of Terminals	•
Spacing	
Terminal Size	
Voltage Rating	
Warranty	
Wire Size	22-10 AWG (30 Amp) - 18-14 AWG (20 Amp)
Material, Color, and Finish	
Color	White
imensions and Weight	
Size	L=4.626 - W=.795 - H=.670
escriptions	
Description	30A 12CKT INSLTD TRML BLOCK
extra long description	NSI ITB30-12 INSULATED TERMINAL BLO
Features	12 Circuit Insulated Terminal Block for wire range 22-12, rated
	RU, 30AMPS. "Touchproof" saety with recessed screws and
	tubular contacts. Cut into smaller sections or stack end to end. Nylon 66 housing, brass metal alloy with nickel plated terminal insert.
Long Description	12 Circuit Insulated Terminal Block for wire range 22-12, rated RU, 30AMPS. "Touchproof" saety with recessed screws and tubular contacts. Cut into smaller sections or stack end to end. Nylon 66 housing, brass metal alloy with nickel plated terminal insert.
Product Type	Insulated Terminal Blocks
Special Features	Nylonn 66 Housing - 300 Volt Rated
	<u> </u>



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Manufacturer I	Informat	tion
----------------	----------	------

Brand	NSi	
GTIN	00662381165220	
Manufacturers Part Number	ITB30-12	
UPC	662381165220	

Taxonomies, Classifications, and Categories

Category Description	TERMINAL BLOCKS POWER DIST BLOCKS
Type	INSULATED

Packaging

······································	
Carton	1
Weight Per each	0.09

Uses, Certifications, and Standards

Application	NSI
Mounting	.142 Mounting Holes