

ELLIOTT ELECTRIC SUPPLY 10917 Mill Creek Rd 66219-0000, KS Lenexa Phone: 913-563-7000 Fax: 913-563-7050



JDL10 10A 600V Class J Time Delay Fuse Edison Fuses

Catalog Number JDL10 Edison Fuses

Manufacturer Eaton Edison Series JDL Fuse, Time-Delay Current-Limiting Fuse, Description

Non-Indicating, 10 A, Class J, 200 Kaic, Standard, 10, 600 V

0.0900 (lbs/each) Weight per unit

Product Category **Dual Element**

Features

amperage rating	10 A
amps	10
class	Class J
dimensions	2.2500 IN X 0.8100 IN X 0.8100 IN
Fuse Type	Class J Time Delay Fuses
interrupt rating	200 kAIC
media	Yes
Voltage	600V
Voltage Rating	600 V

Descriptions

Description	10A 600V CLASS J TIME DELAY FUSE
extra long description	MOR T626-JDL10 Class J Time Delay F
Features	Edison's UL Class J fuse products are offered in both Dual-Element Time-Delay (JDL) and Fast-Acting (JFL) types. Both types have 200,000 amp interrupting rating at 600Vac RMS Sym amps. Their small physical size and high performance characteristics makes Class J fuses ideal for any space-limited applications. Edison's JFL fuses are best suited for the protection of non-inductive loads such as resistive heating and lighting circuits.
Long Description	Eaton Edison series JDL fuse, Time-delay current-limiting fuse, Non-indicating, 10 A, Class J, 200 kAIC, Standard, 10, 600 V
Product Type	Class J Time Delay Fuses 600V 10a
Special Features	Non-Indicating

Manufacturer Information

Brand	Eaton
GTIN	00782634803362
Manufacturers Part Number	JDL10
UPC	782634803362



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

10917 Mill Creek Rd 66219-0000, KS Lenexa Phone: 913-563-7000 Fax: 913-563-7050

axonomi	es, Cla	assitica	ations, a	and Ca	tegories
<u> </u>	_				_

Category Description	Fuses & Fuse Accessories	
Type	FUSE	
Packaging		
Carton	1	
Package	10	
Weight Per each	0.09	
Uses Certifications and Stand	rde	

Uses, Certifications, and Standards

Application	Datacenters - Facilities: Critical Power
standard	UL Listed,CSA Certified,CE Marked,RoHS Compliant