

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



KLU1200 TD Class L Fuse Bussmann Fuses

Catalog Number	KLU1200
Manufacturer	Bussmann Fuses
Description	Eaton Bussmann Series Class L Fuse, Klu, Fast-Acting, Current Limiting Fuse, 1200 A, Bladable Fuse, Interrupting Rating Of 200 Ka, 600 Vac
Weight per unit	4.3 (lbs/each)
Product Category	Current Limiting

Features

amperage rating	1200
class	Class L
connection	Bolted Blade End X Bolted Blade End
dimensions	10.7500 IN X 2.5000 IN X 2.5000 IN
Fuse Class	Class L
interrupt rating	200 kAIC at 600 Vac
media	Yes
Response Time	5 sec at 500%
Voltage Rating	600 V

Dimensions and Weight

2.50 In Diameter X 10.75 In Length Size

Descriptions

Description	TD CLASS L FUSE
extra long description	BUSS KLU-1200 LIMITRON TIME DELAY F
Features	Bussmann's broad line of UL Class L fuses includes the KRP-C-SP Low-Peak family of fuses offering unsurpassed dual-element, current-limiting, time-delay performance and interrupting ratings of 300kA RMS Sym. Complementing the Low-Peak family are our Limitron products offering both Fast-acting and economical time-delay performance in our KTU, KLU, and KRP-CL products
Long Description	Eaton Bussmann Series Class L fuse, KLU, fast-acting, current limiting fuse, 1200 A, bladable fuse, interrupting rating of 200 kA, 600 Vac
Product Type	Limitron Time Delay Fuse
Special Features	Non-Indicating

Manufacturer Information

Brand	Eaton	
GTIN	00051712135078	
Manufacturers Part Number	KLU-1200	
UPC	051712135078	



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and	d Categories
Category Description	Fuses & Fuse Accessories
Туре	FUSE
Packaging	
Carton	1
Weight Per each	4.25
Uses, Certifications, and Standa	ards
Application	Ind Facilities & Factories - Facility: Safety and Security Systems
Mountina	Bolt-on

RoHS Compliant, CE Marked