



| Item # | Description | Voltage | Watt | Incandescent<br>Wattage<br>Comparison | Lumens | LPW | CCT | CRI | M.O.L.<br>(inches) | Diameter<br>(inches) | Case<br>Quantity | Enclosed/<br>Recessed<br>Luminaire | Energy<br>Star®<br>Rated | Replaces |
|--------|-------------|---------|------|---------------------------------------|--------|-----|-----|-----|--------------------|----------------------|------------------|------------------------------------|--------------------------|----------|
|--------|-------------|---------|------|---------------------------------------|--------|-----|-----|-----|--------------------|----------------------|------------------|------------------------------------|--------------------------|----------|

**40W Equivalent Options**

**6W A19 A-Lamp - DIMMABLE - 25,000 Hours Rated Life**

|             |                            |     |   |    |     |      |       |    |     |     |    |   |   |                              |
|-------------|----------------------------|-----|---|----|-----|------|-------|----|-----|-----|----|---|---|------------------------------|
| L6A19D2524K | 6W Dimmable A-Lamp - 2400K | 120 | 6 | 40 | 375 | 62.5 | 2400K | 80 | 4.0 | 2.2 | 12 | Y | N | LED7A19D0D24K<br>LED7A19D24K |
| L6A19D2550K | 6W Dimmable A-Lamp - 5000K | 120 | 6 | 40 | 525 | 87.5 | 5000K | 80 | 4.0 | 2.2 | 12 | Y | Y | LED7A19D0D50K<br>LED7A19D50K |

**6W A19 A-Lamp - Non Dimmable - 15,000 Hours Rated Life**

|             |                                |     |   |    |     |      |       |    |     |     |    |   |   |            |
|-------------|--------------------------------|-----|---|----|-----|------|-------|----|-----|-----|----|---|---|------------|
| L6A19N1530K | 6W Non Dimmable A-Lamp - 3000K | 120 | 6 | 40 | 480 | 80.0 | 3000K | 80 | 4.0 | 2.2 | 12 | Y | Y | LED5A1930K |
| L6A19N1541K | 6W Non Dimmable A-Lamp - 4100K | 120 | 6 | 40 | 500 | 83.3 | 4100K | 80 | 4.0 | 2.2 | 12 | Y | Y | LED5A1941K |
| L6A19N1550K | 6W Non Dimmable A-Lamp - 5000K | 120 | 6 | 40 | 525 | 87.5 | 5000K | 80 | 4.0 | 2.2 | 12 | Y | Y | LED5A1950K |

**60W Equivalent Options**

**9W A19 A-Lamp - DIMMABLE - 25,000 Hours Rated Life**

|             |                            |     |   |    |     |      |       |    |     |     |    |   |   |                                |
|-------------|----------------------------|-----|---|----|-----|------|-------|----|-----|-----|----|---|---|--------------------------------|
| L9A19D2527K | 9W Dimmable A-Lamp - 2700K | 120 | 9 | 60 | 800 | 88.9 | 2700K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED10A19D0D27K<br>LED10A19D27K |
| L9A19D2530K | 9W Dimmable A-Lamp - 3000K | 120 | 9 | 60 | 825 | 91.7 | 3000K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED10A19D0D30K<br>LED10A19D30K |
| L9A19D2541K | 9W Dimmable A-Lamp - 4100K | 120 | 9 | 60 | 850 | 94.4 | 4100K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED10A19D0D41K<br>LED10A19D41K |

**9W A19 A-Lamp - DIMMABLE - 15,000 Hours Rated Life**

|               |                                 |     |   |    |     |      |       |    |     |     |    |   |   |             |
|---------------|---------------------------------|-----|---|----|-----|------|-------|----|-----|-----|----|---|---|-------------|
| L9A19D1527K24 | 9W Dimmable A-Lamp - 2700K 24PK | 120 | 9 | 60 | 800 | 88.9 | 2700K | 80 | 4.3 | 2.4 | 2  | Y | Y |             |
| L9A19D1527K   | 9W Dimmable A-Lamp - 2700K      | 120 | 9 | 60 | 800 | 88.9 | 2700K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED9A19D27K |
| L9A19D1530K   | 9W Dimmable A-Lamp - 3000K      | 120 | 9 | 60 | 825 | 91.7 | 3000K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED9A19D30K |
| L9A19D1541K   | 9W Dimmable A-Lamp - 4100K      | 120 | 9 | 60 | 850 | 94.4 | 4100K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED9A19D41K |
| L9A19D1550K   | 9W Dimmable A-Lamp - 5000K      | 120 | 9 | 60 | 850 | 94.4 | 5000K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED9A19D50K |

**9W A19 A-Lamp - Non Dimmable - 15,000 Hours Rated Life**

|             |                                |     |   |    |     |      |       |    |     |     |    |   |   |                              |
|-------------|--------------------------------|-----|---|----|-----|------|-------|----|-----|-----|----|---|---|------------------------------|
| L9A19N1527K | 9W Non Dimmable A-Lamp - 2700K | 120 | 9 | 60 | 800 | 88.9 | 2700K | 80 | 4.4 | 2.4 | 12 | Y | Y | LED10A19D0D27K<br>LED9A1927K |
| L9A19N1530K | 9W Non Dimmable A-Lamp - 3000K | 120 | 9 | 60 | 825 | 91.7 | 3000K | 80 | 4.4 | 2.4 | 12 | Y | Y | LED10A19D0D30K<br>LED9A1930K |
| L9A19N1541K | 9W Non Dimmable A-Lamp - 4100K | 120 | 9 | 60 | 850 | 94.4 | 4100K | 80 | 4.4 | 2.4 | 12 | Y | Y | LED10A19D0D41K<br>LED9A1941K |
| L9A19N1550K | 9W Non Dimmable A-Lamp - 5000K | 120 | 9 | 60 | 875 | 97.2 | 5000K | 80 | 4.4 | 2.4 | 12 | Y | Y | LED10A19D0D50K<br>LED9A1950K |

**75W Equivalent Options**

**11W A19 A-Lamp - DIMMABLE - 25,000 Hours Rated Life**

|              |                             |     |    |    |      |       |       |    |     |     |    |   |   |                |
|--------------|-----------------------------|-----|----|----|------|-------|-------|----|-----|-----|----|---|---|----------------|
| L11A19D2527K | 11W Dimmable A-Lamp - 2700K | 120 | 11 | 75 | 1150 | 104.5 | 2700K | 80 | 4.6 | 2.4 | 12 | Y | Y | LED13A21D0D27K |
|--------------|-----------------------------|-----|----|----|------|-------|-------|----|-----|-----|----|---|---|----------------|

**11W A19 A-Lamp - Non Dimmable - 15,000 Hours Rated Life**

|              |                                 |     |    |    |      |       |       |    |     |     |    |   |   |             |
|--------------|---------------------------------|-----|----|----|------|-------|-------|----|-----|-----|----|---|---|-------------|
| L11A19N1527K | 11W Non Dimmable A-Lamp - 2700K | 120 | 11 | 75 | 1100 | 100.0 | 2700K | 80 | 4.6 | 2.4 | 12 | Y | Y | LED13A2127K |
| L11A19N1530K | 11W Non Dimmable A-Lamp - 3000K | 120 | 11 | 75 | 1150 | 104.5 | 3000K | 80 | 4.6 | 2.4 | 12 | Y | Y | LED13A2130K |
| L11A19N1550K | 11W Non Dimmable A-Lamp -5000K  | 120 | 11 | 75 | 1225 | 111.4 | 5000K | 80 | 4.6 | 2.4 | 12 | Y | Y | LED13A2150K |

*continued next page*

**WARRANTIES and CERTIFICATIONS**

**5 YEAR WARRANTY\***  
25,000 Hour Lamps

**3 YEAR WARRANTY\***  
15,000 Hour Lamps

\*Based on 12 hours use per day



L6A19D25

L6A19N15

L9A19D25  
L9A19D15

L9A19N15

L11A19D25

L11A19N15

L16A19N15  
L15A19D25

**Specification Notes:**

All Energy Star rated products meet the new Energy Star 2.0 spec for light distribution

Vapor tight or jelly jar applications may reduce life

For the most up-to-date specs, please visit [www.tcpi.com](http://www.tcpi.com)





| Item # | Description | Voltage | Watt | Incandescent<br>Wattage<br>Comparison | Lumens | LPW | CCT | CRI | M.O.L.<br>(inches) | Diameter<br>(inches) | Case<br>Quantity | Enclosed/<br>Recessed<br>Luminaire | Energy<br>Star®<br>Rated | Replaces |
|--------|-------------|---------|------|---------------------------------------|--------|-----|-----|-----|--------------------|----------------------|------------------|------------------------------------|--------------------------|----------|
|--------|-------------|---------|------|---------------------------------------|--------|-----|-----|-----|--------------------|----------------------|------------------|------------------------------------|--------------------------|----------|

★ SEE NEW 100W EQUIVALENT SPEC SHEET ★

**100W Equivalent Options**

**16W A19 A-Lamp - Non Dimmable - 15,000 Hours Rated Life**

|              |                                 |     |    |     |      |       |       |    |     |     |    |   |   |             |
|--------------|---------------------------------|-----|----|-----|------|-------|-------|----|-----|-----|----|---|---|-------------|
| L16A19N1527K | 16W Non Dimmable A-Lamp - 2700K | 120 | 16 | 100 | 1600 | 100.0 | 2700K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED15A2127K |
| L16A19N1530K | 16W Non Dimmable A-Lamp - 3000K | 120 | 16 | 100 | 1625 | 101.6 | 3000K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED15A2130K |
| L16A19N1541K | 16W Non Dimmable A-Lamp - 4100K | 120 | 16 | 100 | 1650 | 103.1 | 4100K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED15A2141K |
| L16A19N1550K | 16W Non Dimmable A-Lamp - 5000K | 120 | 16 | 100 | 1675 | 104.7 | 5000K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED15A2150K |

**15W A19 A-Lamp - DIMMABLE - 25,000 Hours Rated Life**

|              |                             |     |    |     |      |       |       |    |     |     |    |   |   |                                |
|--------------|-----------------------------|-----|----|-----|------|-------|-------|----|-----|-----|----|---|---|--------------------------------|
| L15A19D2527K | 15W Dimmable A-Lamp - 2700K | 120 | 15 | 100 | 1600 | 106.7 | 2700K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED18A21D0D27K<br>LED16A21D27K |
| L15A19D2530K | 15W Dimmable A-Lamp - 3000K | 120 | 15 | 100 | 1625 | 108.3 | 3000K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED18A21D0D30K<br>LED16A21D30K |
| L15A19D2541K | 15W Dimmable A-Lamp - 4100K | 120 | 15 | 100 | 1650 | 110.0 | 4100K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED18A21D0D41K<br>LED16A21D41K |
| L15A19D2550K | 15W Dimmable A-Lamp - 5000K | 120 | 15 | 100 | 1675 | 111.7 | 5000K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED18A21D0D50K<br>LED16A21D50K |

**WARRANTIES and CERTIFICATIONS**

**5 YEAR WARRANTY\***  
25,000 Hour Lamps

**3 YEAR WARRANTY\***  
15,000 Hour Lamps

\*Based on 12 hours use per day



L6A19D25   L6A19N15   L9A19D25  
L9A19D15   L9A19N15   L11A19D25   L11A19N15   L16A19N15  
L15A19D25

**Specification Notes:**

All Energy Star rated products meet the new Energy Star 2.0 spec for light distribution

Vapor tight or jelly jar applications may reduce life

For the most up-to-date specs, please visit [www.tcpi.com](http://www.tcpi.com)





| Item # | Description | Voltage | Watt | Incandescent<br>Wattage<br>Comparison | Lumens | LPW | CCT | CRI | M.O.L.<br>(inches) | Diameter<br>(inches) | Case<br>Quantity | Enclosed/<br>Recessed<br>Luminaire | Energy<br>Star®<br>Rated | Replaces |
|--------|-------------|---------|------|---------------------------------------|--------|-----|-----|-----|--------------------|----------------------|------------------|------------------------------------|--------------------------|----------|
|--------|-------------|---------|------|---------------------------------------|--------|-----|-----|-----|--------------------|----------------------|------------------|------------------------------------|--------------------------|----------|

**40W Equivalent Options**

**6W A19 A-Lamp - DIMMABLE - 25,000 Hours Rated Life**

|             |                            |     |   |    |     |      |       |    |     |     |    |   |   |                              |
|-------------|----------------------------|-----|---|----|-----|------|-------|----|-----|-----|----|---|---|------------------------------|
| L6A19D2524K | 6W Dimmable A-Lamp - 2400K | 120 | 6 | 40 | 375 | 62.5 | 2400K | 80 | 4.0 | 2.2 | 12 | Y | N | LED7A19D0D24K<br>LED7A19D24K |
| L6A19D2550K | 6W Dimmable A-Lamp - 5000K | 120 | 6 | 40 | 525 | 87.5 | 5000K | 80 | 4.0 | 2.2 | 12 | Y | Y | LED7A19D0D50K<br>LED7A19D50K |

**6W A19 A-Lamp - Non Dimmable - 15,000 Hours Rated Life**

|             |                                |     |   |    |     |      |       |    |     |     |    |   |   |            |
|-------------|--------------------------------|-----|---|----|-----|------|-------|----|-----|-----|----|---|---|------------|
| L6A19N1530K | 6W Non Dimmable A-Lamp - 3000K | 120 | 6 | 40 | 480 | 80.0 | 3000K | 80 | 4.0 | 2.2 | 12 | Y | Y | LED5A1930K |
| L6A19N1541K | 6W Non Dimmable A-Lamp - 4100K | 120 | 6 | 40 | 500 | 83.3 | 4100K | 80 | 4.0 | 2.2 | 12 | Y | Y | LED5A1941K |
| L6A19N1550K | 6W Non Dimmable A-Lamp - 5000K | 120 | 6 | 40 | 525 | 87.5 | 5000K | 80 | 4.0 | 2.2 | 12 | Y | Y | LED5A1950K |

**60W Equivalent Options**

**9W A19 A-Lamp - DIMMABLE - 25,000 Hours Rated Life**

|             |                            |     |   |    |     |      |       |    |     |     |    |   |   |                                |
|-------------|----------------------------|-----|---|----|-----|------|-------|----|-----|-----|----|---|---|--------------------------------|
| L9A19D2527K | 9W Dimmable A-Lamp - 2700K | 120 | 9 | 60 | 800 | 88.9 | 2700K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED10A19D0D27K<br>LED10A19D27K |
| L9A19D2530K | 9W Dimmable A-Lamp - 3000K | 120 | 9 | 60 | 825 | 91.7 | 3000K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED10A19D0D30K<br>LED10A19D30K |
| L9A19D2541K | 9W Dimmable A-Lamp - 4100K | 120 | 9 | 60 | 850 | 94.4 | 4100K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED10A19D0D41K<br>LED10A19D41K |

**9W A19 A-Lamp - DIMMABLE - 15,000 Hours Rated Life**

|               |                                 |     |   |    |     |      |       |    |     |     |    |   |   |             |
|---------------|---------------------------------|-----|---|----|-----|------|-------|----|-----|-----|----|---|---|-------------|
| L9A19D1527K24 | 9W Dimmable A-Lamp - 2700K 24PK | 120 | 9 | 60 | 800 | 88.9 | 2700K | 80 | 4.3 | 2.4 | 2  | Y | Y |             |
| L9A19D1527K   | 9W Dimmable A-Lamp - 2700K      | 120 | 9 | 60 | 800 | 88.9 | 2700K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED9A19D27K |
| L9A19D1530K   | 9W Dimmable A-Lamp - 3000K      | 120 | 9 | 60 | 825 | 91.7 | 3000K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED9A19D30K |
| L9A19D1541K   | 9W Dimmable A-Lamp - 4100K      | 120 | 9 | 60 | 850 | 94.4 | 4100K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED9A19D41K |
| L9A19D1550K   | 9W Dimmable A-Lamp - 5000K      | 120 | 9 | 60 | 850 | 94.4 | 5000K | 80 | 4.3 | 2.4 | 12 | Y | Y | LED9A19D50K |

**9W A19 A-Lamp - Non Dimmable - 15,000 Hours Rated Life**

|             |                                |     |   |    |     |      |       |    |     |     |    |   |   |                              |
|-------------|--------------------------------|-----|---|----|-----|------|-------|----|-----|-----|----|---|---|------------------------------|
| L9A19N1527K | 9W Non Dimmable A-Lamp - 2700K | 120 | 9 | 60 | 800 | 88.9 | 2700K | 80 | 4.4 | 2.4 | 12 | Y | Y | LED10A19D0D27K<br>LED9A1927K |
| L9A19N1530K | 9W Non Dimmable A-Lamp - 3000K | 120 | 9 | 60 | 825 | 91.7 | 3000K | 80 | 4.4 | 2.4 | 12 | Y | Y | LED10A19D0D30K<br>LED9A1930K |
| L9A19N1541K | 9W Non Dimmable A-Lamp - 4100K | 120 | 9 | 60 | 850 | 94.4 | 4100K | 80 | 4.4 | 2.4 | 12 | Y | Y | LED10A19D0D41K<br>LED9A1941K |
| L9A19N1550K | 9W Non Dimmable A-Lamp - 5000K | 120 | 9 | 60 | 875 | 97.2 | 5000K | 80 | 4.4 | 2.4 | 12 | Y | Y | LED10A19D0D50K<br>LED9A1950K |

**75W Equivalent Options**

**11W A19 A-Lamp - DIMMABLE - 25,000 Hours Rated Life**

|              |                             |     |    |    |      |       |       |    |     |     |    |   |   |                |
|--------------|-----------------------------|-----|----|----|------|-------|-------|----|-----|-----|----|---|---|----------------|
| L11A19D2527K | 11W Dimmable A-Lamp - 2700K | 120 | 11 | 75 | 1150 | 104.5 | 2700K | 80 | 4.6 | 2.4 | 12 | Y | Y | LED13A21D0D27K |
|--------------|-----------------------------|-----|----|----|------|-------|-------|----|-----|-----|----|---|---|----------------|

**11W A19 A-Lamp - Non Dimmable - 15,000 Hours Rated Life**

|              |                                 |     |    |    |      |       |       |    |     |     |    |   |   |             |
|--------------|---------------------------------|-----|----|----|------|-------|-------|----|-----|-----|----|---|---|-------------|
| L11A19N1527K | 11W Non Dimmable A-Lamp - 2700K | 120 | 11 | 75 | 1100 | 100.0 | 2700K | 80 | 4.6 | 2.4 | 12 | Y | Y | LED13A2127K |
| L11A19N1530K | 11W Non Dimmable A-Lamp - 3000K | 120 | 11 | 75 | 1150 | 104.5 | 3000K | 80 | 4.6 | 2.4 | 12 | Y | Y | LED13A2130K |
| L11A19N1550K | 11W Non Dimmable A-Lamp - 5000K | 120 | 11 | 75 | 1225 | 111.4 | 5000K | 80 | 4.6 | 2.4 | 12 | Y | Y | LED13A2150K |

*continued next page*

**WARRANTIES and CERTIFICATIONS**

**5 YEAR WARRANTY\***  
25,000 Hour Lamps

**3 YEAR WARRANTY\***  
15,000 Hour Lamps

\*Based on 12 hours use per day



L6A19D25

L6A19N15

L9A19D25  
L9A19D15

L9A19N15

L11A19D25

L11A19N15

L16A19N15  
L15A19D25

**Specification Notes:**

All Energy Star rated products meet the new Energy Star 2.0 spec for light distribution

Vapor tight or jelly jar applications may reduce life

For the most up-to-date specs, please visit [www.tcpi.com](http://www.tcpi.com)





| Item # | Description | Voltage | Watt | Incandescent<br>Wattage<br>Comparison | Lumens | LPW | CCT | CRI | M.O.L.<br>(inches) | Diameter<br>(inches) | Case<br>Quantity | Enclosed/<br>Recessed<br>Luminaire | Energy<br>Star®<br>Rated | Replaces |
|--------|-------------|---------|------|---------------------------------------|--------|-----|-----|-----|--------------------|----------------------|------------------|------------------------------------|--------------------------|----------|
|--------|-------------|---------|------|---------------------------------------|--------|-----|-----|-----|--------------------|----------------------|------------------|------------------------------------|--------------------------|----------|

★ SEE NEW 100W EQUIVALENT SPEC SHEET ★

**100W Equivalent Options**

**16W A19 A-Lamp - Non Dimmable - 15,000 Hours Rated Life**

|              |                                 |     |    |     |      |       |       |    |     |     |    |   |   |             |
|--------------|---------------------------------|-----|----|-----|------|-------|-------|----|-----|-----|----|---|---|-------------|
| L16A19N1527K | 16W Non Dimmable A-Lamp - 2700K | 120 | 16 | 100 | 1600 | 100.0 | 2700K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED15A2127K |
| L16A19N1530K | 16W Non Dimmable A-Lamp - 3000K | 120 | 16 | 100 | 1625 | 101.6 | 3000K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED15A2130K |
| L16A19N1541K | 16W Non Dimmable A-Lamp - 4100K | 120 | 16 | 100 | 1650 | 103.1 | 4100K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED15A2141K |
| L16A19N1550K | 16W Non Dimmable A-Lamp - 5000K | 120 | 16 | 100 | 1675 | 104.7 | 5000K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED15A2150K |

**15W A19 A-Lamp - DIMMABLE - 25,000 Hours Rated Life**

|              |                             |     |    |     |      |       |       |    |     |     |    |   |   |                                |
|--------------|-----------------------------|-----|----|-----|------|-------|-------|----|-----|-----|----|---|---|--------------------------------|
| L15A19D2527K | 15W Dimmable A-Lamp - 2700K | 120 | 15 | 100 | 1600 | 106.7 | 2700K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED18A21D0D27K<br>LED16A21D27K |
| L15A19D2530K | 15W Dimmable A-Lamp - 3000K | 120 | 15 | 100 | 1625 | 108.3 | 3000K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED18A21D0D30K<br>LED16A21D30K |
| L15A19D2541K | 15W Dimmable A-Lamp - 4100K | 120 | 15 | 100 | 1650 | 110.0 | 4100K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED18A21D0D41K<br>LED16A21D41K |
| L15A19D2550K | 15W Dimmable A-Lamp - 5000K | 120 | 15 | 100 | 1675 | 111.7 | 5000K | 80 | 4.6 | 2.5 | 12 | Y | Y | LED18A21D0D50K<br>LED16A21D50K |

**WARRANTIES and CERTIFICATIONS**

**5 YEAR WARRANTY\***  
25,000 Hour Lamps

**3 YEAR WARRANTY\***  
15,000 Hour Lamps

\*Based on 12 hours use per day



**Specification Notes:**

All Energy Star rated products meet the new Energy Star 2.0 spec for light distribution

Vapor tight or jelly jar applications may reduce life

For the most up-to-date specs, please visit [www.tcpi.com](http://www.tcpi.com)

