

Liquid-tight, Concrete-tight Zinc Fitting


Made in USA 

NEW!


for PVC Jacketed MC Cable • One Fitting Fits Multiple Cable Sizes




ONE fitting FITS THREE cable sizes!




1 Remove sharp edges from end of MC cable. Cut 1-1/4" off the PVC jacket to prepare cable for installation of fitting.




2 Determine which grommet to use. When assembled, push cable into fitting.



3 Cable installed in fitting. Tighten nut.



4 Install assembly in box



Exploded View on cable


LTMCS0 0715/15M

Save time and money with Arlington's *liquid-tight, concrete-tight* zinc fittings for PVC jacketed MC cable. They come with grommets and washers that allow this **SINGLE fitting to fit three cable sizes!**

The 1/2" **LTMCS0** ships ready to install on #12 or #14 PVC jacketed MC cable. For installations on #10 cable, substitute the **WHITE** grommet and washer. It's **FAST and EASY!**

Because they fit more than one cable size, these cable fittings reduce inventory, saving you the cost of stocking several different fittings.

- Heavy-duty zinc diecast construction
- 1/2" trade size
- UL Listed



LTMCS0

CATALOG NUMBER	UPC/DCI/NAED MFG #01 8997	DESCRIPTION 1/2" Trade Size	UNIT 25	STD 100
LTMCS0	04279	Zinc Fitting for 1/2" PVC Jacketed MC Cable		
MC Cable Range:		.415" to .565"		
Overall jacket OD Range:		.540" to .665"		

Includes zinc fitting, black grommet and washer (installed) and white grommet and washer

Arlington 

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

© 2015 Arlington Industries, Inc.

Liquid-tight, Concrete-tight Zinc Fitting


Made in USA 

NEW!


for PVC Jacketed MC Cable • One Fitting Fits Multiple Cable Sizes




ONE fitting FITS THREE cable sizes!




1 Remove sharp edges from end of MC cable. Cut 1-1/4" off the PVC jacket to prepare cable for installation of fitting.




2 Determine which grommet to use. When assembled, push cable into fitting.



3 Cable installed in fitting. Tighten nut.



4 Install assembly in box



Exploded View on cable

LTMCS0 0715/15M

Save time and money with Arlington's liquid-tight, concrete-tight zinc fittings for PVC jacketed MC cable. They come with grommets and washers that allow this **SINGLE fitting to fit three cable sizes!**

The 1/2" LTMCS0 ships ready to install on #12 or #14 PVC jacketed MC cable. For installations on #10 cable, substitute the WHITE grommet and washer. It's FAST and EASY!

Because they fit more than one cable size, these cable fittings reduce inventory, saving you the cost of stocking several different fittings.

- Heavy-duty zinc diecast construction
- 1/2" trade size
- UL Listed



LTMCS0

CATALOG NUMBER	UPC/DCI/NAED MFG #01 8997	DESCRIPTION 1/2" Trade Size	UNIT 25	STD 100
LTMCS0	04279	Zinc Fitting for 1/2" PVC Jacketed MC Cable		
MC Cable Range:		.415" to .565"		
Overall jacket OD Range:		.540" to .665"		

Includes zinc fitting, black grommet and washer (installed) and white grommet and washer

Arlington

1 Stauffer Industrial Park
Scranton, PA 18517
800/233.4717
Fax 570/562.0646
www.aifittings.com

© 2015 Arlington Industries, Inc.