



LVP-2



P2400W with LVP-2 installed



P3520W with LVP-2 installed

| Low Voltage Partition | Catalog Number | Component Description | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|-----------------------|----------------|---|------------|----------------|----------------|
| | LVP-2 | Low voltage divider plate for use with the following part numbers: P-442, P-442QT, P-643, P-643QT, P-764, P-764QT, P-764B, P-764H, P-764HBQT, P-2400W, and P-3520W | | 80005 | 50* |

* Consists of ten (10) packages of five (5) pieces each.



PJ-20N



PJ-20H



PJ-32N



PJ-32H



PJ-4S1



PJ-4T1



PJ-4B

| 4" Square Junction Boxes | Cu. In. Volume | Catalog Number | Component Description | Exterior Dimensions | | | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|--------------------------|----------------|---|-----------------------|---------------------|---|-------|------------|----------------|----------------|
| | | | | D | W | H | | | |
| 20.5 | PJ-20N | 4" square junction box, angled nails, molded-in Speed Klamps™ | 1-5/8 | 4 | 4 | 99001 | 48 | 11 | |
| 20.5 | PJ-20H | 4" square junction box, face bracket side mount hanger, molded-in Speed Klamps™ | 1-5/8 | 4 | 4 | 99000 | 48 | 15 | |
| 32.5 | PJ-32N | 4" square junction box, angled nails, molded-in Speed Klamps™ | 2-1/2 | 4 | 4 | 99003 | 48 | 13 | |
| 32.5 | PJ-32H | 4" square junction box, face bracket side mount hanger, molded-in Speed Klamps™ | 2-1/2 | 4 | 4 | 99002 | 48 | 17 | |

| Plaster Rings/Cover | Cu. In. Volume | Catalog Number | Component Description | Exterior Dimensions | | | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|---------------------|----------------|---|-----------------------|---------------------|---|-------|------------|----------------|----------------|
| | | | | D | W | H | | | |
| 4.2 | PJ-4S1 | Single gang plaster ring for use w/ 4" square junction box, 1/2" offset | 5/8 | 4 | 4 | 99004 | 100 | 8 | |
| 5.1 | PJ-4S2 | Single gang plaster ring for use w/ 4" square junction box, 5/8" offset | 3/4 | 4 | 4 | 99005 | 50 | 5 | |
| 6.7 | PJ-4T1 | Two gang plaster ring for use w/ 4" square junction box, 1/2" offset | 5/8 | 4 | 4 | 99006 | 50 | 4 | |
| 8.1 | PJ-4T2 | Two gang plaster ring for use w/ 4" square junction box, 5/8" offset | 3/4 | 4 | 4 | 99007 | 50 | 4 | |
| — | PJ-4B | Square blank cover for use with 4" square junction box | — | 4 | 4 | 99008 | 100 | 8 | |

All dimensions are in inches unless otherwise noted.
 See page 32 for flexbox® Attachment Coding suffix descriptions.



Competitive Cross Reference

Thermoplastic Outlet Boxes



**ALLIED
MOULDED
PRODUCTS, Inc.**

flexBOX®: Basic Series “Soft Box” Thermoplastic Boxes

| Allied Moulded | Carlton® PC Black Polycarbonate | Carlton® PVC (Zip Blue) | Carlton® PVC (Super Blue) (T&B) | Cantex® (EZ BOX®) | Pass & Seymour (Slater®) |
|----------------|---------------------------------|-------------------------|---------------------------------|---------------------|--------------------------|
| P-108E | N/A | B108R-UPC | N/A | EZ08SF | P108W |
| P-108H | N/A | B108B-UPC | N/A | EZ08SB | P108N |
| P-1160W | 114-OW | E-16-8 | N/A | EZ14SO | P116W |
| P-1180W | 118-OW | B120R | BH118R | N/A | S118W |
| P-1220W | N/A | B120R | N/A | EZ21SO | S122W |
| P-122SC | N/A | SNO-18-M | N/A | N/A | N/A |
| P-181 | 118-N (18") | B118A (18") | N/A | EZ18SN (18") | P118R |
| P-181H | 118-LB | B118B-UPC | N/A | EZ20SB | S118S50 |
| P-181HZ | N/A | N/A | N/A | N/A | N/A |
| P-181QT | N/A | N/A | N/A | EZ18SNU | S118R |
| P-181RK | N/A | N1-710-M | N/A | N/A | P1-18-RN (18") |
| P-201 | 120-N (20.3") | B120A (20") | BH122A | EZ20SN (20") | P122R |
| P-201QT | 120-N-FS (20.3) | N/A | N/A | EZ20SNU (20") | S1-18-R (18") |
| P-201R | N/A | RN-23 | N/A | N/A | P122RN |
| P-2400W | 232-OW | B225R | BH234R | EZ25DO | S2-32-W |
| P-241 | 122-N (22.5") | B122A (22") | N/A | EZ23SN (23") | P1-22-R (22.5") |
| P-241H | 122-LB (22.5") | N/A | N/A | EZ20SB | P122C |
| P-241HQT | 122-LBP (22.5") | N/A | N/A | N/A | S1-22-S50 (22.5") |
| P-241QT | 122-N-FS (22.5") | N/A | N/A | EZ23SNU (23") | S1-22-R (22.5") |
| P-3520W | N/A | B355R | N/A | N/A | S3-52-W |
| P-442 | 234-N (34") | B232A (32") | BH235A | EZ32DN (32")/EZ48DN | P2-35-RAC (35") |
| P-442H | 234-LB (34") | B232B (32") | N/A | N/A | N/A |
| P-442HQT | 234-LBP (34") | N/A | N/A | N/A | S2-35-S50AC (35") |
| P-442QT | 234-NP (34") | N/A | N/A | EZ32DNU | S2-35-RAC (35") |
| P-643 | 345-N (45") | B344A (44") | BH353A | EZ44TN (44") | S3-54-RAC (54") |
| P-643H | 345-LB (45") | SB-357 | N/A | EZ74TN | S354S50AC |
| P-643HQT | N/A | N/A | N/A | N/A | S3-54-S50AC (54") |
| P-643QT | N/A | N/A | N/A | N/A | S3-54-RAC (54") |
| P-764 | N/A | N/A | BH464A | N/A | S468RAC |
| P-764B | 460-SB-24 (60") | B455A | N/A | EZ55QNB (55") | N/A |
| P-764BQT | N/A | N/A | N/A | N/A | N/A |
| P-764H | 460-LB (60") | N/A | N/A | N/A | N/A |
| P-764HB | N/A | B455AH | N/A | N/A | N/A |
| P-764HBQT | N/A | N/A | N/A | N/A | N/A |
| P-764HQT | N/A | N/A | N/A | N/A | N/A |
| P-764QT | N/A | N/A | N/A | N/A | S4-68-RAC (68") |
| PC213-16 | N-321-C-94 | N/A | N/A | N/A | N/A |
| PC213-16G | N-321-GC-94 | N/A | N/A | N/A | N/A |
| PC213-BH | N-321-C-95 | N/A | N/A | N/A | C118HAC |
| PC213-BHG | N-321-GC-95 | N/A | N/A | N/A | C118HAGAC |
| PC213-N | 3R-16-N (16") | B518A (18") | N/A | EZ18CN (18") | C1-18-RAC (18") |
| PC213-NG | 3R-16-NGP (16") | B518P (18") | N/A | EZ18CNG (18") | C1-18-RGAC (18") |
| PC2230W | N/A | B618R | BH614R | EZ18CO | C1-18WAC |
| PC2230WG | N/A | B618RP | N/A | EZ18COG | C1-18WGAC |
| PC234-16 | N-423-C-94-V | B620H-UPC | N/A | N/A | N/A |
| PC234-16G | N-423-GC-94-V | B620HG-UPC | N/A | N/A | N/A |
| PC234-BH | N-423-C-95-V | B620K | BH525H | EZ20CH | S120HAC |
| PC234-BHG | N-423-GC-95-V | B620KG-UPC | BH525HP | EZ20CHG | S120HGAC |
| PC234-N | N-423-C-V | B520A (20.5") | BH525A | EZ20CN (20") | S1-20-RAC (20.2") |
| PC234-NG | N-423-GC-V | B520P (20.5") | BH525P | EZ20CNG (20") | S1-20-RGAC (20.2") |



LVP-2



P2400W with LVP-2 installed



P3520W with LVP-2 installed

| Low Voltage Partition | Catalog Number | Component Description | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|-----------------------|----------------|---|------------|----------------|----------------|
| | LVP-2 | Low voltage divider plate for use with the following part numbers: P-442, P-442QT, P-643, P-643QT, P-764, P-764QT, P-764B, P-764H, P-764HBQT, P-2400W, and P-3520W | | 80005 | 50* |

* Consists of ten (10) packages of five (5) pieces each.



PJ-20N



PJ-20H



PJ-32N



PJ-32H



PJ-4S1



PJ-4T1



PJ-4B

| 4" Square Junction Boxes | Cu. In. Volume | Catalog Number | Component Description | Exterior Dimensions | | | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|--------------------------|----------------|---|-----------------------|---------------------|---|-------|------------|----------------|----------------|
| | | | | D | W | H | | | |
| 20.5 | PJ-20N | 4" square junction box, angled nails, molded-in Speed Klamps™ | 1-5/8 | 4 | 4 | 99001 | 48 | 11 | |
| 20.5 | PJ-20H | 4" square junction box, face bracket side mount hanger, molded-in Speed Klamps™ | 1-5/8 | 4 | 4 | 99000 | 48 | 15 | |
| 32.5 | PJ-32N | 4" square junction box, angled nails, molded-in Speed Klamps™ | 2-1/2 | 4 | 4 | 99003 | 48 | 13 | |
| 32.5 | PJ-32H | 4" square junction box, face bracket side mount hanger, molded-in Speed Klamps™ | 2-1/2 | 4 | 4 | 99002 | 48 | 17 | |

| Plaster Rings/Cover | Cu. In. Volume | Catalog Number | Component Description | Exterior Dimensions | | | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|---------------------|----------------|---|-----------------------|---------------------|---|-------|------------|----------------|----------------|
| | | | | D | W | H | | | |
| 4.2 | PJ-4S1 | Single gang plaster ring for use w/ 4" square junction box, 1/2" offset | 5/8 | 4 | 4 | 99004 | 100 | 8 | |
| 5.1 | PJ-4S2 | Single gang plaster ring for use w/ 4" square junction box, 5/8" offset | 3/4 | 4 | 4 | 99005 | 50 | 5 | |
| 6.7 | PJ-4T1 | Two gang plaster ring for use w/ 4" square junction box, 1/2" offset | 5/8 | 4 | 4 | 99006 | 50 | 4 | |
| 8.1 | PJ-4T2 | Two gang plaster ring for use w/ 4" square junction box, 5/8" offset | 3/4 | 4 | 4 | 99007 | 50 | 4 | |
| — | PJ-4B | Square blank cover for use with 4" square junction box | — | 4 | 4 | 99008 | 100 | 8 | |

All dimensions are in inches unless otherwise noted.
See page 32 for flexbox® Attachment Coding suffix descriptions.



Competitive Cross Reference

Thermoplastic Outlet Boxes



**ALLIED
MOULDED
PRODUCTS, Inc.**

flexBOX®: Basic Series “Soft Box” Thermoplastic Boxes

| Allied Moulded | Carlton® PC Black Polycarbonate | Carlton® PVC (Zip Blue) | Carlton® PVC (Super Blue) (T&B) | Cantex® (EZ BOX®) | Pass & Seymour (Slater®) |
|----------------|---------------------------------|-------------------------|---------------------------------|---------------------|--------------------------|
| P-108E | N/A | B108R-UPC | N/A | EZ08SF | P108W |
| P-108H | N/A | B108B-UPC | N/A | EZ08SB | P108N |
| P-1160W | 114-OW | E-16-8 | N/A | EZ14SO | P116W |
| P-1180W | 118-OW | B120R | BH118R | N/A | S118W |
| P-1220W | N/A | B120R | N/A | EZ21SO | S122W |
| P-122SC | N/A | SNO-18-M | N/A | N/A | N/A |
| P-181 | 118-N (18") | B118A (18") | N/A | EZ18SN (18") | P118R |
| P-181H | 118-LB | B118B-UPC | N/A | EZ20SB | S118S50 |
| P-181HZ | N/A | N/A | N/A | N/A | N/A |
| P-181QT | N/A | N/A | N/A | EZ18SNU | S118R |
| P-181RK | N/A | N1-710-M | N/A | N/A | P1-18-RN (18") |
| P-201 | 120-N (20.3") | B120A (20") | BH122A | EZ20SN (20") | P122R |
| P-201QT | 120-N-FS (20.3) | N/A | N/A | EZ20SNU (20") | S1-18-R (18") |
| P-201R | N/A | RN-23 | N/A | N/A | P122RN |
| P-2400W | 232-OW | B225R | BH234R | EZ25DO | S2-32-W |
| P-241 | 122-N (22.5") | B122A (22") | N/A | EZ23SN (23") | P1-22-R (22.5") |
| P-241H | 122-LB (22.5") | N/A | N/A | EZ20SB | P122C |
| P-241HQT | 122-LBP (22.5") | N/A | N/A | N/A | S1-22-S50 (22.5") |
| P-241QT | 122-N-FS (22.5") | N/A | N/A | EZ23SNU (23") | S1-22-R (22.5") |
| P-3520W | N/A | B355R | N/A | N/A | S3-52-W |
| P-442 | 234-N (34") | B232A (32") | BH235A | EZ32DN (32")/EZ48DN | P2-35-RAC (35") |
| P-442H | 234-LB (34") | B232B (32") | N/A | N/A | N/A |
| P-442HQT | 234-LBP (34") | N/A | N/A | N/A | S2-35-S50AC (35") |
| P-442QT | 234-NP (34") | N/A | N/A | EZ32DNU | S2-35-RAC (35") |
| P-643 | 345-N (45") | B344A (44") | BH353A | EZ44TN (44") | S3-54-RAC (54") |
| P-643H | 345-LB (45") | SB-357 | N/A | EZ74TN | S354S50AC |
| P-643HQT | N/A | N/A | N/A | N/A | S3-54-S50AC (54") |
| P-643QT | N/A | N/A | N/A | N/A | S3-54-RAC (54") |
| P-764 | N/A | N/A | BH464A | N/A | S468RAC |
| P-764B | 460-SB-24 (60") | B455A | N/A | EZ55QNB (55") | N/A |
| P-764BQT | N/A | N/A | N/A | N/A | N/A |
| P-764H | 460-LB (60") | N/A | N/A | N/A | N/A |
| P-764HB | N/A | B455AH | N/A | N/A | N/A |
| P-764HBQT | N/A | N/A | N/A | N/A | N/A |
| P-764HQT | N/A | N/A | N/A | N/A | N/A |
| P-764QT | N/A | N/A | N/A | N/A | S4-68-RAC (68") |
| PC213-16 | N-321-C-94 | N/A | N/A | N/A | N/A |
| PC213-16G | N-321-GC-94 | N/A | N/A | N/A | N/A |
| PC213-BH | N-321-C-95 | N/A | N/A | N/A | C118HAC |
| PC213-BHG | N-321-GC-95 | N/A | N/A | N/A | C118HAGAC |
| PC213-N | 3R-16-N (16") | B518A (18") | N/A | EZ18CN (18") | C1-18-RAC (18") |
| PC213-NG | 3R-16-NGP (16") | B518P (18") | N/A | EZ18CNG (18") | C1-18-RGAC (18") |
| PC2230W | N/A | B618R | BH614R | EZ18CO | C1-18WAC |
| PC2230WG | N/A | B618RP | N/A | EZ18COG | C1-18WGAC |
| PC234-16 | N-423-C-94-V | B620H-UPC | N/A | N/A | N/A |
| PC234-16G | N-423-GC-94-V | B620HG-UPC | N/A | N/A | N/A |
| PC234-BH | N-423-C-95-V | B620K | BH525H | EZ20CH | S120HAC |
| PC234-BHG | N-423-GC-95-V | B620KG-UPC | BH525HP | EZ20CHG | S120HGAC |
| PC234-N | N-423-C-V | B520A (20.5") | BH525A | EZ20CN (20") | S1-20-RAC (20.2") |
| PC234-NG | N-423-GC-V | B520P (20.5") | BH525P | EZ20CNG (20") | S1-20-RGAC (20.2") |