


*Quick Thread™ device hole

| | Cu. In. Volume | Catalog Number | Component Description | Exterior Dimensions | | | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|----------|----------------|----------------|--|---------------------|-------|---------|------------|----------------|----------------|
| | | | | D | W | H | | | |
| Two Gang | 40.0 | P-2400W | Two gang, ears, wing brackets, molded-in Speed Klamps™, two ½" knockouts; *Can use LVP-2 partition for dual voltage applications | 3-3/8 | 4-1/8 | 3-11/16 | 24912 | 24 | 8 |
| | 43.0 | P-442 | Two gang, angled mid-nails, molded-in Speed Klamps™, two ½" knockouts | 3-9/16 | 4 | 3-¾ | 44000 | 48 | 17 |
| | 43.0 | P-442QT | Two gang, angled mid-nails, molded-in Speed Klamps™, two ½" knockouts, Quick Thread™ device holes | 3-9/16 | 4 | 3-¾ | 44001 | 48 | 16 |
| | 43.5 | P-442H | Two gang, face bracket side mount hanger, molded-in Speed Klamps™ | 3-9/16 | 4 | 3-¾ | 44002 | 48 | 18 |
| | 43.5 | P-442HQT | Two gang, ace bracket side mount hanger, molded-in Speed Klamps™, Quick Thread™ device holes | 3-9/16 | 4 | 3-¾ | 44003 | 48 | 20 |

| | Cu. In. Volume | Catalog Number | Component Description | Exterior Dimensions | | | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|------------|----------------|----------------|--|---------------------|---------|---------|------------|----------------|----------------|
| | | | | D | W | H | | | |
| Three Gang | 55.0 | P-3520W | Three gang, ears, wing brackets, molded-in Speed Klamps™, two ½" knockouts; *Can use LVP-2 partition for dual voltage applications | 3-3/8 | 5-15/16 | 3-11/16 | 33201 | 12 | 6 |
| | 63.0 | P-643 | Three gang, angled nails, molded-in Speed Klamps™, two ½" knockouts | 3-9/16 | 5-13/16 | 3-¾ | 46302 | 20 | 9 |
| | 63.0 | P-643QT | Three gang, angled nails, molded-in Speed Klamps™, Quick Thread™ device holes, two ½" knockouts | 3-9/16 | 5-13/16 | 3-¾ | 46301 | 20 | 10 |
| | 64.0 | P-643H | Three gang, face bracket side mount hanger, molded-in Speed Klamps™ | 3-9/16 | 5-13/16 | 3-¾ | 46303 | 20 | 11 |
| | 64.0 | P-643HQT | Three gang, face bracket side mount hanger, molded-in Speed Klamps™, Quick Thread™ device holes | 3-9/16 | 5-13/16 | 3-¾ | 46304 | 20 | 11 |



| | Cu. In. Volume | Catalog Number | Component Description | Exterior Dimensions | | | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|------------|----------------|----------------|--|---------------------|-------|-----|------------|----------------|----------------|
| | | | | D | W | H | | | |
| *Four Gang | 74.8 | P-764* | Four gang, angled nails, molded-in Speed Klamps™, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94060 | 18 | 10 |
| | 74.8 | P-764QT* | Four gang, angled nails, molded-in Speed Klamps™, Quick Thread™ device holes, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94063 | 18 | 9 |
| | 74.8 | P-764B* | Four gang, angled nails, molded-in Speed Klamps™, stabilizer bracket, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94061 | 18 | 13 |
| | 74.8 | P-764BQT* | Four gang, angled nails, molded-in Speed Klamps™, stabilizer bracket, Quick Thread™ device holes, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94062 | 18 | 13 |
| | 74.8 | P-764H* | Four gang, face bracket side mount hanger, molded-in Speed Klamps™, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94064 | 12 | 9 |
| | 74.8 | P-764HQT* | Four gang, face bracket side mount hanger, molded-in Speed Klamps™, Quick Thread™ device holes, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94065 | 12 | 9 |
| | 74.8 | P-764HB* | Four gang, face bracket side mount hanger, molded-in Speed Klamps™, stabilizer bracket, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94066 | 6 | 5 |
| | 74.8 | P-764HBQT* | Four gang, face bracket side mount hanger, molded-in Speed Klamps™, stabilizer bracket, Quick Thread™ device holes, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94067 | 6 | 6 |

*NOTE: flexbox four gang switch/receptacle boxes are **not** UL classified for fire resistive walls.

All dimensions are in inches unless otherwise noted.

See page 32 for flexbox® Attachment Coding suffix descriptions.



Old Work/Manufactured Housing Boxes



Flush-Device Box
UL File No. E30594

Competitive Cross Reference


Thermoplastic Outlet Boxes



**ALLIED
MOULDED
PRODUCTS, Inc.**

flexBOX®: Basic Series “Soft Box” Thermoplastic Boxes


| Allied Moulded | Carlton® PC Black Polycarbonate | Carlton® PVC (Zip Blue) | Carlton® PVC (Super Blue) (T&B) | Cantex® (EZ BOX®) | Pass & Seymour (Slater®) |
|----------------|---------------------------------|-------------------------|---------------------------------|---------------------|--------------------------|
| P-108E | N/A | B108R-UPC | N/A | EZ08SF | P108W |
| P-108H | N/A | B108B-UPC | N/A | EZ08SB | P108N |
| P-1160W | 114-OW | E-16-8 | N/A | EZ14SO | P116W |
| P-1180W | 118-OW | B120R | BH118R | N/A | S118W |
| P-1220W | N/A | B120R | N/A | EZ21SO | S122W |
| P-122SC | N/A | SNO-18-M | N/A | N/A | N/A |
| P-181 | 118-N (18") | B118A (18") | N/A | EZ18SN (18") | P118R |
| P-181H | 118-LB | B118B-UPC | N/A | EZ20SB | S118S50 |
| P-181HZ | N/A | N/A | N/A | N/A | N/A |
| P-181QT | N/A | N/A | N/A | EZ18SNU | S118R |
| P-181RK | N/A | N1-710-M | N/A | N/A | P1-18-RN (18") |
| P-201 | 120-N (20.3") | B120A (20") | BH122A | EZ20SN (20") | P122R |
| P-201QT | 120-N-FS (20.3) | N/A | N/A | EZ20SNU (20") | S1-18-R (18") |
| P-201R | N/A | RN-23 | N/A | N/A | P122RN |
| P-2400W | 232-OW | B225R | BH234R | EZ25DO | S2-32-W |
| P-241 | 122-N (22.5") | B122A (22") | N/A | EZ23SN (23") | P1-22-R (22.5") |
| P-241H | 122-LB (22.5") | N/A | N/A | EZ20SB | P122C |
| P-241HQT | 122-LBP (22.5") | N/A | N/A | N/A | S1-22-S50 (22.5") |
| P-241QT | 122-N-FS (22.5") | N/A | N/A | EZ23SNU (23") | S1-22-R (22.5") |
| P-3520W | N/A | B355R | N/A | N/A | S3-52-W |
| P-442 | 234-N (34") | B232A (32") | BH235A | EZ32DN (32")/EZ48DN | P2-35-RAC (35") |
| P-442H | 234-LB (34") | B232B (32") | N/A | N/A | N/A |
| P-442HQT | 234-LBP (34") | N/A | N/A | N/A | S2-35-S50AC (35") |
| P-442QT | 234-NP (34") | N/A | N/A | EZ32DNU | S2-35-RAC (35") |
| P-643 | 345-N (45") | B344A (44") | BH353A | EZ44TN (44") | S3-54-RAC (54") |
| P-643H | 345-LB (45") | SB-357 | N/A | EZ74TN | S354S50AC |
| P-643HQT | N/A | N/A | N/A | N/A | S3-54-S50AC (54") |
| P-643QT | N/A | N/A | N/A | N/A | S3-54-RAC (54") |
| P-764 | N/A | N/A | BH464A | N/A | S468RAC |
| P-764B | 460-SB-24 (60") | B455A | N/A | EZ55QNB (55") | N/A |
| P-764BQT | N/A | N/A | N/A | N/A | N/A |
| P-764H | 460-LB (60") | N/A | N/A | N/A | N/A |
| P-764HB | N/A | B455AH | N/A | N/A | N/A |
| P-764HBQT | N/A | N/A | N/A | N/A | N/A |
| P-764HQT | N/A | N/A | N/A | N/A | N/A |
| P-764QT | N/A | N/A | N/A | N/A | S4-68-RAC (68") |
| PC213-16 | N-321-C-94 | N/A | N/A | N/A | N/A |
| PC213-16G | N-321-GC-94 | N/A | N/A | N/A | N/A |
| PC213-BH | N-321-C-95 | N/A | N/A | N/A | C118HAC |
| PC213-BHG | N-321-GC-95 | N/A | N/A | N/A | C118HAGAC |
| PC213-N | 3R-16-N (16") | B518A (18") | N/A | EZ18CN (18") | C1-18-RAC (18") |
| PC213-NG | 3R-16-NGP (16") | B518P (18") | N/A | EZ18CNG (18") | C1-18-RGAC (18") |
| PC2230W | N/A | B618R | BH614R | EZ18CO | C1-18WAC |
| PC2230WG | N/A | B618RP | N/A | EZ18COG | C1-18WGAC |
| PC234-16 | N-423-C-94-V | B620H-UPC | N/A | N/A | N/A |
| PC234-16G | N-423-GC-94-V | B620HG-UPC | N/A | N/A | N/A |
| PC234-BH | N-423-C-95-V | B620K | BH525H | EZ20CH | S120HAC |
| PC234-BHG | N-423-GC-95-V | B620KG-UPC | BH525HP | EZ20CHG | S120HGAC |
| PC234-N | N-423-C-V | B520A (20.5") | BH525A | EZ20CN (20") | S1-20-RAC (20.2") |
| PC234-NG | N-423-GC-V | B520P (20.5") | BH525P | EZ20CNG (20") | S1-20-RGAC (20.2") |



*Quick Thread™ device hole

| | Cu. In. Volume | Catalog Number | Component Description | Exterior Dimensions | | | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|----------|----------------|----------------|--|---------------------|-------|---------|------------|----------------|----------------|
| | | | | D | W | H | | | |
| Two Gang | 40.0 | P-2400W | Two gang, ears, wing brackets, molded-in Speed Klamps™, two ½" knockouts; *Can use LVP-2 partition for dual voltage applications | 3-3/8 | 4-1/8 | 3-11/16 | 24912 | 24 | 8 |
| | 43.0 | P-442 | Two gang, angled mid-nails, molded-in Speed Klamps™, two ½" knockouts | 3-9/16 | 4 | 3-¾ | 44000 | 48 | 17 |
| | 43.0 | P-442QT | Two gang, angled mid-nails, molded-in Speed Klamps™, two ½" knockouts, Quick Thread™ device holes | 3-9/16 | 4 | 3-¾ | 44001 | 48 | 16 |
| | 43.5 | P-442H | Two gang, face bracket side mount hanger, molded-in Speed Klamps™ | 3-9/16 | 4 | 3-¾ | 44002 | 48 | 18 |
| | 43.5 | P-442HQT | Two gang, ace bracket side mount hanger, molded-in Speed Klamps™, Quick Thread™ device holes | 3-9/16 | 4 | 3-¾ | 44003 | 48 | 20 |

| | Cu. In. Volume | Catalog Number | Component Description | Exterior Dimensions | | | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|------------|----------------|----------------|--|---------------------|---------|---------|------------|----------------|----------------|
| | | | | D | W | H | | | |
| Three Gang | 55.0 | P-3520W | Three gang, ears, wing brackets, molded-in Speed Klamps™, two ½" knockouts; *Can use LVP-2 partition for dual voltage applications | 3-3/8 | 5-15/16 | 3-11/16 | 33201 | 12 | 6 |
| | 63.0 | P-643 | Three gang, angled nails, molded-in Speed Klamps™, two ½" knockouts | 3-9/16 | 5-13/16 | 3-¾ | 46302 | 20 | 9 |
| | 63.0 | P-643QT | Three gang, angled nails, molded-in Speed Klamps™, Quick Thread™ device holes, two ½" knockouts | 3-9/16 | 5-13/16 | 3-¾ | 46301 | 20 | 10 |
| | 64.0 | P-643H | Three gang, face bracket side mount hanger, molded-in Speed Klamps™ | 3-9/16 | 5-13/16 | 3-¾ | 46303 | 20 | 11 |
| | 64.0 | P-643HQT | Three gang, face bracket side mount hanger, molded-in Speed Klamps™, Quick Thread™ device holes | 3-9/16 | 5-13/16 | 3-¾ | 46304 | 20 | 11 |



| | Cu. In. Volume | Catalog Number | Component Description | Exterior Dimensions | | | UPC# 85339 | Std. Pkg. Qty. | Std. Wt. (lb.) |
|------------|----------------|----------------|--|---------------------|-------|-----|------------|----------------|----------------|
| | | | | D | W | H | | | |
| *Four Gang | 74.8 | P-764* | Four gang, angled nails, molded-in Speed Klamps™, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94060 | 18 | 10 |
| | 74.8 | P-764QT* | Four gang, angled nails, molded-in Speed Klamps™, Quick Thread™ device holes, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94063 | 18 | 9 |
| | 74.8 | P-764B* | Four gang, angled nails, molded-in Speed Klamps™, stabilizer bracket, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94061 | 18 | 13 |
| | 74.8 | P-764BQT* | Four gang, angled nails, molded-in Speed Klamps™, stabilizer bracket, Quick Thread™ device holes, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94062 | 18 | 13 |
| | 74.8 | P-764H* | Four gang, face bracket side mount hanger, molded-in Speed Klamps™, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94064 | 12 | 9 |
| | 74.8 | P-764HQT* | Four gang, face bracket side mount hanger, molded-in Speed Klamps™, Quick Thread™ device holes, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94065 | 12 | 9 |
| | 74.8 | P-764HB* | Four gang, face bracket side mount hanger, molded-in Speed Klamps™, stabilizer bracket, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94066 | 6 | 5 |
| | 74.8 | P-764HBQT* | Four gang, face bracket side mount hanger, molded-in Speed Klamps™, stabilizer bracket, Quick Thread™ device holes, two ½" knockouts | 3-¼ | 7-5/8 | 3-¾ | 94067 | 6 | 6 |

*NOTE: flexbox four gang switch/receptacle boxes are **not** UL classified for fire resistive walls.

All dimensions are in inches unless otherwise noted.

See page 32 for flexbox® Attachment Coding suffix descriptions.



Old Work/Manufactured Housing Boxes



Flush-Device Box

UL File No. E30594

Competitive Cross Reference

Thermoplastic Outlet Boxes



**ALLIED
MOULDED
PRODUCTS, Inc.**

flexBOX®: Basic Series "Soft Box" Thermoplastic Boxes

| Allied Moulded | Carlton® PC Black Polycarbonate | Carlton® PVC (Zip Blue) | Carlton® PVC (Super Blue) (T&B) | Cantex® (EZ BOX®) | Pass & Seymour (Slater®) |
|----------------|---------------------------------|-------------------------|---------------------------------|---------------------|--------------------------|
| P-108E | N/A | B108R-UPC | N/A | EZ08SF | P108W |
| P-108H | N/A | B108B-UPC | N/A | EZ08SB | P108N |
| P-1160W | 114-OW | E-16-8 | N/A | EZ14SO | P116W |
| P-1180W | 118-OW | B120R | BH118R | N/A | S118W |
| P-1220W | N/A | B120R | N/A | EZ21SO | S122W |
| P-122SC | N/A | SNO-18-M | N/A | N/A | N/A |
| P-181 | 118-N (18") | B118A (18") | N/A | EZ18SN (18") | P118R |
| P-181H | 118-LB | B118B-UPC | N/A | EZ20SB | S118S50 |
| P-181HZ | N/A | N/A | N/A | N/A | N/A |
| P-181QT | N/A | N/A | N/A | EZ18SNU | S118R |
| P-181RK | N/A | N1-710-M | N/A | N/A | P1-18-RN (18") |
| P-201 | 120-N (20.3") | B120A (20") | BH122A | EZ20SN (20") | P122R |
| P-201QT | 120-N-FS (20.3) | N/A | N/A | EZ20SNU (20") | S1-18-R (18") |
| P-201R | N/A | RN-23 | N/A | N/A | P122RN |
| P-2400W | 232-OW | B225R | BH234R | EZ25DO | S2-32-W |
| P-241 | 122-N (22.5") | B122A (22") | N/A | EZ23SN (23") | P1-22-R (22.5") |
| P-241H | 122-LB (22.5") | N/A | N/A | EZ20SB | P122C |
| P-241HQT | 122-LBP (22.5") | N/A | N/A | N/A | S1-22-S50 (22.5") |
| P-241QT | 122-N-FS (22.5") | N/A | N/A | EZ23SNU (23") | S1-22-R (22.5") |
| P-3520W | N/A | B355R | N/A | N/A | S3-52-W |
| P-442 | 234-N (34") | B232A (32") | BH235A | EZ32DN (32")/EZ48DN | P2-35-RAC (35") |
| P-442H | 234-LB (34") | B232B (32") | N/A | N/A | N/A |
| P-442HQT | 234-LBP (34") | N/A | N/A | N/A | S2-35-S50AC (35") |
| P-442QT | 234-NP (34") | N/A | N/A | EZ32DNU | S2-35-RAC (35") |
| P-643 | 345-N (45") | B344A (44") | BH353A | EZ44TN (44") | S3-54-RAC (54") |
| P-643H | 345-LB (45") | SB-357 | N/A | EZ74TN | S354S50AC |
| P-643HQT | N/A | N/A | N/A | N/A | S3-54-S50AC (54") |
| P-643QT | N/A | N/A | N/A | N/A | S3-54-RAC (54") |
| P-764 | N/A | N/A | BH464A | N/A | S468RAC |
| P-764B | 460-SB-24 (60") | B455A | N/A | EZ55QNB (55") | N/A |
| P-764BQT | N/A | N/A | N/A | N/A | N/A |
| P-764H | 460-LB (60") | N/A | N/A | N/A | N/A |
| P-764HB | N/A | B455AH | N/A | N/A | N/A |
| P-764HBQT | N/A | N/A | N/A | N/A | N/A |
| P-764HQT | N/A | N/A | N/A | N/A | N/A |
| P-764QT | N/A | N/A | N/A | N/A | S4-68-RAC (68") |
| PC213-16 | N-321-C-94 | N/A | N/A | N/A | N/A |
| PC213-16G | N-321-GC-94 | N/A | N/A | N/A | N/A |
| PC213-BH | N-321-C-95 | N/A | N/A | N/A | C118HAC |
| PC213-BHG | N-321-GC-95 | N/A | N/A | N/A | C118HAGAC |
| PC213-N | 3R-16-N (16") | B518A (18") | N/A | EZ18CN (18") | C1-18-RAC (18") |
| PC213-NG | 3R-16-NGP (16") | B518P (18") | N/A | EZ18CNG (18") | C1-18-RGAC (18") |
| PC2230W | N/A | B618R | BH614R | EZ18CO | C1-18WAC |
| PC2230WG | N/A | B618RP | N/A | EZ18COG | C1-18WGAC |
| PC234-16 | N-423-C-94-V | B620H-UPC | N/A | N/A | N/A |
| PC234-16G | N-423-GC-94-V | B620HG-UPC | N/A | N/A | N/A |
| PC234-BH | N-423-C-95-V | B620K | BH525H | EZ20CH | S120HAC |
| PC234-BHG | N-423-GC-95-V | B620KG-UPC | BH525HP | EZ20CHG | S120HGAC |
| PC234-N | N-423-C-V | B520A (20.5") | BH525A | EZ20CN (20") | S1-20-RAC (20.2") |
| PC234-NG | N-423-GC-V | B520P (20.5") | BH525P | EZ20CNG (20") | S1-20-RGAC (20.2") |