

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



PRL1X3400X42AS PRL1X Interior No TFL 208Y/120 3P 4W 400A 42 CKT A Eaton Corp

<u>s</u>	
Catalog Number	PRL1X3400X42AS
Manufacturer	Eaton Corp
Description	Eaton PRL1X Interior No TFL 120/208 3P 4W 400A 42 CKT AI Bus
Weight per unit	118.0 (lbs/each)
Product Category	Distribution Equipment
Features	
amperage rating	400A
dimensions	46.0000 IN X 15.0000 IN X 6.0000 IN
media	Yes
Descriptions	
Description	PRL1X INTERIOR NO TFL 208Y/120 3P 4W 400A 42 CKT A
extra long description	ETN PRL1X3400X42AS PRL1X 208/120 3P
Features	The Pow-R-Xpress program brings to you a new set of products - Pow-R-Xpress panelboards. The Pow-R-Xpress products include interiors; type 1 and 3R boxes; surface and flush trims; main breaker kits; branch breakers; lug kits; service entrance kits; ground kits; and 200% neutral kits. In addition, the distributor stocking program can be used with various Eaton commercial distribution products and is designed to meet UL67 standards for use in data center, industrial, commercial and healthcare facilities.
Long Description	Eaton PRL1X INTERIOR NO TFL 120/208 3P 4W 400A 42 CKT AL BUS
Product Type	PRL1X 208/120 3P4W 400A 42CKT AI Bus
Manufacturer Information	
Brand	Eaton
GTIN	00786689363420
Manufacturers Part Number	PRL1X3400X42AS
UPC	786689363420
Taxonomies, Classifications, and C	
Гуре	PRL1X Panelboard
Packaging	
Carton	1
Weight Per each	118
Manufacturer Information Brand GTIN Manufacturers Part Number UPC Taxonomies, Classifications, and C Category Description Type Packaging Carton	PRL1X 208/120 3P4W 400A 42CKT AI Bus Eaton 00786689363420 PRL1X3400X42AS 786689363420 Categories PANELBOARD BOXES & INTERIORS PRL1X Panelboard

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Elec Assemblies, Panels & EOEM - Electrical Assemblies, Panels
	and EOEMs
standard	UL 67,NEMA Compliant