SATCO' NUVO

Project Name

Prepared By

SATCO S29394 54W/LED/HID/5K/100-277V/EX39

Notes

General	
Status	Discontinued
Substitute	S49394
Watts	54W
	300W
Incandescent Equivalent	
Fluorescent Equivalent	85W
HID Equivalent	250W
Volts	100V-277V
Shape -	Corncob
Base	Mogul Extended
ANSI Base	EX39
Finish	Clear
CCT (Kelvin)	5000K
Temperature	Natural Light
CRI	80+
Lumens	7200L
Beam Spread	300
Dimmable	Non-Dimmable
Hours Rated	50000
Product Category	Corncob
Technology	LED
Min Compartment Size	Length: 17.3 in. Width: 9.25 in. Depth: 9.25 ir
Ballasting Requirements	Ballast Bypass- Direct wire only 100V-277V
Electrical	
Working Voltage	AC 90-305V
Operating Frequency	50/60Hz
Power Factor	0.9
Operating Position	Base Up or Down
Operating Temperature	-20C (-4F) to +40C (+104F)
Physical	
MOL	10.75
MOD	3.69
Lens Finish	Clear
Weight (lb.)	2.15
Additional Information	
Additional Info	Emits no UV light; Contains no Mercury (Hg); Acceptable for use in food prep areas
Rated For Enclosed Fixture	Yes
IP Rating	IP65
Installation Notes	Not for use in vapor tight fixtures.
Shatter-Proof Type	Shatter resistant materials
Warranty	5 Year Limited - Hi-Pro
Compliance	
Safety Listing	cULus - Certified; cULus - Classified; cULus - Listed
Location Rating	Wet
DLC Approved	No
California Status	
	Lawful for sale in California
Title 20 / 24 Status	
Colorado Status	Lawful for sale
	Lawful for sale
Nevada Status	Lawful for sale
Nevada Status	Lawful for sale
Nevada Status Vermont Status	
Nevada Status Vermont Status Washington Status	Lawful for sale
Hawaii Status Nevada Status Vermont Status Washington Status RoHS Compliant FCC Compliant	Lawful for sale Lawful for sale



SATCO' NUVO

Project Name

Prepared By

SATCO S29394 54W/LED/HID/5K/100-277V/EX39

Notes

General	
Status	Discontinued
Substitute	S49394
Watts	54W
	300W
Incandescent Equivalent	
Fluorescent Equivalent	85W
HID Equivalent	250W
Volts	100V-277V
Shape -	Corncob
Base	Mogul Extended
ANSI Base	EX39
Finish	Clear
CCT (Kelvin)	5000K
Temperature	Natural Light
CRI	80+
Lumens	7200L
Beam Spread	300
Dimmable	Non-Dimmable
Hours Rated	50000
Product Category	Corncob
Technology	LED
Min Compartment Size	Length: 17.3 in. Width: 9.25 in. Depth: 9.25 ir
Ballasting Requirements	Ballast Bypass- Direct wire only 100V-277V
Electrical	
Working Voltage	AC 90-305V
Operating Frequency	50/60Hz
Power Factor	0.9
Operating Position	Base Up or Down
Operating Temperature	-20C (-4F) to +40C (+104F)
Physical	
MOL	10.75
MOD	3.69
Lens Finish	Clear
Weight (lb.)	2.15
Additional Information	
Additional Info	Emits no UV light; Contains no Mercury (Hg); Acceptable for use in food prep areas
Rated For Enclosed Fixture	Yes
IP Rating	IP65
Installation Notes	Not for use in vapor tight fixtures.
Shatter-Proof Type	Shatter resistant materials
Warranty	5 Year Limited - Hi-Pro
Compliance	
Safety Listing	cULus - Certified; cULus - Classified; cULus - Listed
Location Rating	Wet
DLC Approved	No
California Status	
	Lawful for sale in California
Title 20 / 24 Status	
Colorado Status	Lawful for sale
	Lawful for sale
Nevada Status	Lawful for sale
Nevada Status	Lawful for sale
Nevada Status Vermont Status	
Nevada Status Vermont Status Washington Status	Lawful for sale
Hawaii Status Nevada Status Vermont Status Washington Status RoHS Compliant FCC Compliant	Lawful for sale Lawful for sale

