

## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

	-			
zá	-		3	1
¢8		5.1	14	
e	-	-	-	9
1	t a f		28	
3	81.1			μ.,

## STA10 4" Alu Scru Tight Myers Hub Crouse-Hinds

Catalog Number	STA10		
Manufacturer	Crouse-Hinds		
Description	Eaton Crouse-Hinds Series Myers Scru-Tite Basic Hub, Aluminum, 4"		
Weight per unit	1.4 (lbs/each)		
Product Category	Aluminum		
Features			
connection	Threaded		
dimensions	5.4900 IN X 2.4600 IN X 5.4900 IN		
Material	Aluminum		
Material, Color, and Finish Finish	Natural		
Dimensions and Weight			
Size	4 in		
Description	4" ALU SCRU TIGHT MYERS HUB		
Description	MYERS STA 10 CH MYERS 4 ALUM HUB		
extra long description Features	Crouse-Hinds series Myers hubs are used in the termination of electrical circuits through wall of an enclosure. They are designed for use indoors or outdoors with rigid conduit and IMC, and they are ideal for pharmaceutical, chemical and food processing, pulp/paper, nuclear, solar and commercial construction applications.		
Long Description	Eaton Crouse-Hinds series Myers Scru-Tite basic hub, Aluminum, 4"		
Product Type	CH Myers 4 Alum Hub		
Special Features	Vibration Proof, Posi-Lok Insulated Throat, Weight 150 Lb per 100		
Manufacturer Information			
Brand	EATON CROUSE-HINDS SERIES		
GTIN	00784731100245		
	STA 10		
UPC	704731100345		
Taxonomies, Classifications, and			
Category Description	Watertight Hub, 3-PIECE COUPLINGS, THREADLESS COUPLINGS AND THREADLESS CONNECTOR		
Туре	Basic hub		



## **ELLIOTT ELECTRIC SUPPLY**

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

11001/0	
PARKA	
Packa	

Packaging Carton	2
Weight Per each	1.38
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other
Enclosure	NEMA 2/3/3R/4/4X/12
standard	UL 514B, CUL, CSA C22.2