Specifications

Photo is representative

Eaton T20P11S5016

Eaton General purpose E ventilated transformer, FI NEMA 2, FR843A, 60 Hz, FI 50 kVA, Single-phase, 240X480V, 120/240 V, M NEMA ST-20, 1 at +5%, 2 at -5% x 2 at +2.5%, 4 at -2.5%, 50 kVA, 240 X 480 Vac-120/240 V, 3XA, DOE 2016

Physical Att	ributes	
COIL MATERIAL	Aluminum	
ENCLOSURE	NEMA 2	
FRAME	FR843A	
INSULATION	220 °C	
MOUNTING	Floor or wall, upright only	
TAP SIZE	1 at +5%, 2 at -5% x 2 at +2.5%, 4 at -2.5%	
ТҮРЕ	Energy- efficient ventilated type DS-3 transformer	
WIRING CONNECTION	3XA	

General specifications		
PRODUCT NAME	Eaton General purpose ventilated transformer	WIRING CONNECTION
CATALOG NUMBER	T20P11S5016	
UPC	786680147647	
PRODUCT LENGTH/DEPTH	24.38 in	
PRODUCT HEIGHT	38.7 in	
PRODUCT WIDTH	23.51 in	
PRODUCT WEIGHT	408 lb	
WARRANTY	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	
COMPLIANCES	DOE2016 Efficient	
CERTIFICATIONS	UL Listed OSHPD Certified	
CATALOG NOTES	10 CFR Part 431 (2016) Efficient	

