

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



UPC

TA37 1" Ta FM7 Conduit Body

Catalog Number	TA37
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Form 7 Conduit Outlet Body
Mainte an unit	·
Weight per unit	
Product Category	Dodles & Covers
Features	7 2500 IN V 2 2500 IN V 2 0000 IN
dimensions Form	Form 7
	FOIII /
Material, Color, and Finish	Floatrogalyanized With Aluminum Aprulia Daintad
Finish	Electrogalvanized With Aluminum Acrylic Painted
Dimensions and Weight	0.00
Height	
Hub Size	
Length Width	2.00
	3.00
Descriptions	48 74 74 70 40 40 40 40 40 40 40 40 40 40 40 40 40
Description	
extra long description	
Features	One hundred years after the introduction of the Condulet, Eaton remains the leader in conduit outlet bodies with its Crouse-Hinds series. The line has grown to six families manufactured in a variety of materials, and Form 7 bodies are offered in 11 different shapes to provide the most flexible offering on the market. Form 7 Condulet outlet bodies approach conduit in size for neat, compact installations. Many shapes and sizes are available for rigid threaded conduit. Our Form 7 family features
Long Description	an exclus Eaton Crouse-Hinds series Condulet Form 7 conduit outlet body,
Product Type	Feraloy iron alloy, TA shape, 1" 1 Ta Form 7 CNDT Outlet Body
•	Tra Form 7 CNDT Outlet Body
Manufacturer Information Brand	EATON CROUSE-HINDS SERIES
GTIN	00782274630304
Manufacturers Part Number	TA37
ividifatactal Cl31 art Nambel	11.00

782274630304



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Categories	
	HUB STYLE BOXES (GUAB, GUAT, ETC)
Туре	Conduit outlet body
Packaging	
Carton	1
Package	2
Weight Per each	2.85
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Enclosure	Condulet

UL 514B, CSA C22.2, FEDERAL SPECIFICATION W-C-586D