



Powering Business Worldwide

pe.eaton.com

TMRP Series Timing Relay

TMRP5100

UPC:786685215358

Dimensions:

- **Height:** 1.88 IN
- **Length:** 3.46 IN
- **Width:** 1.88 IN

Weight:3 LB

Warranties:

- Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

- **Contact Configuration:** DPDT
- **Contact Material:** 90% silver, 10% nickel
- **Contact Rating:** 12A
- **Number Of Pins:** 11
- **Functions:** Power triggered, flasher-pause or ON first, single shot leading edge voltage controlled and control input, retriggerable single shot, single pulse generator, ON/OFF delay, memory latch
- **Input Voltage:** 12-240 Vac/dc
- **Operating Mode:** Control switch trigger
- **Options:** Plastic dust cover
- **Series:** TMRP series
- **Terminals:** Octal
- **Time Delay:** 0.1 seconds-9990 hours

Supporting documents:

- [Eatons Volume 7-Logic Control, Operator Interface and Connectivity Solutions](#)
- [Eaton Specification Sheet - TMRP5100](#)

Certifications:



- UL Listed

Product compliance:

- CE Marked
- RoHS Compliant

© 2016 Eaton. All rights reserved.



Powering Business Worldwide

pe.eaton.com

TMRP Series Timing Relay

TMRP5100

UPC:786685215358

Dimensions:

- **Height:** 1.88 IN
- **Length:** 3.46 IN
- **Width:** 1.88 IN

Weight:3 LB

Warranties:

- Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Specifications:

- **Contact Configuration:** DPDT
- **Contact Material:** 90% silver, 10% nickel
- **Contact Rating:** 12A
- **Number Of Pins:** 11
- **Functions:** Power triggered, flasher-pause or ON first, single shot leading edge voltage controlled and control input, retriggerable single shot, single pulse generator, ON/OFF delay, memory latch
- **Input Voltage:** 12-240 Vac/dc
- **Operating Mode:** Control switch trigger
- **Options:** Plastic dust cover
- **Series:** TMRP series
- **Terminals:** Octal
- **Time Delay:** 0.1 seconds-9990 hours

Supporting documents:

- [Eaton's Volume 7-Logic Control, Operator Interface and Connectivity Solutions](#)
- [Eaton Specification Sheet - TMRP5100](#)

Certifications:



- UL Listed

Product compliance:

- CE Marked
- RoHS Compliant

© 2016 Eaton. All rights reserved.