

Eaton TMRP5100

Catalog Number: TMRP5100

TMRP Series Timing Relay, Octal style terminals, 11 pins, Control switch trigger, 0.1 seconds-9,990 hours time delay, 12-240 Vac/dc input voltage, ON/OFF delay, 90% silver, 10% nickel, 12A contact rating, DPDT contact configuration,

General specifications



Product Name

Eaton timing relay

UPC

786685215358

Product Height

1.88 in

Product Weight

0.2 lb

Catalog Number

TMRP5100

Product Length/Depth

3.46 in

Product Width

1.88 in

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

CE Marked
RoHS Compliant

Certifications

UL Listed

defaultTaxonomyAttributeLabel

Type

Timing relay

Contact Rating

12A

Number of pins

11

Contact material

10% nickel

90% silver

Operating mode

Control switch trigger

Contact configuration

DPDT

Series

TMRP

Options

Plastic dust cover

Functions

Single pulse generator

Single shot leading edge voltage controlled and control input

ON/OFF delay

Memory latch

Power triggered

Flasher-pause or ON first

Retriggerable single shot

Input voltage

12-240 Vac/dc

Terminals

Octal

Time delay

0.1 seconds-9990 hours

Resources

Catalogs

[Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions](#)

Specifications and datasheets

[Eaton Specification Sheet - TMRP5100](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia